CANADIAN JOURNAL OF CHEMISTRY / JOURNAL CANADIEN DE CHIMIE
VOLUME 56
SUBJECT INDEX / REPERTOIRE DES SUJETS

Acetaldehyde molecular ion, reacn. with $(CH_2O)_3$, kin. and mechm. from high press. mass spectrmtry., 533

Acetals, cyc., of triols and chlorhydrins, use in synth. heterobicyc. compds., 2292

3-Acetamido-3- deoxy-D-*glycero*-D- *gluco*- heptose, and -D-*ido*-heptose, synth., 691

Acetic acid, and chloro- and trichloro- derivs., reacn. with pyridine in MeOH, kin., equil., mechms. by ir, 2567; protonated, decompn. from high press. mass spect., thermochem., 1016

Acetone, acid-catd. condensn. with furan, formn. of cycloanhydropolymers, intermeds. and mechm., 617; and -d_6 deriv., formn. complexes with C_6Cl_5OH using factor anal. to resolve ir bands, 2959; perfluoro, photol. in presence of CH_4, rad. mechm. for formn. ethers and alcs., kin. data., 1989

7α-Acetoxydihydronomilin, isoln. from *Uncaria Gambia Roxb.*, ^{13}C nmr, cryst. and molec. struct., 1020

2(*S*)-4-*O*-Acetyl-3,5-*O*-benzylidene-1,2-dideoxy-2-*C*-phenyl-D-*erythro*-pentitol, cryst. struct., 2915

Acetylenes, substd., bromination in HOAc, kin., prods., mechm., 1164

Acetyl group, activn. parameters for relaxn. of 2- and 3-acetylphenanthrene and 2-acetylnapthalene from dielec. absorpn., 567

N_α-Acetyl-N_β-methylphlegmarine, synth., probable intermed. in biosynth. of lycopodium alkaloids, 851

Acid–base equilibria, excited states of tyrosine, 1238

Acidity, dissocn. consts. for α-substd. 2-methylpyridinium ions, substit. effects, 3059; dissocn. consts. for α-substd. 3-methylpyridinium ions, substit. effects, 3068; scale for org. compds. in gas phase from mass spectrmtry., 1; α-substd. 4-methylpyridinium ions, substit. effects, 3072; α,β-unsatd. carboxylic acids, rel. strength of *endo* and *exo* double bonded acids, 2003

Acidity functions, use of structurally diff. amines as indicators for these fns., 954

Aconite alkaloids, prepn. of C/D ring systems of chasmine and napelline, 1102

(−)-Acorenone, total synth., 1628

Acrylates, stereoselect. Michael addns. by preformed Li enolate ions of 2-methylcyclohexanone, synth. of 5,6,7,8-tetrahydrocoumarin, 419

Acrylonitrile, mechm. of prim. photochem. processes at 213.9 nm, 2096

Acyl aromatics, oxidn. by peracetic acid, *t*-BuOOH, and alk. H_2O_2, mechm., 2646

Acyl cation, ΔH_f from high press. mass spect., thermochem., 1016

Acylsilanes, rearrs. with alkoxides, prods. and mechms., 2758

Adamantane(s), 1-halo-, photohalogenation in CCl_4 or $CBrCl_3$ solvents, prods., mechms., prepn. variously halogenated adamantanes, 1269

Addition, 1,2-, promoted by phase-transfer methods, use in synth. of cyclopropane derivs., 2134; pseudohalogens to unsatd. carbohydrates, synth. of 4′-thiocordycepin, 794

Adenosine, N^2-benzoyl-2′,(3′),5′-*O*-diacetyl-, improved synth., via hydrazinolysis, 487

Adsorption, SO_2 on natural chrysotile asbestos, thermochem. and mechms., 1847

Alanine, sequential copolymer with lysine, interacn. with DNA from circ. dichroism and therm. denaturn., 2650

Alcohols, fluorinated, complexes with Ni(II) and Cu(II), prepn., phys. and spect. props., 2369; liq., e^- formn. during radiol., scavenging e^- prior to solvn., mechms., 2313; normal, excess vols. in mixts. with $CHCl_3$ or $CHBr_3$, 2127; thermo. of salting effect by electrolytes on aq. solns., 552

Aldol condensation, calcn. of equil. consts. from lin. free energy relns., 962; *C*(α)-dianions of azines with ketones, 1236; mono- and di-, as prod. types in reacn. ketones with lithionitriles, 2572; stereo-electronic requirements for intramolec. reacn., 2139

Alkali halides, theory of energy change in halide exch. in cryst., diffn. of univalent impurity, 1668; thermo. of salting effects on aq. solns. of alcohols, 552; visc. of conc. aq. solns., temp. depend., interpretn. in terms of H_2O struct., 1442

Alkali metal hexachloroniobates, and -tantalates, synth., structs. and phases, 2013

Alkaloids, aconite, prepn. of C/D ring systems of chasmine and napelline, 1102; bisindole, synth. of leurosine and vinblastine derivs., 62; ^{13}C nmr of cancentrine and derivs., chem. shifts and structs., 2467; indole, synth. of derivs. of vinblastine and vincristine, 2560; isoln. from *Corydalis solida*, identificn. of solidaline as a protoberberine-reld. isoquinoline alkaloid, 383; isoquinoline, synth. of hypecorinine and bicucullinine, 1378; lycopodium type, isoln. and characterizn. of 4 new bases, synth. of N_α-acetyl-N_β-methylphlegmarine, 851; nuphar thiaspirane, configns. in thiobinupharidine sulfoxide from ^{13}C nmr, 56; nuphar thiaspirane, synth. thionuphlatine C, 56; strychnine type, uv spect. and circ. dichroism, transn. assigns., 1222

Alkanes, C_6 to C_9, ΔH_{mixt} with tridodecylamine, anal. in terms of disorder and steric contribns., 2472

2-Alkoxychromones, prepn. from 4-hydroxycoumarin, 1796

Alkyl aryl sulfides, oxidn. by $S_2O_8^{2-}$, substit. effects on kin., Hammet relns., mechms., 3043

Alkyl free radicals, formn. in reacn. Na + RX, optimizn. of flame condns., 941

Alkyl hydroperoxides, reacn. with Cu(II) dialkyldithiocarbamates, esr of intermeds., 164

Alkylidenecyclopropane, synth., configns. from nmr, 992

Alkylideneiminoguanidine, oxidative cyclizn. in prepn. substd. iminotriazolines, 2194

Alkylperoxyl free radical, esr of α-Ph-*N*-*t*-Bu nitrone adds., assigns. and structs., 2237; reacn. with Cu(II) complexes of dialkyldithiophosphoric and dialkyldithiocarbamic acids, inhibn. of autoxidn., esr of intermeds., 157; reacn. with Cu(II) dialkyldithiocarbamates, esr of intermeds., 164

N-Alkyltriphenyliminophosphoranes, photol. rearr., ylide intermeds., 289

Alkynals, prepn. from α,β-epoxyketones, 308

Alkynones, prepn. from α,β-epoxyketones, 308

Allene, equil. with $CH_3C{\equiv}CH$ catd. by Co and Fe on SiO_2, kin. and mechm., 2791

Allocyafrin B_4, isoln. and struct., 2113

Allyl free radical, electron affin. from ion–molec. reacn. data, proton affin. of allyl anion, 131; vibrnly. excited, formn. in vac. uv photol. 1-C_5H_{10}, decompn. and deactivn., 1435

Allylic hydroperoxides, prepn. from β-halohydroperoxides and base, perepoxide intermeds., 1114

Alumina, doped with MoO_3, variation of esr with concn. MoO_3, correln. with hydrodenitrogenation cat. eff., 1769

Aluminum, formn. of coatings by electrolytic redn., effect of nature and purity of solvent org. electrolytes on quality of coating, 2375
Aluminum(III), NH_4AlCl_4, cryst. struct., ir, Raman and nmr spect., molec. struct., 764
Aluminum(III)-β-diketonates, lig. exch., kin. and mechm. from nmr, acid cat., 1928
Amides, phosphonate assisted hydrol., general base cat., kin. and mechm., erratum, 1042; vinylogous, methyln., use in synth. of cyclohexapyrrolizidines, 320
Amine oxides, alkyl-, H-bonded complexes with phenol derivs., detecn. H-bonds by ir, 1579
Amines, expansn. and therm. press. coeffs., 370; mixts. of pairs, ΔH_{mixt} at 298 K, implicns. for intermolec. interacns., 2856; rel. volatility in H_2O in range 150–300°C, 2620; solns. of Na in, pulse radiol., yield e_s^-, spect., formn. ion pairs, 839; use as indicators to generate acidity fns., effect of struct., 954
Aminium radical, intermeds., in photol. *N*-nitrosamines, 2897; intermeds. in photol. nitrosamines in presence O_2 or $BrCCl_3$, with formn. nitrate esters or halides contg. pyrrolidine rings, 2906
Amino acids, app. mol. vols. and c_p for aq. solns. of oligopeptides of glycine, alanine, and serine, 2707; c_p and vols. in aq. polyols, 1827; α,ω-, dissocn. consts., Kirkwood–Westheimer theory, 1122; sequential copolymers, interacn. with DNA from circ. dichroism and therm. denaturn., 2650; β-, vibrnl. spect., normal mode anal., force field calcs., 663
Amino-alcohols, prepn., formn. complexes with Ni(II), Co(II), and Cu(II), 2966
Aminoalkoxyphosphines, 1/1 adds. with BH_3, prepn., stabils., nmr, coupling consts., thermochem., 857
D,L-2-Amino-4-(2-aminoethoxy)-butanoic acid, ^{14}C labelled at C(4) or C(2), synth., 2853
o-Aminobenzoylation, problems in synth. methods, 1616
Aminocyclitols, antibiotic synth., 1492, 1500, 1509, 2743
Aminocyclohexanethiols, synth., 2743
Aminoglycosides, antibiotics synth., 1492, 1500, 1509
Amino NH bonds, use of ^1H $T_{1\rho}$ data instead of direct ^{14}N or ^{15}N nmr in detn. of environment of these bonds, applicn. to nucleoside and indole derivs. and ε-caprolactam, 1302
Amino sugars, reld. to trehalose, synth., 2872; synth. and ^{13}C nmr, 1482; synth. of 4-deoxy-D,L-daunosamine and derivs., 638
Ammonia, liq., solvn. of Li^+ and Na^+, MO calcn., 2977; press. depend. of ion mobils. in X-radiol., 2337
Ammonia-d_3, photol. using pulsed, frequency-doubled dye laser at selected wavelengths, ^{15}N enrichment in prods., 2981
Ammonium tetrachloroaluminate, cryst. struct., ir, Raman and nmr spect., molec. struct., 764
Amylose, synth. and configns. of model compds., 2065
Anesthetics, halofluorocarbon, effect on H-bonds from ir data, implicn. for mechms. of anesthesia, 1681
Anhydrides, cyc., unsymmly. substd., redn. by metal hydrides, electronic mechm. of select. lactone formn., 1524
Anisole, and some derivs., ^1H and ^{13}C nmr, configns., 2008
Anodic films, effect of variation of potl. on 3-D nucleation and growth, theory, 606
Anthraniloylanthranilamide, possible approaches to synth., 1616
Antibiotics, aminocyclitol, synth., 1482, 1492; aminoglycoside (aminocyclitol) synth., 1500, 1509; contg. carbohydrates, synth. of two octodioses, 144; cryst. and molec. struct. of (±)-flavipucine, 1904; 5-deoxykanamycin A, synth., 2086; β-lactam, synth., 2879; β-lactam, total synth. of derivs. of 3-acetoxymethyl-Δ^3-*O*-2-isocephems, 1335; mitosane, enzyme redn., model of kin. and mechm. using base-catd. methanol. of indoylcarbinyl systems, 249
Antimony, complex ions with F, Mössbauer spect., structs., 2417
Antimony (III), and (V), polarographic redn. in aq. and anhyd. HF, 703
Antimony(V), $H_5O_2^+SbCl_6^-$, cryst. and molec. struct., H-bonds, 957; Raman spect. for $[SbCl_4^+][Sb_2Cl_2F_9^-]$, $[SbCl_4^+][Sb_2F_{11}^-]$, $[AsCl_4^+][SbF_6^-]$, and $SbCl_4F(NbF_5)_x$, 2947
Antimony pentafluoride, prepn. complexes with IOF_5, Raman and ^{19}F nmr spect., structs., 2253
Aquation (see Hydration)
Aquohydronium cation, cryst. and molec. struct. of $H_5O_2^+SbCl_6^-$, H-bonds, 957
Arene-chromium(III) complexes, prepn., photochem. behavior, 1477
Arenesulfonates, cat. of solvol. by π-acceptor complexes, mechm. from kin., 585
Aromatic oximes, ^{13}C nmr, chem. shifts, ^{13}C-^{15}N coupling consts., conformns., 2200
Arsane, organoarsanylperoxy rads., esr spect., ^{17}O hyperfine coupling consts., 2163
Arsenic pentafluoride, prepn. complexes with IOF_5, Raman and ^{19}F nmr spect., structs., 2253
Arylnitrosobenzenes, sterically hindered, photorearr., mechms. from prod. study, 2665
3-Arylpropynes, substd., bromination in HOAc, kin., prods., mechm., 1164
N-Aryltriphenyliminophosphoranes, ylide intermeds. in photol. leading to diarylazo compds. and Ph_3P, 289
Asbestos, chrysotile, formn. of surface species from SO_2 adsorpn., 1847
L-Ascorbic acid, electrochem. oxidn. at Hg electrode, in alk. medium, mechm., 1533
Asperlin, and other derivs. of 5,6-dihydro-2-pyrone, synth., stereochem. from nmr and ord, 2889
Aspidophytine, oxidn. with $KMnO_4$, 1052
Aspidophytine oxide, formn. by oxidn. of aspidophytine with $KMnO_4$, 1052
4-*epi*-Aubergenone, synth. of racemate and of enantiomer, elucidn. of struct. by ^{13}C nmr, 2508
Aucantene, synth., 306
Autoxidation, hydrocarbons, inhibn. by Cu(II) complexes with dialkyldithiophosphoric and dialkyldithiocarbamic acids, 157; 3-methylpentane, kin. and mechm., 170
9-Aza-*N*-alkylbicyclo[3.3.1]- and [4.2.1]nonanes, ^{13}C nmr, stereochem., 85
Azaisotwistane, formn. skeleton by thermol. *N*-chloramine derivs., 2897
Azapolycyclic compounds, photochem. synth., stereoelectronic control, 2906
Azines, *C*(α)-dianions, di-aldol condensns. with ketones, 1236
Aziridines, substd., cycloaddn. with $MeOC(O)C{\equiv}CC(O)OMe$, azomethine ylides as intermeds., orbital sym. considerns., 273
Azomethine ylides, intermeds. in cycloaddn. of substd. aziridines with $MeOC(O)C{\equiv}CC(O)OMe$, 273

Benzal halides, conformns. and barriers to intl. rotn. from nmr, 36
Benzamides, substd., ionizn. potls. and electron dens. from photoelectron spect., MO calcns. on substit. effects, 495
Benzene(s), *o*- and *m*-dihalo-, ir and Raman spect., detn. phase transns., 1638; solid solns. contg. thiophene, molec. motions of latter from pulse nmr, 714
Benzeneselenyl chloride, nonstereospecific addn. to 3,4-dihydro-2*H*-pyran, kin. and mechm., 2184
Benzenesulfonyl fluoride, ^1H and ^{19}F nmr, chem. shifts, coupling consts., 1717

4-Benzilidene-2-phenyl-Δ^2-oxazolin-5-one, *cis*- and *trans*-, and isotopes, resonance Raman, ir and absorpn. spect., band assigns., 232; *trans*-, derivs. and isotopes, resonance Raman spect., band assigns., 240
Benzophosphole derivatives, prepn., chem. props., 1952
Benzothiazoles, ^{13}C nmr study of azido–tetrazole isom., 46
Benzoylthiophenes, Me derivs., photochem. in soln., phosphor. and absorpn. spect., photoreacns., energy levels and mechms., 1970
Benzyl alcohol, incorporated in polymer as monoblocking agent for diacid chlorides, synth. on polymer support of monoester monoamides and monoalcohols, 1562
Benzyl chloride, hydrol., eff. of press. on kin., data anal., mechm., 1739
Benzylic sulfones, photol. in MeOH, prods., rad. mechm., use in synth., 903
Beryllium, oxalate complexes in soln., characterizn. by Raman spect., detn. of stabil. consts., 777
Bicucullinine, synth., 1378
Bicyclo[*n*.3.0]alkane-1-carboxylic acids, *cis*- and *trans*-, stereospecific synth., 93
Bicyclo[2.2.2]oct-6-en-2-one, 6,6-diMe deriv., ^2H exch. and rearr. via β-enolizn., 1342
Bicyclo[3.2.1]oct-2-en-6-one, 7,7-diMe deriv. and Δ^3 isomer, ^2H exch. and rearr. via β-enolizn., 1342
Bifunctional polymers, use in synth. by doubly binding diols in two sites, 1031
Bi-ionic potential, basis for descripn. of ionic transport through parchment supported membranes, 2205
Binding energies, C(1*s*), F(1*s*), N(1*s*), and O(1*s*) levels in C_6F_5X (X = CH_3, CF_3, CN, CHO, OH, OCH_3, NH_2, NO_2) from photoelectron spect., 538
Biogenesis, modificn. of pimarane to tetracyc. diterpene route, 2156
Biosynthesis, actinomycete prodiginines, ^{13}C nmr of ^{13}C- and ^{15}N-labeled pigments, 1155; sesquiterpenes from potatoes, 645
Bird's nest fungi, ^{13}C nmr of metabolites, 2197; metabolites, isoln. and struct., 2113
cis-*anti*-*cis*-4,5:9,10-Biscyclohexano-1,3,6,8-tetraoxecane, cryst. and molec. structs., 1705
Bis[*N*,*N*-dialkyl(dithiocarbamato-S,S′)]copper(II), reacn. with ROOH and RO_2, esr of intermeds., 164
Bis[dimethyl(ethanolamino)(1-pyrazolyl)gallato-(*N*(2),*O*,*N*)]-nickel(II), prepn., spect. props., cryst. and molec. struct. of *sym*-*fac* and *mer* isomers, 1212
Bis[diphenylimino]disulfide, flash photol. in soln., detecn. diphenyliminothiyl rad. by opt. spect., 1080
Bisindole alkaloids, synth. of derivs. of vinblastine and vincristine, 2560; synth. of leurosine and vinblastine derivs., 62
Bis(perchlorato)(γ-*C*-*meso*-5,5,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)copper(II), cryst. and molec. struct., 267
Bis[piperidyl-1]disulfide, flash photol. in soln., detecn. piperidyl-1-thiyl rad. by opt. spect., 1080
Bispyrroles, in synth. dimeric porphyrins, 1710
1,2-Bis(trimethylsiloxy)cyclopropane, reacns. with acids and bases, 481
Bond dissociation energy, org. compds. in gas phase from mass spectrmtry., derivn. of a gas phase acidity scale, 1; *D*[Ph–Br] by MePh carrier, 1589
Borane, 1/1 adds. with aminoalkoxyphosphines, prepn., stabils., nmr, coupling consts., thermochem., 857
Borohydride, Na, redn. of α,β-unsatd. nitriles, mechm., 41
Boron sulfide, reacn. with Me benzoate, formn. tetraphenylthiophene, correcn. of earlier misidentificn. of prod., 1043
Boron trifluoride, prepn. of complexes with anions, ^{19}F nmr, F–B coupling consts., disproportn. reacns., 2764
Bromination, 1,1-diphenyl-2-(2-thienyl)ethylene, props. and structs. of prods., 2755; substd. 3-arylpropynes in HOAc, prods., kin., mechm., 1164; of a substd. pyridinium ion, kin., effect of p*H* on mechm., 2970
Bromobenzene, pyrol in MePh carrier, detn. *D*[Ph–Br], 1589
Bromoform, excess vols. in mixts. with *n*-alcohols, 2127
Bromotrifluoromethane, ir multiphoton decompn., ^{13}C enrichment in C_2F_6 prod., 2227
Brønsted relations, in hydrol. of α-substd.-vinyl methyl ethers, 456
Bufadienolides, synth., 424
Butanol(s), solvd. electron formed in radiol., opt. spect., 2305
Butenes, photol. isomeric in vac. uv, energy relaxn. in excited fragments as fn. of photon energy and identity of isomer, 2630
n-Butylamine-1-^{14}C, deamination, mechm. from isotopic scrambling, protonated methylcyclopropane carbonium ion intermed., 658
t-Butyl-*p*-benzoquinones, photoredn., CIDEP and esr, 869
1-*t*-Butyl-3,4-dimethyl-4-nitro-1,4-dihydrophenyl acetate, formn. during nitrn. of 4-*t*-butyl-*o*-xylene, rearomatizn. reacns., 258
t-Butyl hydroperoxide, oxidn. of acyl aromatics, mechm., 2646
t-Butylperoxyl radical, abstrn. from alkanes at 30°C, kin., reactivity of sec. and tert. C–H bonds, 3047; reacn. with $C_2H_5CH(CH_3)C_2H_5$, Arrhenius parameters, 170
3-(*n*-Butyl-1-^{14}C)-1-phenyltriazene, decompn., mechm. from isotopic scrambling, protonated methylcyclopropane carbonium ion intermed., 658
5-*t*-Butyl-1,2,3-trimethylbenzene, addn. of $AcONO_2$ during nitrn., prods. and mechm., 1758
1-*t*-Butyl-3,4,5-trimethyl-4-nitrocyclohexa-2,5-dienol, and -dienyl methyl ether, prepn., 1758
1-*t*-Butyl-3,4,5-trimethyl-4-nitrocyclohexa-2,5-dienyl acetate, formn. during nitrn. of substd. benzene, rearomatizn. reacns., 1758
4-*t*-Butyl-*o*-xylene, addn. of $AcONO_2$ during nitrn., 258

Cadmium, complexn. with porphyrins, detn. stabil. consts., reacn. complexes with oxiranes and thiiranes, 925; $RbCdCl_3$, cryst. and molec. struct., Raman spect. of chloride and bromide salts, 1192; vp of aq. solns. of mixed electrolytes, applicn. of BET theory to deviatns. from Raoult's law, 348
Cadmium(II), fulvic acid complexes, prepn., stabil. consts., 2331
Cadmium nitrates, solns. in $(Ni/Co)Cl_2$ melts, fluidities and equiv. conduct., 1231
Cadmium(II) salicylate, extracn. into nonpolar solvents, synergistic effect of N-heterocyclic bases, extracn. and formn. consts., 2922
Caerulomycin D, identificn. as (2*S*,3*R*,4*R*,4a*S*,10a*S*)-3,4,4a,10a-tetrahydro-4-hydroxy-3,4a-dimethoxy-2-methyl-9-(2-pyridyl)-2*H*-pyrano[3′,2′:5,6]-*p*-dioxino[2,3-*c*]-pyridine-7-carboxaldehyde (*E*)-oxime from ^1H, ^{13}C nmr and mass spect., 1836
Calcium carbonate, DTA of aragonite–calcite transformn., effect of impurities on transformn. and on ir spect., 32
Calcium chloride, vp of solns. in NaCl + H_2O, detn. H_2O activity in conc. solns., 1853
Calcium sulfate, kin. of nucleatn. in $CaSO_4 \cdot 2H_2O/H_2O$ system, 831; nucleatn. from soln., inductn. time, 3096
Cancentrine, and derivs., structs. from ^{13}C nmr, 2467
Capacitance, of layer of spherical orientable dipoles, theoret. calcn., 861
ε-Caprolactam, detn. H-bonds and NH bond environment from ^1H $T_{1\rho}$ data, 1302
Carbamates, and carbonates and thiocarbonates, aralkyl, therm. decompn. in soln., stereochem. of prods., kin. and mechms., 2582

Carbohydrate α-nitroepoxides, reductive denitrn. by $NaBH_4$, prods., 1177
Carbohydrates, possible rotamers due to restricted motions of acetoxymethyl grps., calcn., comparison with cryst. data, 2866; synth. of 3-acetamido-3-deoxy-D-*glycero*-D-*gluco*-heptose and -D-*ido*-heptose, 691; synth. of two octodioses for subsequent synth. of apramycin, 144; unsatd., addn. of pseudohalogens, synth. of 4′-thiocordycepin, 794
3-Carbomethoxy-2,5-dihydrothiophenes, substd., synth. via vinyl phosphonates, 226
Carbon-13, enrichment in C_2F_6 prod. of ir multiphoton decompn. of CF_3Br, 2227
Carbonates, and carbamates and thiocarbonates, aralkyl, therm. decompn. in soln., stereochem. of prods., kin. and mechms., 2582
Carbon dioxide, exch. with O_2 over V_2O_5 and alkali metal promoted V_2O_5, ir spect. of cats., 3078
Carbonium ion, formn. in reacn. $Ph_2C{=}CHCH_3$ with $SnCl_2$ and HCl, ionic equil., mechm., 2093
Carbon monoxide, catd. oxidn. by N_2O on MnO or Co_3O_4, kin. and mechm., 10; oxidn. by N_2O catd. by Sc_2O_3 or MgO, kin. and mechm., 2447
1,6-*N*,*O*-Carbonyl-3*n*-ethoxycarbonyl-2,5-dideoxystreptamine, synth., and -1*N*-ethoxycarbonyl-, 404
Carboxylate salts, anal. and detn. struct. by field desorpn. mass spect., 2750
Carboxylic acids, detn. structs., anal. of mixts. and condensn. polymers by field desorpn. mass spect., 1372; α,β-unsatd., rel. acidity of *endo* and *exo* double bonded acids, 2003
Δ^3-Carene, dehydrogn. over Cr_2O_3–Al_2O_3, mechm., 1994
Catalysis, acid, in lig. exch. of metal β-ketonates, mechm., 1928; by acid of decompn. of 1,4-dihydropyridines, kin. and mechm., erratum, 1042; $CH_2{=}CH{=}CH_2/CH_3C{\equiv}CH$ equil. over SiO_2 supported Co or Fe, kin. and mechm., 2791; decompn. 2-propanol over V_2O_5 and modifd. V_2O_5, 2530; dehydrogn. of Δ^3-carene over Cr_2O_3–Al_2O_3, mechms., 1994; general base in amide hydrol., kin. and mechm., erratum, 1042; heterog., reacn. $CO+N_2O$ by Sc_2O_3 or MgO, kin. and mechm., 2447; homog., hydrogn. and hydroformyln. of olefins by Rh complexes, 1965; homog., solvol. of arenesulfonates by π-acceptor complexes, mechm. from kin., 585; hydrodenitrogenation of heavy oils over MoO_3 on Al_2O_3 cats., correln. of cat. eff. with variation in esr spect. with MoO_3 concn., 1769; hydrol. of hippuric esters by carboxypeptidase, mechm. from kin., 2188; oxidn. of CO by N_2O over MnO or Co_3O_4, kin. and mechm., 10; V_2O_5 and alkali metal promoted V_2O_5 for O_2/CO_2 exch., ir spect. of cats., 3078
Catalyst, modificn. by deposited layers of metals, 2029
Cellulose, configns. and H-bonds from ir studies of model compds., 2076; synth. and configns. of model compds., 2065
Cephalosporins, nuclear analogs, synth., 1335
Cephems, 7-MeO and 7-MeS, iso- and *O*-2-iso-, synth., 2879
Chalcogermanes, prepn., condensn. to $Me_nH_{2-n}Ge(EGeH_{3-n}Me_n)_2$ (E=O,S,Se,Te; n=1,2), elimn. metallic Se or Te to yield $(Me_nH_{3-n}Ge)_2$, 465
Charge transfer complex, 1Sn(II)–4Sn(IV) in Sn-plating baths, effect of org. molecs. on rates, 2624
Charge transfer spectra, calcn. from formn. consts. from polarog., 2381
Chasmanine, new shorter stereospecific total synth., 1451
Chasmine, prepn. of C/D ring systems by diene addn., 1102
Chelocardin, 2-diacetyl, C-2 akyln. and acyln., 1059
Chemi-ionization, of C_2N_2 in H_2 in air diffn. flames, effect of diluent gases, mechms., 2278; hydrocarbons in H_2 in air diffn. flames, effect of diluent gases, mechms., 2273
Chiral frameworks, synth. using appropriate carbohydrate as template, synth. of 15-carbon chiral skeleton of erythronolide A, 1843
N-Chloramine derivatives, thermol., formn. of azaisotwistane skeleton, 2897
Chlorinated *p*-terphenyls, photol. in org. solns. at 300 nm, prods., quantum yields, mechms., 1253
Chlorination, of org. sulfides, reassess. of mechm., 2422
p-Chlorobenzenesulfenyl chloride, electrophil. addn. to cyc.-Pr substd. olefins, kin. and mechm., 205
N-Chlorocarbamates, and carboxamides, Cr(II) promoted addn. to olefins to give α-acyloxy- or α-acylamino ketals and acetals, 119, erratum, 1305
1-Chloro-2,3-dimethylbenzene, addn. of $AcONO_2$ during nitrn., 1063
3-Chloro-4,5-dimethyl-4-nitrocyclohexa-2,5-dienyl acetate, formn. during nitrn. of 1-chloro-2,3-dimethylbenzene, rearomatizn. reacns., 1063
Chloroform, excess vols. in mixts. with *n*-alcohols, 2127
Chlorophosphite coupling reaction, in oligonucleotide synth., 2768
Chlorothiolformates, reacn. with Me_2SO, formn. and characterizn. of adds., 2884
2-Chloro-1,3,5-trimethylbenzene, addn. of $AcONO_2$ during nitrn., 1348
3-Chloro-2,4,6-trimethyl-4-nitrocyclohexa-2,5-dienyl acetate, formn. during nitrn. of 2-chloro-1,3,5-trimethylbenzene, rearomatizn. reacns., 1348
4-Chloro-1,3,5-trimethyl-4-nitrocyclohexa-2,5-dienyl acetate, formn. during nitrn. of 2-chloro-1,3,5-trimethylbenzene, rearomatizn. reacns., 1348
Chloryl fluoride, struct. of solid from opt. spect. and X-ray and neutron diffrn., 1634
Chromic acid, electrochem. redn. at rotating disc electrode in aq. soln. in presence of SO_4^{2-}, Cl^-, or ClO_4^- ions, kin. and mechm., 2042
Chromium(II), promotn. of addn. of *N*-chlorocarbamates and carboxamides to unsatd. compds., to steroids, 119, erratum, 1305
Chromium(III), chiral arene complexes, prepn., photochem. behavior, 1477
Chromium(V), ΔH_f^0 of K_3CrO_4 from calorimetry, 446
CIDEP, and esr, in photoredn. of *t*-Bu-*p*-benzoquinones, 869; identificn. intermeds. in photoredn. furil in soln., 2499
Circular dichroism, complexes of sequential lysine copolymers and DNA, 2657; polypeptides, conformns., 622; strychnine alkaloids, use to assist transn. assigns. in uv spect., 1222
Claisen rearrangement, thio-, α-allylthiopyroles, 221
Clathrate hydrate, of 2-methylpropanal, mixed hydrate with tetrahydrofuran, dielec. props. and compn., 2025
Cobalt, supported on SiO_2 as cat. for conversion $CH_2{=}C{=}CH_2$ to $CH_3C{\equiv}CH$ and reverse, kin. and mechm., 2791
Cobalt(I), $Co(BH_4)(Ph_3P)_n$ (n = 2, 3), condns. for optimum yields in prepn. of each complex from Co(II), $NaBH_4$, and Ph_3P, 814
Cobalt(II), complexes with pyridine and 4-methylpyridine, prepn., spect. and mag. props., structs., 985; hydrol. of aq. solns. to 200°C from emf data, thermo. parameters, 435; prepn. five-coord. complexes with amino-alcs., 2966; redn. and complexn. to form $Co(BH_4)(Ph_3P)_n$ (n = 2, 3), condns. for optimum yields in prepns., 814
Cobalt (III) complexes, lig. exch. in acidic DMF, kin. and mechm., 2609
Cobalto-cobaltic oxide, cat. of reacn. between CO and N_2O, kin. and mechm., 10
Colitose, methyl-α-pyranoside, synth., 2686

Complexes, metal ion + lig. in soln., titrn. methods for detn. formn. consts. and residual ion concns., anal. of method and syst. errors, 1202
Compressibility, *p*-dioxane aq. solns., interpretn. involving struct. of liq. H_2O and solns., 2412
Conductance, $Cd(NO_3)_2 \cdot 4H_2O$ in soln. in $(Ni/Co)Cl_2$ melts, 1231; elec. in Na_2SO_4, 2616; KCl and $InCl_3$ in H_2O + DMSO mixts., 355; KNHMe in $MeNH_2$, detn. ionic dissocn. const., 1518; mixts. trifluoromethanesulfonic acid with H_2O, phases, 1832
Conductivity, therm., for detn. *o/p* ratio in H_2 in flowing mixts. at intermed. press., theory and applicn., 1817
Configurations, abs., C-24 alkyl sterols from ^{13}C nmr, 1898; asperlin and other derivs. of 5,6-dihydro-2-pyrone from nmr and ord, 2889; ketoximes from ^{13}C nmr, 1940; substd. oxiranes from ^{13}C nmr, 3117
Conformations, acetoxymethyl grps. in carbohydrates, calcn., comparison with cryst. data, 2866; aromatic oximes from ^{13}C–^{15}N coupling consts., derived from ^{13}C nmr, 2200; and barriers to intl. rotn., 3,5-dichlorobenzyl alcohol and selenol from ^1H nmr, 1721; cyclopropyl- and dicyclopropylcarbinyl cations and derivs., from nmr, 2355; 2′-deoxynucleosides and nucleotides from nmr, 1170; 3,5-dichlorobenzyl-X (X = NH_2, $N(CH_3)_2$, $As(CH_3)_2$), from ^1H nmr, 2229; dinucleoside monophosphates from ^1H nmr, 522; of flexible hydrocarbon chains of α,ω-amino acids in H_2O, 1122; ground state and int. rotl. barriers in *p*-fluorotoluene derivs. based on the *J* method, 2442; α,α,α′,α′,3,4,6-heptachloro-*o*-xylene from ^1H nmr, hindered rotns. of Me grps., 1261; Me β-cellobioside-d_8 and cyclohexylamylose-d_4 from nmr, 3109; methylthioacetonitrile from microwave spect., 772; OH grp. in 2-methylphenol, 1788; polypeptides from nmr and circ. dichroism, 622; preferred and barrier to intl. rotn. in benzal halides from nmr, 36
Copper(II), bis(perchlorato)(γ-*C*-*meso*-5,5,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane), cryst. and molec. struct., 267; complexes with dialkyldithiophosphoric and dialkyldithiocarbamic acids, reacn. with RO_2 rads., inhibn. of autoxidns., 157; complexes of fluorinated alcs., prepn., phys. and spect. props., 2369; complexes with 'tripod' lig. tris(2-benzimidazylmethyl) amine, prepn., characterizn., spect. and mag. props., structs., 1311; prepn. complexes, four- and five-coord. with amino-alcs., 2966; Schiff base complexes, prepn., mag. and spect. props., 2000
Copper(II) dialkyldithiocarbamates, reacn. with ROOH and RO_2, esr of intermeds., 164
Copper films, clean and oxide-coated, adsorbed HCO_2H and reld. species, vibrnl. spect. from ellipsometry, 1088
Copper malate complex ions, stabil. consts. from potentiometry, polarimetry, spectroscopy and nmr, comparison with calcn., 1919
Cottrell equation, limited applicn. for derivn. of correcn. of electrochem. data for diffn., 155
Counting, liq. scintillation, of colored solns. contg. both color and chem. quenchers, applicability of extl. std. channels ratio method, 2173
Coupling constants, ^{13}C–^1H in carbohydrates, $^2J_{CH}$, 297; ^{13}C–^{15}N in aromatic oximes, use in detn. conformns., 2200; dioxane-1,3,4-spirocyclohexanes, 2998; dioxane-1,3,4-spirocyclohexanes, 3006, 3016; F–B in BF_3-contg. complex anions, 2764; ^1H and ^{19}F in benzenesulfonyl fluoride and derivs., 1717; long-range, 3,5-dichlorobenzyl-X (X = NH_2, $N(CH_3)_2$, $As(CH_3)_2$), from ^1H nmr, 2229; long-range to ^{19}F from ^1H on a sidechain in *p*-fluorotoluene derivs., 2442; long-range $^5J_m^{F,CF_3}$, coupling mechm., 2233; long-range, in 2-methylphenol and derivs., 1788; long-range from sidechain H and ^{19}F in benzal fluorides, chlorides, and bromides, 36; long-range from sidechain to ring H in benzyl alcohol and selenol, 1721
Crown ether, cats. for decarboxyln., 104
Cryoscopy, detn. phases for $MNbCl_6$ and $MTaCl_6$ where M is an alkali metal, 2013
Crystallization, electro-, theory of galvanostatic methods, 908
Crystal structure, 7α-acetoxydihydronomilin, 1020; *cis-anti-cis*-4,5:9,10-biscyclohexano-1,3,6,8-tetraoxecane, 1705; bis(perchlorato)(γ-*C*-*meso*-5,5,7,12,14,14,-hexamethyl-1,4,8,11-tetraazacyclotetradecane)copper(II), 267; *trans*-chloro-(3-hydroxypropyl-*N*,*N*-dimethylaminocarbene)bis(dimethylphenylphosphine)platinum(II) hexafluorophosphate, 1602; $CsUOF_5$ from neutron diffrn. and ^{19}F nmr, 2546; dibromotetraethylthiuramdisulfidemercury(II), 974; 1,2-dicarbomethoxy-4,5-dimethylcyclohexa-1,4-diene, 1358; 4,4*a*-dihydro-5,7-dimethylpyrido[1,2-*d*][1,5,2] dithiazine-1,1,3,3-tetroxide, 1183; 1,10-dimethyl-2[2-(3-keto-1,4,4-trimethylcyclohexyl)ethyl]-7-methoxy-3,4-dihydroanthracene, 2150; diphenylboron *N*-methylacethydroxamate, 1676; $[p\text{-}Et_2NC_6H_4NNPPh_3]$ $[BF_4]$, 891; (±)-flavipucine, 1904; $H_5O_2^+$ $SbCl_6^-$, 957; $HgBr_2$ bis(thiosemicarbazide) complex, 2526; $HgBr_2 \cdot Hg[S_2CN(C_2H_5)_2]_3$, an inorg. polym., 564; $[MeGa(N_2C_3H_3)_3]$ $Mo(CO)_2$ $(\eta^3\text{-}C_3H_5)$, 2099; $[Me_2Ga(OCH_2CH_2NH_2)$ $(N_2C_3H_3)]_2Ni$, *sym-fac* and *mer* isomers, 1212; Me 2-mercaptopyrimidinatomercury(II), 560; NH_4AlCl_4, molec. struct., 764; $ORe(C_5H_5N)_2Cl_2ORe(C_5H_5N)_2Cl_2O$, 179; *C*-phenyl branched-chain pentitols, 2915; $[PtCl(PEt_3)_2$ (1,8-naphthyridine)$]BF_4$, 450; $[PtCl(PEt_3)_2$ (phthalazine)$]$ (BF_4), 878; $[Pt\{C(NHC_6H_4CH_3)(NHC_6H_3CH_3)\}\{PPh_2(CH_2)_2PPh_2\}]ClO_4$, 2516; $[Pt_2(OH)_2(PEt_3)_4]$ $[BF_4]_2$, 1773; rapamycin $(C_{51}H_{79}NO_{13})$, an antifungal antibiotic, 2491; $RbCdCl_3$, 1192; $S_7NSN(CH_3)_2$ and (C_6H_{11}) $NSN(C_6H_{11})_2$, cryst. and molec. struct., 2927; substd. triazatetraphosphorins, 2833; tetradecahydropicenone deriv., 2139; 1,2,3,4-tetraphenyl-3,6-dicarbomethoxycyclohexa-1,4-diene, 1358; *anti*-1,2,4,5-tetraphenyl-3,6-dicarbomethoxytricyclo [3.1.0.$0^{2,4}$] hexane, 1364; *trans-anti* photodimer of 5-methylorotate, 824
Cyafrin A_4, and A_5, isoln. and struct., 2113; confign. from nmr, 2197
Cyafrin B_4, isoln. and struct., 2113
Cyanide ion, binding to horseradish peroxidase, H/D isotope effect, 2844
2-Cyanobarrelene, photorearrs., prods. and mechm., 3027
Cyanogen, ionizn. in H_2 in air diffn. flames, effect of diluent gases, mechms., 2278
Cyathin A_3, isoln., absol. stereochem., 2113
Cyathin A_4, isoln. from bird's nest fungi, struct., 717
Cyathin C_5, isoln. from bird's nest fungi, tentative struct., 717
Cyclam (1,4,8,11-tetraazacyclotetradecane), complexes with Rh(III) halides, base hydrol., kin. and mechm., 709
Cyclitol, analogs of biolog. interest, synth., 2677
Cyclization, failure with 6-substd. 3-keto esters, predicn. from Baldwin's rules, 2301
Cycloanhydropolymers, from acid-catd. reacn. of acetone and furan, intermeds. and mechm., 617
Cyclobutanones, substd., acid-catd. rearr. to 2-tetralones, 99
Cyclobutenones, synth., 505, 512
1,4-Cyclohexadienebisepisulfide, reacn. with azide ion, 2677
Cyclohexane(s), e^- mobils. in liq. and vap., 2388; monoalkyl-, ΔH_{vap} from gas chromatog., 2493
Cyclohexanecarboxylic acid, effect of 3- and 4-substits. on acidity, Kirkwood–Westheimer theory, 1130
1,3-Cyclohexanedione, ring syst. in 2-deacetylchelocardin and *N*-carbobenzoxy-2-deacetylchelocardin, *C*-acyln. and *C*-akyln. methods, 1059
Cyclohexanooxazolines, reacns. with thiobenzoic acid, 2743

Cyclohexapyrrolizidines, synth., 320
Cyclohexene(s), 1-substd., epoxidn., stereochem. of epoxide ring opening by $LiAlH_4$, 2049
Cyclohexylamine, rel. volatility in H_2O in range 150–300°C, 2620
Cyclohexylamylose-d_4, conformn. from nmr, 3109
(±)-5-Cyclohexylindan-1-carboxylic acid, synth. from 5-substd. indanone, 730
5-Cyclohexyl-1-indanone, prepn. glycidic ester by Darzens condensn. with E + chloroacetate, 730
2-Cyclohexyloxytetrahydropyran, and derivs., synth., configns. from nmr, correspondence of configns. with those of cellulose and amylose, 2065
Cyclopentadienyl complexes, of Pt(IV), prepn., spect. and phys. and chem. props., 2281
Cyclopentane, e^- mobils. in liq. and vap., 2388
Cyclopentanoid derivatives, synth. and ^{13}C nmr, 189
Cyclopentenones, synth., 2301
Cyclopent-2-enones, synth., 505, 512
Cyclopropane, fluoro-, therm. isomerizn., interpretn. of fall-off behaviour, 29
Cyclopropane derivatives, synth. by phase-transfer catd. 1,2-addns., 2134
Cyclopropanediols, reacns. with acids and bases, 481
Cyclopropanosteroid, synth., struct. from nmr, 2058
Cyclopropylalkenes, electrophil. addn. of *p*-chlorobenzenesulfenyl chloride, kin. and mechm., 205
Cyclopropyl carbinol, and deuterated derivs., microwave spect., dipole moment, 530
Cyclopropylcarbinyl cations, and dicyclopropylcarbinyl, and derivs., conformns. from nmr, 2355
Cyclopropyl ketones, photol. in soln., type II prods. and decompn. mechms., 803; therm. isomerizn., prods. and mechms., 808
Cymantrene, phospha-, prepn. and chem. props. of derivs., 1952

α-**D**amascone, *cis*- and *trans*-, total synth., 1368
cis-Decalins, synthons for pentacycl. triterpene synth., 1646
Decarboxylation, cat. by crown ethers, 104
Defects, substitutional, alkali halide crysts., calcn. of formn. energy, 1668
Dehydroacetic acid, prods. of methyln. by diazomethane, 1796
Dehydrobicuculline, intermed. in synth. of hypecorinine and bicuculline, 1378
Dehydroroyleanone, synth. from podocarpic acid, 517
Denaturation, therm., complexes of sequential lysine copolymers and DNA, 2657
Density, amino acids in aq. polyols, 1827; app., for aq. solns. of oligopeptides of glycine, serine, and alanine, 2707; aq. solns. org. liqs., implicns. for molec. interacns. and struct. of H_2O, 2808; β-lactoglobulin in H_2O–polyol solns., protein–polyol interacns., 848; mixts. trifluoromethanesulfonic acid with H_2O, phases, 1832; tetrahydrofuran mixts. with H_2O, 2803
4-Deoxy-D,L-daunosamine, and derivs., synth., 638
5-Deoxykanamycin A, synth., 2086
2′-Deoxynucleosides, ^1H nmr, conformns., 1170
2′-Deoxynucleotides, ^1H nmr, conformns., 1170
1-Deoxy-2-*C*-phenyl-D-arabinitol, cryst. struct., 2915
13-Desoxydelphonine, new shorter stereospecific total synth., 1451
Dextrans, permeation into porous glass, theory and expt., 2951
Diazene, and -d_2 deriv., electronic spect., anal. and vibrnl. assigns., 1575
Diazomethane, reacn. with unsatd. nitro sugars to form 2,3-(1′-pyrazolino-3′,4′) derivs., 3087; val. bond MO calcns. of structs. and energies, 1093
Dibenzo[*g*,*p*]chrysenes, synth. by oxidative cyclizn. of $Ar_2C{=}CAr'_2$, 1246
Diborane, select. redn. of carbonyl grp., use in synth., 2853
Dibromobis(thiosemicarbazide)mercury(II), cryst. and molec. struct., 2526
Dibromodithiocarbamatomercury(II), an inorg. polym., cryst. and molec. struct., 564
Dibromotetraethylthiuramdisulfidemercury(II), cryst. and molec. struct., 974
1,2-Dicarbomethoxy-4,5-dimethylcyclohexa-1,4-diene, cryst. and molec. struct., reln. to that for 1,2,3,4-tetraphenyl-3,6-dicarbomethoxy deriv., 1358
Dicarbonyl[methyltris(1-pyrazolyl)gallato (*N*(2),*N*(2)′, *N*(2)″)] (η^3-allyl) molybdenum, prepn., cryst. and molec. struct., 2099
β-Dicarbonyls, sulfenyln. catd. by F^-, 141
Dicarboxydeuteroporphyrins 4, and 5, synth., 2430
Dichloroacetic acid, formn. by electrochem. redn. Cl_3CCO_2H, calorimetric detn. ΔH, 1415
3,5-Dichlorobenzyl derivatives, of NH_3, $NH(CH_3)_2$, and $AsH(CH_3)_2$, ^1H nmr, coupling consts., barriers to intl. rotns., conformns., 2229
Dichlorotetrakis(thiourea)iron(II), uv-vis. and ir spect., band assigns., 1284
2,5-Dideoxystreptamine, and derivs., synth., 404; synth. of thioanalogs, 2743
Dielectric absorption, activn. parameters for acetyl grp. relaxn. in substd. aromatics in *p*-xylene soln. and polystyrene matrix, 567; diols in *p*-dioxane, 352; 2-methylpropanal hydrate and mixed hydrate with tetrahydrofuran, 2025; MeO-substd. aromatics, rotn. about MeO–C bond, 1800
1,3-Dienylphosphophine oxides, prepn., chem. reacn., 2486
cis-1,4-Diepoxycyclohexane, and derivs., synth., 404
(4-Diethylaminophenyl)diazenyltriphenyl phosphonium tetrafluoroborate, cryst. and molec. struct., 891
Differential thermal analysis, aragonite–calcite transform. in $CaCO_3$, effect of impurities, 32
Diffusion coefficient, org. nitro-compds. in $HOCH_2CH_2OH$ or glycerol at several temps. by polarog. tech., reln. to visc., 574
Diffusion flames, Na and alkyl halides as source of alkyl free rads., optimizn. of flame condns., 941
Dihalobenzenes, *o*- and *m*-, ir and Raman spect., detn. phase transns., 1638
3,4-Dihydroanthracene, 1,10-dimethyl-2[2-(3-keto-1,4,4-trimethylcyclohexyl)ethyl]-7-methoxy-, synth., cryst. and molec. struct., ^{13}C nmr, 2150
4,4*a*-Dihydro-5,7-dimethylpyrido[1,2-*d*][1,5,2]dithiazine-1,1,3,3,-tetroxide, synth., struct. from chem., spectr., and X-ray techs., cryst. struct., 1183
Dihydrofusarubins, diastereoisomers, identificn. as *rel*-(3*R*,4a*R*,10a*R*)- and *rel*-(3*R*,4a*R*,10a*S*)-5,10-dioxo-3,4,4a,5,10,10a-hexahydro-7-methoxy-3-methyl-3,6,9-trihydroxy-1*H*-naphtho[2,3-*c*]pyran, true metabolites of *Fusarium solani*, 1593
Dihydropyridines, 1,3-dipolar addns. of CNN_3, 1026; 1,2-dipropyl-3,5-diethyl-, photolytic ring opening, redn. of prod. iminodiene to aminodiene, applicn. to breaking of specific bonds in elastin, 302; 1,5-disubstd., synth. via organoLi adds., 1913; and 2,5-substd., adds. with organolithium compds., prepn. and characterizn., props. and reactivity, 2365; substd., synth., kin., and mechm. of acid-catd. decompn., erratum, 1042
Dihydropyridopyrazines, electrochem. redn., prods. and mechms., 1804
1,2-Dihydroquinolines, prepn., 632
2,3-Dihydrotriquinacen-2-one, and reld. derivs., synth. from Thiele's acid, 1687
Diimide, and -d_2 deriv., electronic spect., anal. and vibrnl. assigns., 1575

β-Diketonates, of V(III), lig. exch. kin. from nmr line shape anal., mechm. of exch., 1012; of V(III), rearr. kin. from nmr line shape anal., mechm. of rearr., 1005
N,*N*-Dimethylformamide, lig. exch. with Co(III) and Rh(III) DMF complexes, kin. and mechm., 2609
Dimethyl acetylenedicarboxylate, cycloaddn. with substd. aziridines, azomethine ylides as intermeds., orbital sym. considerns., 273
Dimethyl acetylphosphonate, hydrol. in H_2O, kin. and mechm., 1792
9,10-Dimethylanthracene, lig. exch. with ferrocene, prods., mechm., 1782
1,4-Dimethyl-2,3-diphenylcyclopentadiene, Diels–Alder adds. with dialkyl azodicarboxylates, isomerizn. of adds. to oxadiazines or oxadiazinones, 1724
4,5-Dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boratacyclopent-4-ene, cryst. and molec. struct., 1676
Dimethyl(ethanolamino)(1-pyrazolyl)gallate, transn. metal complexes, prepn., spect. props., cryst. struct. of Ni(II) complex, 1212
Dimethyl ether, pyrol., use in detn. kin. for $Me + CH_2O \rightarrow CH_4 + HCO$, 1307
N,*N'*-Dimethylformamidine, hydrol. in aq. alk., kin., mechm. in terms of stereoelectronic control, 1463; K salt, mechm. of prepn. by therm. decompn. KNHMe in $MeNH_2$ soln., therm. stabil., 1455; tautomerism from ^1H nmr and ir spect., acid cat. of tautomerism of protonated form, mechms., 1470
Dimethylsulfoxide (DMSO), ion–molec. reacns., by QUISTOR method, 2324; mixts. with H_2O, conduct. of $InCl_3$ and KCl in, 355; mixts. with H_2O, solvent effects on acid dissocn. consts., 1130; mixts. with H_2O as solvent for HCl, ultrasonic absorpns., use in detn. rate consts. for acid assocn. of HCl, 1881; reacn. with RSCOCl, HX, and $(CF_3)_2CHOH$, formn. and characterizn. of adds., 2884
Dinucleoside monophosphates, conformns. from ^1H nmr, 522
Diols, β-, and cyc. derivs., 250 and 300 MHz ^1H nmr, chem. shifts, coupling consts., 2998, 3006, 3016; dielec. relaxn. in *p*-dioxane, 352; doubly bound to two different sites in bifunctional polymer, use in synth., 1031
p-Dioxane, aq. solns., vel. sound and compressibilities, formn. hydrates, effect on struct. liq. H_2O, 2412
Dioxane-1,3,4-spirocyclohexanes, 250 and 300 MHz ^1H nmr, chem. shifts, coupling consts., 2998, 3006, 3016
Dioxolanes, 2,4-bifnl., use in synth. heterobicyc. compds., 2292
Diphenylboron *N*-methylacethydroxamate (4,5-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boratacyclopent-4-ene), cryst. and molec. struct., 1676
Diphenyliminothiyl radical, formn. in soln. by flash photol., reactivity, 1080
2,3-Diphenylindolenyl-3-hydroperoxides, synth., 218
2,3-Diphenylindoles, substd., and hydroperoxide derivs., synth., 218
2,3-Diphenyloxirane, *cis*- and *trans*-, electron transfer photosensitizn., prods. and mechm., carbonyl ylides as intermeds., 2985
1,1-Diphenylpropene, reacn. with $SnCl_2$ in presence HCl in $MeCl_2$ soln., ionic equil., mechm., 2093
1,1-Diphenyl-2-(2-thienyl)ethylene, nitrn., and bromination, props. and structs. of prods., 2755
1,3-Dipolar cycloaddition, CNN_3 to 1,2-dihydropyridines, 1026
Dipole moment, cyc.-Pr carbinol and deuterated derivs., 530; diols from dielec. relaxn. data, 352
Dipoles, layer of spherical orientable, theoret. calcn. of capacitance, 861
β,β'-Diporphyrins, synth. from bispyrroles, 1710
1,2-Dipropyl-3,5-diethyl-1,2-dihydropyridine, photolytic ring opening, redn. of prod. iminodiene to aminodiene, applicn. to breaking of specific bonds in elastin, 302
2,2'-Dipyridyl-6-aldoxime, 3,4-dihydroxy-, glycosidic deriv. of, isoln. from *Streptomyces caeruleus*, 1836
Disaccharides, nitro-, trehalose type, synth., 2872
Dissociation constants, α,ω-amino acids, 1122; carboxylic acids, Kirkwood–Westheimer theory of electrostatic effects, 1130
Distillation, extractive, correln. of efficiencies of solvents with various phys. props. and nmr chem. shifts, 2259
Diterpenes, biogenesis, modificn. of route to tetracyc. compds., 2156; cleavage reacns. of methyl pimarate 8(14) α-epoxide, 2156; confirmn. of struct. of dehydrocycloroyleanone (prod. of hydrogenol. of lycoxanthol) by synth., 517; norkaurane derivs., rearr. with $Tl(NO_3)_3$, prods. and mechm., 246
Diterpenoid quinone, royleanone, photol. prods., mechm. involving zwitterionic intermeds., 733
Diterpenoids, ^{13}C nmr of cyathins, configns., 2197; isoln. from bird's nest fungi, proof of struct., 717; isoln., from *Cyathus africanus*, structs., 2113
1,3-Dithiane, and 2-substd. derivs., complexes with $Fe(CO)_4$, prepn., rotl. barriers and conformns. from ^1H and ^{13}C nmr, 1538
Doebner–Miller reaction, dihydroquinolines as intermeds. in quinoline synth., 632
Double layer capacitance, model for oxide–electrolyte interface, 595

Elastin, use of model compds. to demonstrate possibility of photolytic specific bond breaking, 302
Electrochemistry, deposition Ag on Pt at under and over potls., 2029; detn. emf of In amalgams in cell $In/InCl_3$/amalgam, detn. thermo. fns. for reacn. $In + Hg \rightarrow$ amalgam, 2550; effect of press. on emf of 3 ref. electrodes, Pd–H/H^+ and Ag, AgCl/Cl^- and Pt, H_2/H^+, 915; effect of variation of potl. on 3-D nucleation and growth of anodic films, theory, 606; electrochem. formn. HgO on Hg in alk. aq. soln., kin. and mechm., 336; electrometric acidity data on aq. Co^{2+} solns. up to 200°C, thermo. of hydrol. of Co^{2+}, 435; kin. evidence against particip. of e_s^- in electrochem. redn., 17; method for calorimetry of electrochem. redn. of Cl_3CCO_2H to HCl_2CCO_2H, 1415; oxidn. of L-ascorbic acid at Hg electrode in alk. medium, mechm., 1533; redn. Cr^{6+}/Cr^{3+} at rotating disc electrode in presence various anions, kin. and mechm., 2042; redn. of pyridopyrazines, prods. and mechms., 1804; theoret. correcns. for diffn. toward spherical and cylindrical electrodes, 155; transn. layer model for oxide–electrolyte interface, 595; transport and steady-state concn. gradients at electrodes during electrol. by interferometry, 591
Electrocrystallization, theory of galvanostatic methods, 908
Electrode, CO_2, for anal. detn. CO_2 formn. during photochem. oxidn. oxalate with Fe(III), 2452; effect of press. on Pd–H/H^+ and Pt, H_2/H^+ ref. electrodes, 915
Electrolytes, app. molal vols. and C_p in aq. soln. of $NaClO_3$, $NaBrO_3$, $NaIO_3$, $NaNO_3$, $NaClO_4$, NH_4NO_3, $KClO_3$, $KBrO_3$, KIO_3, NH_4Cl, and NH_4ClO_4, 24; org., effect of nature and purity on quality of Al coatings formed by electrolytic redn., 2375
Electron(s), kin. evidence against particip. of e_s^- in electrochem. redn., 17; mobils. in hydrocarbon fluids, dens. effects, 2388; mobils. in liq. hydrocarbon + Xe mixts., 749, 756; scavenging in liq. alcohols prior to solvn, kin. and mechms., 2313; solvd., formn. in radiol. of solns. of Na in amines, yield, spect., 839; solvn. rates in liq. alcs., opt. spect. in liq. butanols, 2305; trapped in LiCl/H_2O or D_2O glasses, yields, spect., reactivity, 1889
Electron affinity, org. compds. in gas phase from mass spectrmtry., derivn. of a gas phase acidity scale, 1
Electron donor–acceptor complexes, arom. hydrocarbons and

nitrofluorene derivs., polarog. detn. of formn. consts., 2381
Electronic spectrum (see also Uv spectrum), aryl substd. 1,3,4-oxadiazoles, transn. assigns., triplet–triplet absorpn., 2781; dichlorotetrakis(thiourea)iron(II), band assigns., 1284; dimeric porphyrins as indication of electronic interacns., 1712; HN=NH and DN=ND, anal. and vibrnl. assigns., 1575; strychnine alkaloids, transn. assigns. aided by circ. dichroism data, 1222
Electron paramagnetic resonance (see Esr)
Electron transfer, intl. within frozen solns. of π-cation rad. from Ni(II) *meso*-tetraphenylporphyrin, mechm., 1381
Ellipsometry, detn. vibrnl. spect. of HCO_2H and reld. species adsorbed on Cu films both clean and oxide-coated, 1088
Enolate ions, preformed, addn. to α,β-unsatd. ketones and aldehydes for synth. of α-pyrones and bufadienolides, 424
Enolization, base catd. of 2,5-norbornanedione and 3,3-diMe- and 1,3,3-triMe-derivs., from *exo* and *endo* H-exch. rates, homoenolic factor in rates, 1148; 2-norbornanones from *exo* and *endo* H/D exch. rates, mechm., 1140
α,β-Enones, unsymm., regiospecific synth. from acetylenes, 2786
Enzymes, horseradish peroxidase compds. I and II, reacns. with $Fe(CN)_6^{4-}$, H/D isotope effects, 2844
Epoxide cleavage by acids, formn. of allylic alcohols and dienes, 2156
Epoxides, of 1-substd. cyclohexenes, stereochem. of epoxide ring opening by $LiAlH_4$, 2049
α,β-Epoxyketones, use in prepn. of alkynals and alkynones by thermol., 308
Epoxysulfones, γ- and δ-, in synth. of phenylsulfonylcyclobutanols and -cyclopentanols, 505, 512
Errata, 1042, 1305
Erythronolide A, synth. of 15-carbon chiral skeleton from appropriate carbohydrate as template, 1843
ESCA, pyrimidine and pyrine bases, 1555; uracil, thiouracil and some 1- and 3-Me derivs., correln. of ESCA with substit. effects on calcd. charge dens., 2405
Esr, adds. of organomercury rads. with 9,10-phenanthraquinone, 2503; adds. with α-Ph-*N*-*t*-Bu nitrone of OH, HO_2, and RO_2 free rads., assigns. and structs., 2237; *t*-BuO_2 and *t*-BuO adds. to phenyl *t*-Bu nitrone and to 2-Me-2-nitrosopropane, ^{17}O isotope effects, 176; and CIDEP, in photoredn. of *t*-Bu-*p*-benzoquinones, 869; CIDEP of photoredn. of furil, identificn. of intermeds., 2499; ^{63}Cu complex with ^{15}N-enriched etioporphyrin I, 2598; intermeds. formed in reacn. of Cu(II) complexes with dialkyldithiophosphoric and dialkyldithiocarbamic acids during hydrocarbon autoxidn., 157; intermeds. formed in reacn. Cu(II) dialkyldithiocarbamates with ROOH and RO_2, 164; organophosphoranylperoxy and organoarsanylperoxy rads., ^{17}O hyperfine coupling consts., 2163
Ethane, reacn. with H, kin. and mechm., 392
Ethers, in polyethylene terephthalate, chem. anal., 2703
Ethyl acetoacetate, reacn. with H_2NNH_2, kin. and mechm. from nmr of flowing and stopped-flow systems, 473
Ethylenes, fluoro-, in deactivn. of HF($v = 1,2$), 387
Ethyl thiobenzoates, and thionbenzoates, acid hydrol., mechm., 931
Etioporphyrin I, enriched in ^{15}N, prepn., struct. of free base, of cationic form and Zn complex by nmr, esr of ^{63}Cu complex, 2598
Exchange, base-catd. H/D, rates and mechms. for thiocamphor, 2605; *exo* and *endo* H/D in substd. 2-norbornanones, enolizn., kin. and mechm., 1140; lig. between ferrocene and 9,10-dimethylanthracene, prods., mechm., 1782; O_2/CO_2 over V_2O_5 and alkali metal promoted V_2O_5, ir of cats., 3078
Expansion coefficients, and therm. press. coeffs., series of organo-tin and -silicon compds., amines, and hydrocarbons, effect of molec. shape, 370
Extraction, cadmium(II) salicylate into nonpolar solvents, synergistic effect of N-heterocyclic bases, extracn. and formn. consts., 2922
Extractive distillation, correln. of efficiencies of solvents with various phys. props. and nmr chem. shifts, 2259

Factor analysis, use in resoln. ir bands of complexes between C_6Cl_5OH and $(CH_3)_2CO$ (and -d_6 deriv.), 2959
Ferric sulfide, Na, K, and Li salts, prepn., structs. from X-ray diffrn., nature of green solns., 2797
Ferrocyanide ion, reacn. with horseradish peroxidase compds. I and II, H/D isotope effect, 2844
Field desorption mass spectrometry, anal. and detn. struct. of carboxylate salts, effect of complexing agents on spect., 2750; carboxylic acids, detn. structs., anal. of mixts. and condensn. polymers, 1372
Flame ionization detector, variation of response of C_2N_2 to diluent gases, carrier gas effect, mechms., 2278; variation of response of hydrocarbons to diluent gases, carrier gas effect, mechms., 2273
Flavin mononucleotide, resonance broadening of ^{13}C nmr signals, 1045
(±)-Flavipucine (3′-isovaleryl-6-methylpyridine-3-spiro-2′-oxiran-2(1*H*),4(3*H*)- dione), synth., cryst. and molec. struct., 1904
Fluorescence, isomeric retinals in solid films, polarizn. study, nature of excited state, 1985; tryptophan in aq. soln., double exponential decay, 743; tyrosine, quenching by bases, 1238
Fluoride affinity, CO_2, C_3H_4, CH_2CO, from ion cyclotron resonance, 1069
Fluorine, complex anions contg. BF_3, prepn., ^{19}F nmr, F–B coupling consts., disproportn. reacns., 2764; complex anions, ^{19}F nmr of $[Ta_2OF_{10}]^{2-}$, struct., 1545; complex ions with Sb, Mössbauer spect., structs., 2417
Fluoroanions, complex, of fluorides of elements of grps. 3,4,5,6, and 7 with $CF_3CO_2^-$, identificn. of species by ^{19}F nmr, 343
Fluorocarbon anesthetics, detn. of effect on H-bonded systems from ir data, implicn. for mechms. of anesthesia, 1681
Fluoroethylenes, in deactivn. of HF($v = 1,2$), 387
Fluoroformate ion, formn. in ion cyclotron, detn. Lewis acidities, 1069
Fluorosulfate anion, formn. complexes with Grp. III, IV, V, VI, and VII elements, ^{19}F nmr of complexes, 1419
m-Fluorotoluene, ^1H nmr, $^5J_m^{F,CH_3}$, coupling mechm. from MO calcn., 2233
Formaldehyde, H^+ transfer rates and proton affin. in gas phase by flowing afterglow techn., 193; reacn. with Me, kin., 1307
Formation constants, detn. for complexes of metal ions and ligs. in soln., anal. of titrn. methods for this detn., sources of syst. error, 1202; electron donor–acceptor complexes of arom. hydrocarbons with nitrofluorene derivs., polarog. detn., 2381; $Me_3Pb(IV)$ complexes with many anions in aq. soln. by ^1H nmr, 3104
Free ion concentrations in solution, anal. of titrn. method of Osterberg–Sarkar–Kruck for detn. of formn. consts. of complexes and residual ion concns., sources of syst. error, 1202
Free radicals, alkyl, formn. in reacn. Na + RX, optimizn. of flame condns., 941
Friedel–Craft reaction, $Ph_2C{=}CHCH_3$ with $SnCl_2$ and HCl, ionic equil., mechm., 2093
Fulvic acid, from a Chernozem soil, acidic props. from titrn. curves, 1196; complexes with Cd(II), prepn., stabil. consts., 2331; complexes with metal ions, nmr relaxn. times, 1947
Fungal metabolites of *Cyathus africanus*, isoln. and struct., 2113
Furan, acid-catd. condensn. with acetone, formn. of cyclo-

anhydropolymers, intermeds. and mechm., 617; derivs., synth., 517
Furil, photoredn. in soln., identificn. of intermeds. by esr, CIDEP, 2499
Fusarubin, formed by non-enzymic oxidn. of dihydrofusarubins in alk. cultures of *Fusarium solani*, 1593
Fused salts (see Molten salts)

Gallium, $[MeGa(N_2C_3H_3)_3]$ $Mo(CO)_2(\eta^3\text{-}C_3H_5)$, prepn., cryst. and molec. struct., 2099; trans. metal complexes of $[Me_2Ga(OCH_2CH_2NH_2)(N_2C_3H_3)]^-$, prepn., spect. props., cryst. struct. of Ni(II) complex, 1212
Galvanostatic methods, for study of crystallizn. at electrode surface, theory, 908
Gas chromatography, use in evaln. ΔH_{vap} for monoalkylcyclohexanes, 2493
Germane(s), halogeno-, reacns. leading to synth. of chalcogermanes $(Me_nH_{3-n}Ge)_2E$ (E = O, S, Se, Te; n = 0–3), 465
Germanethiol(s), and -selenols, isoln. of $Me_nH_{3-n}GeEH$ (E = S, Se; n = 0, 3) as intermeds. in reacns. of digermoxanes with H_2E and from equil. mixts. of $(Me_nH_{3-n}Ge)_2E$ with excess H_2E, 465
Germyl group, trimethyl-, as substits. in 1-substd. cyclohexene epoxides, stereo. directing influence during epoxide ring opening by $LiAlH_4$, 2049
Glass, porous, permeation by biopolymers (dextrans), theory and expt., 2951
Glass electrode, trans. layer model for oxide–electrolyte interface, 595
Glasses, LiCl in H_2O or D_2O, pulsed radiol., yields, spect. and reactivity of trapped electrons, 1889
Glochidone, isoln. from *Cyathus helenae*, 717
D-Glucose, use in synth. (−)-α-multistriatin, 2700
Glucosides, configns. and H-bonds from ir studies of model compds., 2076
Glycerol, and other polyols, interacns. with β-lactoglobulin in aq. solns. from dens. and sp. heat data, 848
Glycopyranosiduranamide linkages in polysaccharides, cleavage by Hofmann degradn., 685
Glycoside, of 3,4-dihydroxy-2,2′-dipyridyl-6-aldoxime, caerylomycin D, isoln. and identificn., 1836
Guanidine(s), alkylideneimino-, oxidative cyclizn. in prepn. substd. iminotriazolines, 2194
Guanosine, N^2-benzoyl-2′,(3′),5′-*O*-diacetyl-, improved synth., via hydrazinolysis, 487
Gum arabic, methylated deriv., Hofmann degradn. for cleavage of glycopyranosiduronamide linkage, 685; methylated deriv., select. hydrol. of hex-5-enopyranoside derivs. for linkage anal., 680

Hafnium, equil. decompn. press. for K_2HfCl_6, 1549
1-Haloadamantane(s), photohalogenation in CCl_4 or $CBrCl_3$ solvents, prods., mechms., prepn. variously halogenated adamantanes, 1269
Halogenation, photochem. of olefins by *N*-haloamides, influence of Z in ZCONHX on kin. and mechm., 2590
β-Halohydroperoxides, conversion to allyl hydroperoxides in high yields, migrn. of O_2H grp. on treatment with base, mechms., 1114
N-Halomides, photochem. halogenation reag. for olefins, effect of Z in ZCONHX on kin. and mechm., 2590
Hammett relations, in the acid hydrol. of Et thiolbenzoates and thionbenzoates, 931; in acid hydrol. of thioacetic and thiobenzoic acids and derivs., 935; among dissocn. consts. for α-substd. 4-methylpyridinium ions, 3072
Haplophytine, oxidn. with $KMnO_4$, 1052
Haplophytine oxide, formn. by oxidn. of haplophytine with $KMnO_4$, 1052
Heat capacity, app. mol., amino acids in aq. polyols, 1827; app. molal, aq. $NaClO_3$, $NaBrO_3$, $NaIO_3$, $NaNO_3$, $NaClO_4$, NH_4NO_3, $KClO_3$, $KBrO_3$, KIO_3, NH_4Cl, and NH_4ClO_4, 24; app. molar, aq. Na_2SO_4, K_2SO_4, $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_4, Na_2MoO_4, and Na_2WO_4, 1871; aq. solns. org. liqs., implicns. for molec. interacns. and struct. of H_2O, 2808
Heavy water (see Deuterated water)
Helium, variational calcn. of energies of very highly excited states, 884
Henry's law, for vp H_2O over solns. of mixed electrolytes and fused salts contg. H_2O, 635
α,α,α′,α′,3,4,6-Heptachloro-*o*-xylene, conformns. and hindered rotns. of Me grps. by ^1H nmr, 1261
2,2,4,4,6,8,8-Heptamethyl-6-methylamino-7-benzoyl-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin, cryst. and molec. struct., 2833
2,2,4,4,6,8,8-Heptamethyl-6-methylamino-1,3,5-triaza-2,4,6,8-(P^v)-tetraphosphorin, cryst. and molec. struct., 2833
Heptasulfurimide derivatives, $S_7NSN(CH_3)_2$ and $(C_6H_{11})_2NSN(C_6H_{11})_2$, cryst. and molec. struct., 2927
Heterobicyclics, O-containing, synth. from 1,3-dioxolanes, 2292
Hexachloroantimonate(V), cryst. and molec. struct. of $H_5O_2^+SbCl_6^-$, H-bonds, 957
Hexacyanoferrate(II), reacn. with tetracyanoquinodimethane or with chloranil, effect of K^+ on kin., mechm., 2216
Hexafluoroacetone, exch. reacn. with H atoms, prods. and kin., 2638; photol. in presence of CH_4, rad. mechm. for formn. ethers and alcs., kin. data., 1989
Hexafluoroarsenates, of Ni(II) and Co(II), complexes with pyridine and 4-methylpyridine, prepn., spect. and mag. props., structs., 985
Hexafluoroisopropanol, reacn. with Me_2SO, formn. and characterizn. of adds., 2884
Hexafluorophosphates, of Ni(II) and Co(II), complexes with pyridine and 4-methylpyridine, prepn., spect. and mag. props., structs., 985
n-Hexane, e^- mobils. in liq. and vap., 2388
Hindered rotation, of neat *N*,*N*′-dimethylformamidine and in soln., acid cat. of tautomerism of protonated species, mechms., 1470
Hippuric acid esters, hydrol. catd. by carboxypeptidase, kin. and mechm., 2188
Hofmann degradation, for cleavage of glycopyranosiduronamide linkages in polysaccharides, 685
Horseradish peroxidase, reacn. with H_2O_2 in alk. solv., kin of formn. of compd. I., mechms., and detecn. intermeds., formn. CN complex, mechm., 1327
Hydrazine, reacn. with Et acetoacetate, kin. and mechm. from nmr of flowing and stopped-flow systems, 473
Hydrocarbons, ionizn. in H_2 in air diffn. flames, effect of diluent gases, mechms., 2273; oxidn. by MnO_4^- in aq. CF_3CO_2H, kin. and mechms., 1273
Hydrogen, detn. *o*/*p* ratio in flowing mixts. at intermed. press., theory and applicn., 1817; sorption into Pd from aq. solns. contg. HCl, thermo., 915
Hydrogenation, catd. of $\Delta^{1,9}$-2-octalones, stereochem. directed by alc. and ester grps., 1646
Hydrogen atom, exch. reacn. with $(CF_3)_2CO$, prods. and kin., 2638; reacn. with C_2H_6 or C_3H_8, kin. and mechm., 392
Hydrogen bond(s), in cellulose and glucosides from ir studies of model compds., 2076; in $H_5O_2^+SbCl_6^-$ from cryst. struct., 957; intermolec. in 4-chloro-2-methylphenol from ^1H nmr, 1788; perturbns. by halofluorocarbon anesthetics from ir data, implicn. for mechms. of anesthesia, 1681; to form complexes between alkylamine oxides and phenol derivs., detecn. by ir, 1579
Hydrogen bromide, reacn. with $O(^3P)$, kin., comparison exptl. E_{act} with bond energy – bond order calcns., 2934

Hydrogen chloride, acid dissocn. in DMSO + H_2O mixts., rate assocn. reacn. from ultrasonic absorpn. 1881
Hydrogen cyanide, H^+ transfer rates and proton affin. in gas phase by flowing afterglow techn., 193; liq., ΔH_{mix} with liq. HF, 2788
Hydrogen fluoride, compd. formn. with $HClO_4$ at low temp., ir spect., behavior as a base to $HClO_4$, 1610; deactivn. of $v = 1,2$ by fluoroethylenes, 387; liq., ΔH_{mix} with liq. HCN, 2788; tech. to provide const. concn. in gas stream from $NaHF_2$ therm. decompn., 2034
Hydrogen halides, reacn. with Me_2SO, formn. and characterizn. of adds., 2884
Hydrogen iodide, reacn. with $O(^3P)$, kin., comparison exptl. E_{act} with bond energy – bond order calcns., 2934
Hydrogenolysis, aspen lignin, isoln. of optimal amts. of phenylpropanoid derivs., 896; spruce lignin, isoln. of optimal amts. of phenylethanoid and phenylpropanoid derivs., 899
Hydrogen peroxide, alk., oxidn. of acyl aromatics, mechm., 2646
Hydrogen sulfide, and H_2O, and D-derivs., modified Morse potl. to describe vibrns., 2167; H^+ transfer rates and proton affin. in gas phase by flowing afterglow techn., 193
Hydrolysis, acid catd. of thioacids, mechms., Hammett relns., 935; alk. in tetrahydrofuran + H_2O of tetraphenylphosphonium chloride, kin. and mechm., 1933; amides, phosphonate assisted, general base cat., kin. and mechm., erratum, 1042; aq. solns. of Co^{2+} up to 200°C from emf data, thermo. parameters, 435; base catd., complexes of Rh(III) halides with cyclam, kin. and mechm., 709; BzCl, eff. of press. on kin., data anal., mechm., 1739; diMe acetylphosphonate, kin. and mechm., 1792; *N,N'*-dimethylformamidine in aq. alk., kin., mechm. in terms of stereoelectronic control, 1463; Et thiolbenzoate and thionbenzoate, mechms. in conc. acid, 931; hippuric esters catd. by carboxypeptidase, kin. and mechm., 2188; inorg. esters, calcn. pK_a values from linear free energy relns., 2342; select. of hex-5-enopyranoside derivs. of polysaccharides for linkage anal., 680; β-substd.-vinyl methyl ethers, kin. and mechm., *cis–trans* isomerizn. as a probe for detn. of mechm., 461; α-substd.-vinyl methyl ethers and 3-methoxyindene, kin. and mechm., unusual effect of Ph substit., 456
Hydroperoxides, β-halo-, conversion to allyl hydroperoxides in high yields, migrn. of O_2H grp. on treatment with base, mechms., 1114
Hydroperoxyl free radical, esr of α-Ph-*N*-*t*-Bu nitrone adds., assigns. and structs., 2237; formn. in pulse radiol. of acidic aq. solns. $C(NO_2)_4$, reacn. with NO_2, kin. and mechm., 1961
Hydrothermal reactions, decompn. of $Ni(OH)_2$ in alk. hydrotherm. condns., kin. and mechm., 363; prepn. stoichiom. Fe_3O_4, 402
4-Hydroxy-3-(1'-hydroxy-2'-oxo-4'-methylpentyl-)-6-methyl-2-pyridone, redn. and cyclizn., 613
4-Hydroxy-2-(1'-hydroxy-2'-oxopropyl-)-6-methyl-2-pyridone, redn. and cyclizn., 613
Hydroxylation, microbial by *Rhizopus arrhizus* of steroids and reld. compds., mechm. from kin. and labelling expts., 694
Hydroxyl free radical, esr of α-Ph-*N*-*t*-Bu nitrone adds., assigns. and structs., 2237
1-(4-Hydroxy-3-methoxyphenyl)-2-methyl-2-(*n*-propylamino)propane, synth., 3054
4-Hydroxy-6-methyl-2-pyridone, derivs., oxidn. and redn., 613
1-(4-Hydroxyphenyl)-2-methyl-2-(*n*-propylamino)propane, synth., 3054
Hypecorinine, synth., 1378

5-Imino-1,2,4-triazoline(s), substd., prepn. by oxidative cyclizn. of iminoguanidines, 2194
1-Indanone, and 5-cyclohexyl-1-indanone, prepn. glycidic esters by Darzens condensn. with E ÷ chloroacetate, 730
Indene-3-acetic acids, substd., effect of substits. on *E–Z* isomerism from ^{13}C nmr, 2129
Indium, emf of cells contg. up to 60% In amalgams, thermo. for formn. amalgam, 2550
Indium trichloride, conduct. in H_2O + DMSO mixts., 355
Indolealkylamine haptens, synth., 1621
Indoles, and derivs., detn. H-bonds and NH bond environment from ^1H $T_{1\rho}$ data, 1302; 2,3-diphenyl-, substd., and hydroperoxide derivs., synth., 218
Induction period, for nucleatn. $CaSO_4$ from soln., 3096
Insect pheromone, stereospec. synth. of (−)-α-multistriatin from D-glucose, 2700
Insertion, heterogen. of metals into porphyrins in prepn. metalloporphyrins, 1084
Interferometry, observn. of transport and steady-state concn. gradients at electrodes during electrol., 591
Iodine oxyfluoride, prepn. complexes with AsF_5, SbF_5, and $(SbF_5)_2$, Raman and ^{19}F nmr spect., structs., 2253
Iodine pentoxide, reacn. with H_2O, calorimetry to yield ΔH for ionizn. of H_2O, 3084
Ion-cyclotron resonance, acyl halide acidic solvol., 670; gas phase Lewis acidities for CO_2, C_3H_4, and CH_2CO, 1069
Ionic intermediates, in γ-radiol. of S-compds. in glassy matrices at 77 K, detecn. by opt. spect., 1856
Ionization, ΔH for H_2O from calorimetry on reacn. $I_2O_5 + H_2O$, 3084
Ionization potential, 4-substd. stilbenes from photoelectron spect., correln. with rate data, 2714; substit. effects for substd. benzamides from photoelectron spect., 495
Ion–molecule reactions, acyl halide acidic solvol., mechm. in gas phase, 670; $CH_3CHO^+ + (CH_2O)_3$, kin. and mechm. from high press. mass spectrmtry., 533; fluoride transfer to CO_2 and reld. species, 1069; H^+ transfer rates in gas phase, proton affin. for H_2O, H_2S, HCN, and H_2CO, by flowing afterglow techn., 193; in DMSO under electron impact, QUISTOR study, 2324; $OH^- + C_3H_6 \rightarrow C_3H_5^- + H_2O$, kin. and mechm. from flowing afterglow data, electron affin. of allyl rad., 131
Ion pairs, formn. in pulse radiol. of solns. of Na in liq. amines, 839
Iron, ferrocene, lig. exch. with 9,10-dimethylanthracene, prods., mechms., 1782; prepn. stoichiom. Fe_3O_4 from nitrilotriacetatoiron(III) under hydrotherm. condns., 402; supported on SiO_2 as cat. for conversion $CH_2{=}C{=}CH_2$ to $CH_3C{\equiv}CH$ and reverse, kin. and mechm., 2791
Iron(II), dichlorotetrakis(thiourea)-, uv-vis. and ir spect., band assigns., 1284; effect of K^+ on kin. of reacn. $Fe(CN)_6^{4-}$ with tetracyanoquinodimethane or with chloranil, mechm., 2216
Iron(III), equil. with carboxylic acids, use in photooxidn. oxalate for anal. detn. of anion, 2452
Iron pentacarbonyl, mass spect., app. potls. of minor fragments, 2607
Iron(III) sulfide, Na, K, and Li salts, prepn., structs. from X-ray diffrn., nature of green solns., 2797
Iron tetracarbonyl, complexes with 1,3-dithianes, prepns., rotl. barrier and conformns. from ^1H and ^{13}C nmr, 1538
Ir spectrum (see also Raman spectrum, Vibrational spectrum), aragonite and calcite forms of $CaCO_3$, effect of impurities, 32; band resoln. of complexes between C_6Cl_5OH and $(CH_3)_2CO$ (and $-d_6$ deriv.) using factor anal., 2959; carboxylic acids and pyridine in chloroform and methanol, 2567; ClO_2F, detn. struct. using opt. spect. and diffrn. techs., 1634; complexes between alkylamine oxides and phenol derivs., detecn. H-bonds, 1579; dichlorotetrakis(thiourea)iron(II), band assigns., 1284; *o-* and *m*-dihalobenzenes, detecn. phase transns., 1638; ellipsometric, CO_3^{2-} species and CO on Cu films both clean and oxide-coated, 1088; HgX_2 thiosemicarbazide complexes, vibrnl. assigns., 2526; laser, dispersions of 1,2-perdeuterodipalmitoyl-*sn*-glycero-3-phosphocholine as fn. of temp., detecn. gel–liq. phase transn., 2121; model compds. for cellulose and glucosides, configns. and

H-bonds, 2076; $MUOF_5$ (M = NH_4, K, Rb, Cs), vibrnl. anal., 1874; NH_4AlCl_4, molec. struct., 764; Schiff base complexes with Ni(II) and Cu(II), use in elucidn. of bonding, 2000; various H-bonded systems, effect of added halofluorocarbon anesthetics, implicn. for mechms. of anesthesia, 1681
Isomerization, *Z* to *E* in substd. spiroindolinopyrans, kin. and mechm., 1296
Isoporphobilinogen, lactams and other derivs., synth., 2437
Isoprene, 2-methyl-1,3-budatiene, photodecompn. of gaseous from 147 nm to absorpn. limit, prim. processes, prods., mechms., 1864
Isoquinoline alkaloids, synth. of hypecorinine and bicuculline, 1378
Isothiazoles, ^{13}C nmr study of azido–tetrazole isom., 46
Isotope enrichment, ^{13}C in C_2F_6 by ir multiphoton decompn. CF_3Br, 2227; ^{15}N by photol. of ND_3 using pulsed, frequency-doubled dye laser at selected wavelengths, 2981
Isotopic shift, in fundamental frequencies of polyat. molecs., calcn., 379
Isoxazoles, ^{13}C nmr study of azido–tetrazole isom., 46

Jasmone, and dihydrojasmone, synth., 2301

Kanamycin A, 5-deoxy-, synth., 2086
Ketene, proton affin. from high press. mass spect., thermochem., 1016
β-Keto ester dianions, cyclizn., 2301
Ketones, α-alkoxycarbonyln., 410; redn. by $NaBH_4$, mechm., 786; sterically crowded sym., synth. from nitriles, mechm. of synth., 2731; α,β-unsatd., unsymm., regiospecific synth. from acetylenes, 2786
Ketoximes, ^{13}C nmr, chem. shifts, configns., 1940
Kinetic isotope effects, detn. in racemizn. of opt. active substrates, 2994
Kirkwood–Westheimer equation, reln. to Taft eqn. based on modificn. of MacInnes eqn., 747
Kirkwood–Westheimer theory, electrostat. effects of ionizn. of carboxylic acids, 1122; test of solvent effect in applicn. to dissocn. consts. for carboxylic acids, 1130

β-**L**actams, synth. of *cis*-*N*-(2′-carboxyphenyl)-3-*N*-phenylacetamido-4-methoxymethyl-2-azetidinone, 2720; synth. of 7-β-phenylacetamido-3′-carboxybenzo[3,4]-*O*-2-isocepham, 2725
Lactones, select. formn. of one of two possible from metal hydride redn. of unsymmly. substd. cyc. anhydrides, electronic mechm., 1524
Lead(IV), trimethyl-, complexes with various anions in aq. soln., identificn. and detn. formn. consts. by ^1H nmr, 3104
Leurosine, and derivs., synth., 62
Lewis acidities, gas phase, CO_2, C_3H_4, CH_2CO, from ion-cyclotron resonance, 1069
Ligand exchange, Co(III) and Rh(III) complexes in acidic DMF, kin. and mechm., 2609; between ferrocene and 9,10-dimethylanthracene, prods., mechm., 1782; kin. for V(III) β-diketonates from nmr line shape anal., mechm., 1012; kin. and mechm. for metal β-diketonates using nmr, acid cat., 1928; photochem. induced, in arene–Cr(III) complexes, 1477
Lignin, cat. hydrogenol. of aspen, isoln. of optimal amts. of phenylpropanoid derivs., 896; cat. hydrogenol. of spruce lignin, isoln. of optimal yields of lignin monomers, 899
Linear free energy relations, for calcn. equil. consts. for aldol condensns., 962; pK_a values for strong mineral and arenesulfonic acids, 2342; reln. between Taft and Kirkwood–Westheimer eqns. using modificn. of MacInnes eqn., 747
Linoleic acid, Me ester, ozonol. in BF_3/MeOH, prods. and mechms., 2480
Liquid crystals, in deuterophospholipids, detecn. gel–liq. transn. by laser Raman and ir spect., 2121; lyotropic, orientn. in mag. field, mechm. from ^2H nmr, 2178
Liquids, HCN and HF, ΔH_{mix}, 2788
Liquid scintillation counting, colored solns. contg. both color and chem. quenchers, applicability of extl. std. channels ratio method, 2173
1-Lithio-1,2-dihydropyridine(s), reacn. with electrophiles, synth. 1,5-disubstd. derivs., 1913
Lithionitriles, condensn. with ketones, prods., 2572
Lithium, *N*-Bu-, adds. with substd. pyridobenzothiozines, prods., characterizn., 2365; ionic solv. in liq. NH_3, MO calcn., 2977
L-Selectride, mechms. of redns. of cyc. ketones to equat. alcs., 789
Lycoxanthol, hydrogenol., confirmn. of struct. of prod. as dehydroroyleanone by synth., 517
Lysine, copolymer interacn. with DNA, 2657; sequential copolymer with alanine, interacn. with DNA from circ. dichroism and therm. denaturn., 2650

MacInnes equation, modificn. to show reln. between Taft and Kirkwood–Westheimer eqns., 747
Macrolide, erythronolide A, synth. of 15-carbon chiral skeleton from carbohydrate as template, 1843
Magnesium, complexn. with porphyrins, detn. stabil. consts., reacn. complexes with oxiranes and thiiranes, 925
Magnesium(II) oxide, cat. for reacn. CO + N_2O, kin. and mechm., 2447
Magnetite, prepn. Fe_3O_4 under hydrotherm. condns. from nitrilotriacetatoiron(III), 402
Manganese(II) oxide, cat. of reacn. between CO and N_2O, kin. and mechm., 10
Mass spectrometry, derivn. of a gas phase acidity scale for org. compds. from electron affins. and bond dissocn. energies, 1; detn. ΔH_f (CH_3CO^+) and proton affin. of CH_2CO from ion–molec. equil. involving H^+, HOAc, H_2OAc^+, H_2O, and Ac^+, 1016; field desorpn., anal. and detn. struct. of carboxylate salts, effect of complexing agents on spect., 2750; field desorpn., carboxylic acids, detn. structs., anal. of mixts. and condensn. polymers, 1372; kin. and mechm. of reacn. $CH_3CHO^+ + (CH_2O)_3$, 533
Mass spectrum, $Fe(CO)_5$, app. potls. of minor fragments, 2607
Master equation, use in reformuln. of theory of therm. unimolec. reacns., comparison with expt. and RRKM theory, 1389
Melatonin, analogs, synth., 1621
Membranes, parchment supported, kin., thermo., and electrochem. of ionic transport, theory of bi-ionic potl., 2205
Mercaptans, γ-radiol. in glassy matrices at 77 K, opt. spect. of ionic intermeds., 1856
Mercuric oxide, electrochem. formn. on Hg in alk. aq. soln., kin. and mechm., 336
Mercury, molec. activn. anal. for CH_3Hg^- in fish, 1956; organomercury rads., esr of adds. with 9,10-phenanthraquinone, 2503
Mercury(II), dibromodithiocarbamato-, an inorg. polym., cryst. and molec. struct., 564; dibromotetraethylthiuramdisulfide-, cryst. and molec. struct., 974; synth., cryst. and molec. struct., ^1H nmr of Me 2-mercaptopyrimidinatomercury(II), 560
Mercury(II) halides, thiosemicarbazide complexes, ir and Raman spect., cryst. and molec. struct., 2526
Mesophases, lyotropic liq. crysts., orientn. in mag. field, mechm. from ^2H nmr, 2178
Metalloporphyrins, Ni(II) *meso*-tetraphenylporphyrin, controlled potl. electrol. yielding π-cation rad., mechm. of intl. e^- transfer in frozen solns. of latter, 1381; prepn. by heterogen. metal insertion, 1084
Methoxycarboxylmethyldisulfide, thiomethylating agent in synth. cephems, 2879

Methoxychlor, commercial, impurities present, 1246
3-Methoxyindene, hydrol., kin. and mechm., 456
Methoxy substituted aromatics, rotn. about MeO–C bond from dielec. relaxn. data, 1800
Methylacetylene, equil. with CH=C=CH$_2$ catd. by Co and Fe and SiO$_2$, kin. and mechm., 2791
Methylamine, conduct. of KNHMe in MeNH$_2$, detn. ionic dissocn. const. for the salt, 1518
Methyl benzoate, reacn. with B_2S_3, formn. tetraphenylthiophene, correcn. of earlier misidentificn. of prod., 1043
Methyl 2-*O*-benzoyl-4 deoxy-6-*O*-triphenylmethyl-α-D-*glycero*-hex-4-enopyranosid-3-ulose, synth., 2221
2-Methyl-1,3-butadiene, isoprene, photochem. of gaseous from 147 nm to absorpn. limit, prim. processes, prods., mechms., 1864
Methyl cellobioside-d_8, conformn. from ^{1}H-coupled ^{13}C nmr, 3109
Methylcyclopropane, protonated carbonium ion as intermed. in deamination of *n*-butylamine-1-^{14}C and decompn. of 3-(*n*-butyl-1-^{14}C)-1-phenyltriazene, 658
Methyl 3,6-dideoxyhexopyranosides, synth., 2686
Methylenation, enolic double bonds in steroids, use in synth., 2058
6-Methylene-2-norbanone, and 5-, and derivs., synth., 1134
Methyl glycopyranosides, microbiol. oxidn. by *Acetobacter suboxydans*, 1752
1-Methylgramine methiodide, base-catd. methanol., kin. and mechm., model for enzyme redn. of mitosane antibiotics, 249
Methyl 10-hydroxydecanoate, synth. on polymer support, 1562
Methyl *p*-hydroxymethylbenzoate, and *m*-isomer, synth. on polymer support, 1562
1-Methylindo-2-ylmethyl *N*-*t*-butylcarbamate, base-catd. methanol., kin. and mechm., model for enzyme redn. of mitosane antibiotics, 249
1-Methylisogramine methiodide, base-catd. methanol., kin. and mechm., model for enzyme redn. of mitosane antibiotics, 249
Methyl linoleate, ozonol. in BF$_3$/MeOH, prods. and mechms., 2480
Methyl 2-mercaptopyrimidinatomercury(II), synth., cryst. and molec. struct., ^{1}H nmr, 560
Methylmercury, molec. activn. anal. in fish, 1956
5-Methylorotate, *trans–anti* photodimer, cryst. and molec. struct., 824
O-Methyloximes, derivs., of Me pentopyranosid-4-uloses, microbiol. synth., 1752
3-Methylpentane, autoxidn., kin. and mechm., reacn. with *t*-BuO$_2$, Arrhenius parameters, 170
Methyl pentopyranosid-4-uloses, synth. by microbiol. oxidn. of Me pentopyranosides, 1752
2-Methylpropanal, mixed hydrate with tetrahydrofuran, dielec. props. and compn., 2025
2-Methylpyridinium ions, α-substd., effect of substits. on acid dissocn. consts., 3059
3-Methylpyridinium ions, α-substd., effect of substits. on acid dissocn. consts., 3068
4-Methylpyridinium ions, α-substd., dissocn. consts. in H$_2$O, substit. effects, lin. free energy relns., 3072
Methyl radical, addn. to (CF$_3$)$_2$CO, kin., 1989; reacn. with C$_2$H$_4$ and C$_3$H$_6$ in Na + CH$_3$X diffn. flame, kin., 941; reacn. with CH$_2$O, kin., 1307
2-Methyltetrahydropyran-4-ol, sepn. and identifn. of *cis*- and *trans*-isomers, 789
2-Methyltetrahydropyran-4-one, prods. and mechms. of redn. by NaBH$_4$, KBH$_4$ and Selectride reags., 789
Methylthioacetonitrile, microwave spect., conformns., 772
Methyl tris(1-pyrazolyl)gallate, synth., prepn. metal complexes, cryst. and molec. struct. of [MeGa(N$_2$C$_3$H$_3$)$_3$]Mo(CO)$_2$ (η^3-C$_3$H$_5$), 2099
Michael additions, to β-halo α,β-unsaturated ketones and aldehydes, synth. of bufadienolides, 424; stereoselect., by use of preformed enolate ions, synth. of 6-substd. α-pyrones, of 5,6,7,8-tetrahydrocoumarin, 419
Microwave spectrum, cyc-Pr carbinol and deuterated derivs., 530; methylthioacetonitrile, conforms., 772
Mitosane antibiotics, enzyme redn., model of kin. and mechm. using base-catd. methanol. of indoylcarbinyl systems, 249
Mobility, e$^-$ in hydrocarbon fluids, dens. effects, 2388; e$^-$ in liq. hydrocarbon + Xe mixts., 756; pos. and neg. ions in X-irrad. NH$_3$, 2337
MO calculation, *ab init.*, conformnl. energies of benzyl cyanide, 2442; bond energy – bond order for potl. energy activn. for reacns. O(^3P) with HBr and HI, comparison with exptl. E_{act}, 2934; charge dens. and orbital energies for Δ^3-1,3,4-oxadiazolin-2-one and substd. derivs., applicn. to photoelectron spect., 1319; charge dens. in uracil, thiouracil and derivs., correln. with ESCA, 2405; CNDO–CI preferred bridging modes in barrelene, 3027; CNDO and INDO-FPT of ^{13}C–^{1}H coupling consts., 297; configns. of 4-substd. stilbenes, confirmn. from photoelectron spect., 2714; coupling mechms. between Me proton and *m*-F in *m*-FC$_6$H$_4$CH$_3$, comparison with expt., 2233; effect of *p*, *d* and polarizn. fns. on one-electron props. of O and S hydrides, 543; hyperpolarizabilities for CO, CH$_4$, H$_2$CO, and CN$^-$, effect of basis sets, 1582; solvn. Li$^+$ and Na$^+$ in liq. NH$_3$, 2977; structs. and energies for O$_3$, NO$_2^-$, and CH$_2$N$_2$, 1093; substit. effects on photoelectron spect. of substd. benzamides, 495; triplet–triplet absorpn. of aryl-substd. 1,3,4-oxadiazoles, 2781
Molecular activation analysis, applicn. to CH$_3$Hg$^-$ content of fish, 1956
Molecular motions, thiophene in solid solns. in benzene from pulse nmr, 714
Molten salts, fluidities and equiv. conduct. Cd(NO$_3$)$_2$·4H$_2$O in (Ni/Co)Cl$_2$ solns., 1231; mixed electrolytes contg. H$_2$O, Henry's law for vp H$_2$O, 635
Molybdenum, [MeGa(N$_2$C$_3$H$_3$)$_3$]Mo(CO)$_2$(η^3-C$_3$H$_5$), prepn., cryst. and molec. struct., 2099
Molybdenum trioxide, as dopant with Al$_2$O$_3$, variation of esr with concn. MoO$_3$, correln. with hydrodenitrogenation cat. eff., 1769
Monofluorocyclopropane, therm. isomerizn., interpretn. of fall-off behaviour, 29
Monoterpenes, cyclopentanoid, synth., 1628
Morpholine, rel. volatility in H$_2$O in range 150–300°C, 2620
2-[4-(4-Morpholinyl)-1,2,5-thiadiazol-3-yloxy]acetic acid, acidic metabolite of timolol, synth., 722
d,l-3-[4-(4-Morpholinyl)-1,2,5-thiadiazol-3-yloxy]lactic acid, acidic metabolite of timolol, synth., 722
Morse oscillator, modified, as model for vibrns. polyat. molecs., applicn. to H$_2$O, H$_2$S, and D-derivs., 2167; use to evaluate fundamental frequencies in polyat. molecs., 379
Mössbauer spectrum, ^{121}Sb in Sb–F systems, 2417; ^{125}Te of organotellurium compds., 1746
(−)-α-Multistriatin, stereospec. synth. from D-glucose, 2700

Napelline, prepn. of C/D ring systems by diene addn., 1102
Naphthalene, 2-acetyl-, dielec. absorpn., activn. parameters for acetyl grp. relaxn., 567
Naphthalenones, microbial hydroxyln. of androst-4-ene-3,17-dione and reld. compds. by *Rhizopus arrhizus*, mechm. from kin. and labelling expts., 694
1-Naphthylacetic acid, and 2-, prepn., pyrol. in gas phase, prods., mechm., 628
1,8-Naphthyridine, Pt(II) complex, cryst. and molec. struct., 450
Neoallocyathin, proof of struct., 717

Neopentane, and -d_{12}, ^2H and ^{13}C nmr, detn. spin–lattice relaxn. times, 2576
Neutron activation analysis, applicn. to CH_3Hg^- content of fish, 1956
Neutron diffraction, ClO_2F, detn. struct. using opt. spect. and diffrn. techs., 1634; cryst. struct. $CsUOF_5$, 2546
Newtonian flow, oscilln. behavior of axisymm. particles following flow reversal, memory effects, theory and expt., 2815, 2824
Nickel(II), complexes, four- and five-coord. of fluorinated alcs., prepn., phys. and spect. props., 2369; complexes with pyridine and 4-methylpyridine, prepn., spect. and mag. props., structs., 985; complexes with 'tripod' lig. tris(2-benzimidazylmethyl)amine, prepn., characterizn., spect. and mag. props., structs., 1311; decompn. of $Ni(OH)_2$ in alk. hydrotherm. condns., kin. and mechm., 363; prepn. complexes, four-coord. with amino-alcs., 2966; Schiff base complexes, prepn., mag. and spect. props., 2000
Nickel(II) *meso*-tetraphenylporphyrin, controlled potl. electrol. yielding corresponding π-cation rad., intl. e^- transfer in frozen solns. of π-cation rad., mechm., 1381
Nickel(I)–phosphine complexes, prepn. using $NaBH_4$ redn., 2552
Niobium, $MNbCl_6$ (M = Na, K, Rb, or Cs), vap. press. over solid and liq., thermo. props., equil. in KCl–$KNbCl_6$ system, 2538; synth., structs. and phases of $MNbCl_6$ where M is an alkali metal, 2013
Niobium pentafluoride, polymeric add. with $SbCl_4F$, prepn., Raman spect., 2947
Nitration, 1-*t*-butyl-3,4,5-trimethylbenzene, formn. adds. during, 1758; 4-*t*-butyl-*o*-xylene, formn. adds., 258; 1-chloro-2,3-dimethylbenzene, formn. adds., 1063; 2-chloro-1,3,5-trimethylbenzene, formn. adds., 1348; 1,1-diphenyl-2-(2-thienyl)ethylene, props. and structs. of prods., 2755; MePh in highly conc. H_2SO_4, mechm. from stopped flow kin., formn. nitronium ion, 1280
Nitric oxide, radiol., ion and neutral reacn. mechm., 1075
Nitriles, α,β-unsatd., redn. by $NaBH_4$, mechm., 41; use in prepn. sterically crowded sym. ketones, mechm. of synth., 2731
Nitrite ion, val. bond MO calcns. of structs. and energies, 1093
Nitrodisaccharides, trehalose type, synth., 2872
Nitrogen, ^{15}N enrichment by photol. of ND_3 using pulsed, frequency-doubled dye laser at selected wavelengths, 2981; radiol., yield of atoms, isotope exch. yield and mechm., 147; $S_7NSN(CH_3)_2$ and $(C_6H_{11})_2NSN(C_6H_{11})_2$, cryst. and molec. struct., 2927
Nitrogen dioxide, reacn. with HO_2 in aq. soln., kin. and mechm., 1961
Nitrohexose, 2,3-(1′-pyrazolino-3′,4′) derivatives, synth. and decompn., 3087
Nitromethane, behavior as a base in liq. $HClO_4$, 1610; use in cyclizns. in trehalose series, 2872
Nitronium ion, formn. during nitrn. MePh in highly conc. H_2SO_4, implicn. for mechm. of nitrn., 1280
{[3-(5-Nitropyridine-2-yl)amino]pyridine-2-yl}thioacetic acid, cyclizn. to a thiazolium anion, detn. prod. struct., 2109
Nitrosamines, in presence O_2 or $BrCCl_3$, formn. nitrate esters or halides contg. pyrrolidine rings, 2906
N-Nitrosamines, photol. prods., cyclizn. of aminium rad. intermeds., 2897
Nitro sugars, reductive denitrn. by $NaBH_4$, prods., 1177
Nitrous oxide, catd. reacn. with CO on MnO or Co_3O_4, kin. and mechm., 10; oxidn. of CO catd. by Sc_2O_3 or MgO, kin. and mechm., 2447
Nmr (general and theory), calcn. of chem. shifts of H near a C≡C grp., correln. with expt., 959; for detn. kin. lig. exch. in metal β-diketonates, 1928; detn. relaxn. times for metal ion + fulvic acid solns. in H_2O, 1947; lig. exch. of V(III) β-diketonates from nmr line shape anal., mechm., 1012; line shape anal. to reveal presence of one or more minor configns. in rapid equil. with single dominant confign., 2737; molec. motions of thiophene in solid solns. in benzene, 714; rearr. of V(III) β-diketonates from line shape anal., 1005; use in detn. formn. consts. of complexes of $Me_3Pb(IV)$ with many anions in aq. soln., 3104; use in flowing and stopped-flow condns. for detn. of kin. and mechm. of reacn. between H_2NNH_2 and Et acetoacetate, 473; use of ^1H $T_{1\rho}$ data instead of direct ^{14}N or ^{15}N nmr in detn. of environment of NH bonds, applicn. to nucleoside and indole derivs. and ε-caprolactam, 1302
Nmr (^1H), acetals, bromo deoxy and 3,6-dideoxy sugars, conformns., 2686; 4-alkylidene-1-pyrazolines and alkylidenecyclopropanes, configns., 992; anisole and S, Se, and Te analogs, configns., 2008; benzal fluorides, chlorides, and bromides, conformns., coupling consts. and barriers to intl. rotn., 36; of benzenesulfonyl fluoride and derivs., coupling consts., ^{19}F chem. shifts, 1717; calcn. of chem. shifts of H near a C≡C grp., correln. with expt., 959; conformns. heptachloro-*o*-xylene by dynamic nmr and double resonance satn. transfer, 1261; correln. of chem. shifts of olefins in solvent mixts. with efficiency of solvent in extractive distilln., 2259; 2-cyclohexyloxytetrahydropyran and derivs., correspondence of configns. to those of cellulose and amylose, 2065; cyclopropyl- and dicyclopropylcarbinyl cations and derivs., conformns., 2355; 2′-deoxynucleosides and -nucleotides, conforms., 1170; detn. struct. of cyclopropanosteroid derivs., 2058; diasteroisomeric 4a,10a-dihydrofusarubins, use in detn. struct., 1593; 3,5-dichlorobenzyl alcohol and selenol, coupling consts., conformns., 1721; 3,5-dichlorobenzyl-X (X = NH_2, $N(CH_3)_2$, $As(CH_3)_2$), coupling consts., intl. rotnl. barriers, conformns., 2229; dinucleoside monophosphates, conformns., 522; duplex sets of ribonucleic acids, detn. of helix formn., 2243; for identificn. of caerulomycin D, 1836; *m*-$FC_6H_4CH_3$ and 2-chloro-5-fluorotoluene, long range coupling consts., comparison with MO calcn., 2233; five- and six-coord. complexes of Ti(IV), 316; *p*-fluoro derivs. of toluene, benzyl and benzal compds., 2442; Me 2-mercaptopyrimidinatomercury(II), 560; 2-methylphenol and derivs., conformns., coupling consts., H-bonds, 1788; 250 and 300 MHz, dioxane-1,3,4-spirocyclohexanes, chem. shifts, coupling consts., 2998, 3006, 3016; ^{15}N-enriched etioporphyrin I, spect. and struct. of free base, of cationic form, and of Zn complex, 2598; NH_4AlCl_4, molec. struct., 764; nucleoside analogs of *N*-substd. thiazolidines, 326; oligoribonucleotide CAUG, temp. depend. of chem. shifts, double helix struct., 2249; phenyl-, diphenyl-, and di-*t*-butyl-2-oxo-1,3,2-dioxothianes, substd. at C-4 and (or) C-6, chem. shifts, configns., 2019; *t*-phosphine Pd complexes, fluxional behavior, 950; polypeptides, conformns., 622; 2-substd. 1,3-dithianes and $Fe(CO)_4$ complexes, rotl. barriers and conformns., 1538
Nmr (^{13}C), acetals, bromo-deoxy and 3,6-dideoxy sugars, conformns., 2686; 7α-acetoxydihydronomilin, 1020; 4-alkylidene-1-pyrazolines and alkylidenecyclopropanes, configns., 992; amino sugars, 1482; anisole and S, Se, and Te analogs, configns., 2008; aromatic oximes, chem. shifts, ^{13}C–^{15}N coupling consts., use in detn. conformns., 2200; biosynth. of 10 sesquiterpenes incorporating NaOAc-$^{13}C_2$, 645; ^{13}C- and ^{15}N-labeled prodiginines, resonance assigns., biosynth. studies, 1155; cancentrine and derivs., use in detn. structs. of alkaloids, 2467; correln. of chem. shifts of olefins in solvent mixts. with efficiency of solvent in extractive distilln., 2259; cyathins, chem. shifts, configns., 2197; 2-cyclohexyloxytetrahydropyran and derivs., correspondence of

configns. to those of cellulose and amylose, 2065; for detn. abs. confign. of C-24 alkyl sterols, 1898; dimeric porphyrins, electronic interacns., 1712; flavin mononucleotide, assigns. and resonance line broadening, 1045; ^{1}H-coupled, second-order effects in detn. conformns. Me β-cellobioside-d_8, 3109; for identificn. of caerulomycin D, 1836; ketoximes, chem. shifts, configns., 1940; neo-C_5H_{12}, detn. spin–lattice relaxn. times, 2576; nucleoside analogs of *N*-substd. thiazolidines, 326; oxa-9- and *N*-alkylaza- 9-bicyclo [3.3.1]- and [4.2.1]-nonanes, 85; phenol sulfate ester salts, chem. shifts, substit. effects, 2681; phenyl-, diphenyl-, and di-*t*-butyl 2-oxo-1,3,2-dioxothianes, substd. at C-4 and (or) C-6, chem. shifts, configns., 2019; propellanes, 189; sesquiterpenes, use in correcn. of struct. of aubergenone, 2508; stereochem. depend. and signs of $^2J_{CH}$, 297; substd. 3,4-dihydroanthracene derivd. from substd. phenanthrene by acid-catd. rearr., 2150; 2-substd. 1,3-dithianes and $Fe(CO)_4$ complexes, rotl. barriers and conformns., 1538; substd. indene-3-acetic acids, effect of substits. on *E–Z* isomerism, 2129; substd. oxiranes, configns., 3117; substd. steroids, chem. shifts and assigns., 3121; 2-substd. tropones, substit. effects on chem. shifts, 578; thiazole, thiazolo[2,3-*e*]tetrazole, benzothiazole, tetrazolo[5,1-*b*]benzothiazole, isothiazole, and isoxazole, substit. effects on chem. shifts and coupling consts., 46; thiobinupharidine sulfoxide, *syn*- and *anti*-, configns., 56; uracil-, thiouracil-, pyrimidine-derivs., tautomeric structs., substit. effects on ^{13}C chem. shifts., 725

Nmr (other nuclei), ^{11}B, 1/1 adds. of BH_3 with aminoalkoxyphosphines, coupling consts., 857; ^{19}F of BF_3-contg. complex anions, F–B coupling consts., 2764; ^{19}F, chem. shifts in benzenesulfonyl fluoride and derivs., 1717; ^{19}F, complex fluoroanions of $CF_3CO_2^-$ with fluorides of elements of grps. 3,4,5,6, and 7, 343; ^{19}F, complexes of fluorosulfate and trifluoromethane sulfonate anions, 1419; ^{19}F, complexes of IOF_5 with AsF_5, SbF_5, or $(Sb_2F_5)_2$, structs., 2253; ^{19}F, $CsUOF_5$, use with neutron diffrn. in detn. cryst. struct., 2546; ^{19}F, $[Ta_2OF_{10}]^{2-}$, chem. shifts, 1545; ^{2}H, bicyclooctenones, ^{2}H incorporn. via β-enolizn. and vinylanions, 1342; ^{2}H in detn. mechm. orientn. of lyotropic liq. crysts. in mag. field, 2178; ^{2}H, neopentane-d_{12}, variable temp., detn. spin–lattice relaxn. times near mp, 2576; ^{31}P, 1/1 adds. of BH_3 with aminoalkoxyphosphines, coupling consts., 857; ^{31}P, *t*-phosphine Pd complexes, fluxional behavior, 950

Nqr, phase transn. in C_6Cl_5OH, 359

2,5-Norbornanedione, and 3,3-diMe- and 1,3,3-triMe- derivs., base-catd. *exo* and *endo* H-exch. for detn. enolizn. rates, homoenolic factor in rates, 1148

2-Norbornanones, exch. of *exo* and *endo* H/D, enolizn., kin. and mechm., 1140; 5- and 6-methylene-, and derivs., synth., 1134

17-Nor-13β-kauran-16-one, oxid. rearr. with $Tl(NO_3)_3$, prods. and mechm., 246

Nqr (Nqr follows Nmr)

Nucleation, $CaSO_4$ from soln., inductn. time, 3096; and 3-D growth of anodic films, effect of variation of potl., theory, 606; at electrode, theory of galvanostatic methods, 908; kin. in $CaSO_4 \cdot 2H_2O/H_2O$ system, 831

Nucleosides, analogs of *N*-substd. thiazolidines, synth., 326; and derivs., detn. H-bonds and NH bond environment from ^{1}H $T_{1\rho}$ data, 1302; 4′-thiocordycepin, synth., 794

Nucleotide(s), conforms. dinucleoside monophosphates from ^{1}H nmr, 522; N^2-benzoyl-2′(3′),5′-*O*-diacetyl guanosine and adenosine, improved synth., 487; oligoribo-, CAUG, temp. depend. of chem. shifts, double helix struct., 2249; synth. using *t*-$BuMe_2Si$ protecting grp. and trichloroethylphosphorochloridite condensn., 2768; tetraribo, helix struct. from ^{1}H nmr, 2243

Octodiose, synth. for subsequent synth. of apramycin, 144

Oligonucleotides, CAUG, temp. depend. of chem. shifts, double helix struct., 2249; synth. using *t*-$BuMe_2Si$ protecting grp. and trichloroethylphosphorochloridite condensn., 2768

Oligosaccharides, possible rotamers due to restricted motions acetoxymethyl grps., calcn., comparison with cryst. data, 2866

Optical rotary dispersion, asperlin and other derivs. of 5,6-dihydro-2-pyrone, use with nmr in detn. configns., 2889

Orbital symmetry, mechm. of cycloaddn. of substd. aziridines with $MeOC(O)C{\equiv}CC(O)OMe$, 273

Organolithium–pyridine adducts, prepn., props. and reactivity, 2365

Organotellurium compounds, ^{125}Te Mössbauer spect., 1746

Oscillations, and rotns. of axisymm. particles in Newtonian liq., behavior following flow reversal, theory and expt., 2815, 2824

10-Oxacancentrine, struct. from ^{13}C nmr, 2467

10-Oxacodeinone, struct. from ^{13}C nmr, 2467

1,3,4-Oxadiazines, and 1,3,4-oxadiazin-2-ones, prepn. by acid-catd. isomerizn. of Diels–Alder adds. of substd. cyclopentadienes and dialkyl azodicarboxylates, 1724

1,3,4-Oxadiazoles, aryl substd., electronic spect., triplet–triplet absorpn., transn. assigns., 2781

Oxadiazolines, use in prepn. of alkylnals and alkynones by thermol., 308

Δ^3-1,3,4-Oxadiazolin-2-one, and substd. derivs., photoelectron spect., MO calcns. of charge dens., binding and bond energies, 1319

D,L-*cis*-*N*-Oxalamido-3-*N*-phenylacetamido-4-methoxymethyl-2-azetidinone, synth. from L-serine, 211

Oxalate, anal. detn. by photochem. oxidn. with Fe(III) to CO_2, 2452

Oxalic acid, complexes with Be^{2+}, characterizn. by Raman spect., detn. of stabil. consts., 777

9-Oxa[3.3.1]- and [4.2.1]nonanes, ^{13}C nmr, stereochem., 85

Oxazolinones, and derivs., resonance Raman spect., band assigns., 240; resonance Raman spect., band assigns., 232

Oxidation, alkyl aryl sulfides by $S_2O_8^{2-}$, substit. effects on kin., Hammett relns., mechms., 3043; auto-, $C_2H_5CH(CH_3)C_2H_5$, kin. and mechm., 170; Dakin, *p*-hydroxyacetophenone, detecn. hydroquinone monacetate intermed., 2646; hydrocarbons in aq. CF_3CO_2H by MnO_4^-, kin. and mechms., 1273; by $KMnO_4$ of aspidophytine and haplophytine, 1052

Oxide–electrolyte interface, transn. layer model, 595

Oximes, aromatic, ^{13}C nmr, chem. shifts, ^{13}C–^{15}N coupling consts., conformns., 2200

Oxiranes, configns. from nmr and ord, 2889; 2,3-diphenyl-, *cis*- and *trans*-, electron transfer photosensitizn., prods. and mechm., carbonyl ylides as intermeds., 2985; reacn. with metalloporphyrins of Cd, Mg, and Zn, 925; substd., ^{13}C nmr, chem. shifts, configns., 3117

μ-Oxobis(*cis*-dichloro-*cis*-di(pyridine)-*trans*-oxorhenium(V)), cryst. and molec. struct., 179

2-Oxo-1,3,2-dioxothianes, phenyl-, diphenyl-, and di-*t*-Bu-substd., ^{1}H and ^{13}C nmr, chem. shifts, configns., 2019

Oxy-acids, pK_a correlns., 2342

Oxygen, deactvn. of $O_2(^1\Delta)$ by transn. metal complexes in CCl_4, kin. and mechm., 1595; exch. with CO_2 over V_2O_5 and alkali metal promoted V_2O_5, ir spect. of cats., 3078; ^{17}O hyperfine coupling consts. in esr spect. of organophosphoranylperoxy and organoarsanylperoxy rads., 2163; ^{17}O isotopic shifts in esr spect. of adds. of *t*-BuO_2 and *t*-BuO to phenyl *t*-Bu nitrone and to 2-Me-2- nitrosopropane, 176

Oxygen atoms, $O(^3P)$ reacn. with HBr and HI, kin., comparison exptl. E_{act} with bond energy – bond order calcns., 2934

Oxygen hydrides, MO calcn. of effect of *p*, *d* polarizn. fns. on one-electron props., 543

Oxypentafluorouranates(VI), $MUOF_5$ (M = NH_4, K, Rb, Cs), prepn., ir and Raman spect. and vibrnl. anal., X-ray powder diffrn., 1874
Ozone, val. bond MO calcns. of structs. and energies, 1093
Ozonolysis, Me linoleate in BF_3/MeOH, prods. and mechms., 2480

Palladium, prepn. *t*-phosphine complexes with 1-10-phenanthroline, 1,8-naphthyridine, a phthalazine, variable temp. nmr, fluxional behavior, 950; sorption of H_2 from aq. solns. contg. HCl, thermo., 915
Palladium(II), pyrazolato complexes, prepn., chem. and nmr props., 2513
Pentacene, deactivn. of triplet by transn. metal complexes, kin. and mechm., 1595
Pentachlorophenol, detecn. of phase transn. by Raman and nqr data, 359; formn. complexes with $(CH_3)_2CO$ and -d_6 deriv., detecn. by ir band resoln. using factor anal., 2959
Pentafluorobenzene, binding energies and charge dens. in C_6F_5X (X = CH_3, CF_3, CN, CHO, OH, OCH_3, NH_2, NO_2) from photoelectron spect., 538
1-Pentene, photol. in gas phase at 7.1 and 7.6 eV, mechm. involving formn. vibrnly. excited C_3H_5 rads. in prim. process, 1435
Peptides, oligo-, of glycine, alanine, and serine, app. mol. vols. and c_p for aq. solns., 2707; poly-, in CH_2ClCH_2Cl and $CHCl_2CO_2H$, conformns. and dimensions of chains from visc., 1569
Peracetic acid, oxidn. of acyl aromatics, mechm., 2646
Perchloric acid, compd. formn. with HF polymer at low temp., ir spect., acid–base reln. to HF, 1610
1,2-Perdeuterodipalmitoyl-*sn*-glycero-3-phosphocholine, dispersions in H_2O, laser Raman and ir spect. as fn. of temp., detecn. gel–liq. phase transn., 2121
Permanganate, oxidn. of hydrocarbons in aq. CF_3CO_2H, kin. and mechms., 1273
Peroxidase, horseradish, compds. I and II, reacns. with $Fe(CN)_6^{4-}$, H/D isotope effects, 2844; horseradish, reacn. with H_2O_2 in alk. solv., kin. of formn. of compd. I., mechms. and detecn. intermeds., formn. CN complex, mechm., 1327
Peroxydisulfate ion, as oxidant for substd. alkyl aryl sulfides, substit. effects on kin., Hammett relns., mechms., 3043
Phase-transfer catalysis, promotion of 1,2-addns. for synth. of cyclopropane derivs., 2134
Phase transition, in C_6Cl_5OH from Raman and nqr data, 359; in Na_2SO_4 from therm. anal. and elec. cond., effect of K doping, 2616
9,10-Phenanthraquinone, adds. with organomercury rads., esr, 2503
Phenanthrene(s), 2- and 3-acetyl-, dielec. absorpn., activn. parameters for acetyl grp. relaxn., 567; synth. by photocyclizn. of $Ar_2C{=}CAr'_2$, 1246
9-Phenanthrylacetic acid, prepn., pyrol. in gas phase, prods., mechm., 628
Phenol(s), pentachloro-, formn. complexes with $(CH_3)_2CO$ and -d_6 deriv., detecn. by ir band resoln. using factor anal., 2959; substd., H-bonded complexes with alkylamine oxides, detecn. H-bonds by ir, 1579
Phenol sulfate ester salts, ^1H and ^{13}C nmr, chem. shifts, substit. effects, 2681
Phentermine (2-methyl-1-phenyl-2-(*n*-propylamino)propane) analogs, synth., 3054
α-Phenyl-*N*-*t*-butyl nitrone, adds. with OH, HO_2, and RO_2 free rads., esr, assigns. and structs., 2237
Phenylpropanoid derivatives, from cat. hydrogenol. of aspen lignin, condns. for optimal yields, 896; and phenylethanoid, from cat. hydrogenol. of spruce lignin, condns. for optimal yields, 899
3-Phenylsulfonylcyclobutanols, and -cyclopentanols, synth. from epoxysulfones and CH_3MgI, 505, 512
Phlegmarine, key intermed. in biosynth. of lycopodium alkaloids, synth. of N_α-acetyl-N_β- methyl deriv., 851
Phosphate(s), cyc., non-nucleosidic, synth. from phenylphosphorodichloridates, 2396; extracn.–spectrophotometric detn. as orthophosphate using 12-tungstophophoric acid, 1729
Phosphine(s), complexes with Rh chlorocarbonyls as cats. for hydrogn. and hydroformyln. of olefins, 1965
Phosphole derivatives, prepn., chem. props., 1952
Phospholipids, D-derivs., detecn. gel–liq. phase transns. by laser Raman and ir spect., 2121
Phospholium salts, 3,4-diMe-, hydrol. by EtOTl in EtOH, prods., mechms., 2486
Phosphorane, organophosphoranylperoxy rads., esr spect., ^{17}O hyperfine coupling consts., 2163
Phosphorus, benzophosphole derivs., prepn., chem. props., 1952; cryst. and molec. struct. of substd. triazatetraphosphorins, 2833; extracn.–spectrophotometric detn. as orthophosphate using 12-tungstophophoric acid, 1729; phenylphosphorodichloridate, use in synth. non-nucleoside cyc. phosphates, 2396
Phosphorus pentasulfide, in redn. sulfoxides to sulfides, selectivity, 1423
Photochemistry, C_2H_3CN vap., mechm. of prim. processes at 213.9 nm, 2096; effect of photon energy on energy relaxn. in excited fragments formed during photol. isomeric butenes in vac. uv, 2630; gaseous isoprene from 147 nm to absorpn. limit, prim. processes, prods., mechms., 1864; Me derivs. of benzoylthiophenes in soln., absorpn. and phosphor. spect., effect of substits. and solvents, photoaddns. and other reacns., energy levels and mechms., 1970
Photoelectron spectroscopy, 5,5-dimethyl-Δ^3-1,3,4-oxadiazolin-2-one, 1319; substd. benzamides, ionizn. potls., electron dens., 495; 4-substd. stilbenes, configns., MO calcns., correln. ionizn. potl. with rate data, 2714; X-ray, C_6F_5X (X = CH_3, CF_3, CN, CHO, OH, OCH_3, NH_2, NO_2), 538
Photohalogenation, 1-haloadamantanes in CCl_4 or $CBrCl_3$ as solvents and photoinitiators, prods., mechms., 1269
Photolysis, benzylic sulfones in MeOH, prods., rad. mechm., use in synth., 903; chlorinated *p*-terphenyls in org. solns. at 300 nm, prods., quantum yields, mechms., 1253; $(CF_3)_2CO$ in presence CH_4, rad. mechm. for formn. ethers and alcs., kin. data, 1989; 1-C_5H_{10} in gas phase at 7.1 and 7.6 eV, mechm. involving formn. vibrnly. excited C_3H_5 rads. in prim. process, 1435; 2-cyanobarrelene, prods. and mechm., 3027; diterpenoid quinone royleanone, prods., mechm. involving zwitterionic intermeds., 733; furil photoredn. in soln., identificn. of intermeds. by esr, CIDEP, 2499; spiro[*n*.2]alkan-2-ones in soln., type II prods. and decompn. mechms., 803
Photooxidation, oxalate anion with Fe(III) for anal., detn. CO_2 formed by CO_2 electrode, 2452
Photorearrangement, sterically hindered, arylnitrosobenzenes, mechms. from prod. study, 2665
Photoreduction, *t*-Bu-*p*-benzoquinones, CIDEP and esr, mechm., 869
Photosensitization, thietane vap. by Hg, prods., kin. and mechm., 114
Phthalazine, cryst. and molec. struct. of $[PtCl(PEt_3)_2$-(phthalazine)$]BF_4$, correln. with nmr of solns. and of solns. of reld. compds., 878
Picene, tetradecahydro derivs. as intermed. for triterpene synth., cryst. and molec. struct., 2139
Piperidyl-1-thiyl radical, formn. in soln. by flash photol., reactivity, 1080

Platinum, deposition of Ag at under and over potls., nucleation and growth, modificn. of Pt cats. by metal layers, 2029
Platinum(II), *trans*-chloro-(3-hydroxypropyl-*N*,*N*-dimethylaminocarbene)bis(dimethylphenylphosphine)platinum(II) hexafluorophosphate, cryst. and molec. struct., 1602; complexes with pyridine derivs., prepn., spect. props., 441; prepn., cryst. and molec. struct. of $[Pt\{C(NHC_6H_4CH_3)(NHC_6H_3CH_3)\}\{PPh_2(CH_2)_2PPh_2\}]ClO_4$, 2516; $[PtCl(PEt_3)_2(phthalazine)]BF_4$, cryst. and molec. struct., correln. with nmr of solns. and of solns. of reld. compds., 878; $[Pt_2(OH)_2(PEt_3)_4]$ $[BF_4]_2$, cryst. and molec. struct., 1773; pyrazolato complexes, prepn., chem. and nmr props., 2513; tetrafluoroborate of *cis*-chlorobis(triethylphosphine)-1,8-naphthyridine-, cryst. and molec. struct., 450
Platinum(IV), cyclopentadienyl complexes, prepn., spect., phys., and chem. props., 2281
Platinum phthalocyanine, resonance Raman spect., 976
Polarization, in fluoresc. of solid films of isomeric retinals, nature of excited state, 1985
Polarography, electrochem. redn. of pyridopyrazines, prods. and mechms., 1804; π-electron donor–acceptor complexes of arom. hydrocarbons with nitrofluorene derivs., 2381; for detn. diffn. coeffs. for org. nitro-compds. in $HOCH_2CH_2OH$ and glycerol at several temps., reln. to visc. of liqs., 574; oxidn. of L-ascorbic acid at Hg electrode in alk. medium, mechm., 1533; Sb(III) and (V) in aq. and anhyd. HF, 703
Poly(γ-benzyl-L-glutamate), visc., detn. of conformns. and dimensions of polypeptide chains, 1569
Polyethylene terephthalate, anal. of ethers in, 2703
Polymer bound synthesis, insect sex attractants, 1031
Polymers, dextrans, permeation into porous glass, theory and expt., 2951
Polymer supported synthesis, monoester monoamides and monoalcohols, 1562
Polyolefin stabilizers, kin. and mechm. of deactivn. of $O_2(^1\Delta)$ by transn. metal complexes in CCl_4, 1595
Polyols, aq. solns., c_p and vols. of amino acids in, 1827; interacns. with β-lactoglobulin in aq. solns. from dens. and sp. heat data, 848
Polypeptide chains, in CH_2ClCH_2Cl and $CHCl_2CO_2H$, conformns. and dimensions from visc., 1569
Polypeptides, elastin, use of model compds. to demonstrate possibility of photolytic specific bond breaking, 302; interacn. with DNA in soln. from circ. dichroism and therm. denaturn., 2650; interacns. with DNA, 2657; synth., nmr and circ. dichroism, conformns., 622
Polysaccharide(s), linkage anal. by select. hydrol. of hex-5-enopyranoside derivs., 680; methylated, isoln. from *Klebsiella* type 47, Hofmann degradn. for cleavage of glycopyranosiduronamide linkages, 685; possible rotamers due to restricted motions acetoxymethyl grps., calcn., comparison with cryst. data, 2866
Porous materials, glass, permeation by biopolymers (dextrans), theory and expt., 2951
Porphobilinogen, lactams and other derivs., synth., 2437
Porphyrin(s), dimeric, electronic interacns. in from absorpn. and ^{13}C nmr spect., 1712; dimeric, synth. from bispyrroles, 1710; heterogen. metal insertion to form metalloporphyrins, 1084; ^{15}N-enriched etioporphyrin I, prepn., struct. from nmr, 2598; synth. of unsymm., of various derivs., 2430; 1,3,5,7-tetraMe-2,4,6,8-tetraAc-, 2430
Potassium chloride, conduct. in H_2O + DMSO mixts., 355
Potassium chromate(V), ΔH_f^0 from calorimetry, 446
Potassium ion, effect on kin. of reacn. of $Fe(CN)_6^{4-}$ with tetracyanoquinodimethane or with chloranil, mechm., 2216
Potassium methylamide, ionic dissocn. in $MeNH_2$ from conduct. data, 1518; therm. decompn. in $MeNH_2$ soln., formn. K salt of *N*,*N*-dimethylformamidine, kin. and mechm., 1455
Precipitation, kin. of nucleation in $CaSO_4 \cdot 2H_2O/H_2O$ system, 831
Pregnenolone, 17-methoxycarbonyl-, synth., 410
Pressure, eff. on rate of hydrol. of BzCl, data anal., mechm., 1739
Prodiginines, nonyl-, cyclononyl-, methycyclodecyl-, butylcycloheptyl-, biosynth., ^{13}C nmr, 1155
Progesterone, 17-hydroxymethyl-, synth., 410
Propane, reacn. with H, kin. and mechm., 392
2-Propanol, heterog. decompn. to C_3H_8, C_3H_6, and $(CH_3)_2CO$ over V_2O_5 and modifd. V_2O_5 cats., 2530
Propellanes, synth., ^{13}C nmr chem. shifts, 189
Propene, reacn. with OH^- in gas phase from flowing afterglow data, electron affin. of allyl rad., 131
N-(*n*-Propyl)phentermine, synth. of two phenolic metabolites, 3054
Propynes, 3-aryl-, substd., bromination in HOAc, kin., prods., mechm., 1164
Proteins, interacns. with polyols in aq. soln. from dens. and sp. heat data, 848
Protoberberine alkaloids, identificn. of solidaline isold. from *Corydalis solida* as protoberberine-reld. isoquinoline alkaloid, 383
Proton affinity, acyl halides, from ion-cyclotron reasonance study of ion–molec. reacns., 670; H_2O, H_2S, HCN, and H_2CO by flowing afterglow techn., 193
Proton magnetic resonance (see Nmr)
Pseudosaccharides, aminocyclitol antibiotics, synth. and ^{13}C nmr, 1482
Pseudotrisaccharides, aminoglycoside (aminocyclitol) antibiotics, synth., 1500, 1509
Purines, ESCA spect. and charge distribns., 1555
Pyran, 3,4-dihydro-2*H*-, nonstereospecific addn. to benzeneselenyl chloride, kin. and mechm., 2184
Pyranose(s), 6,7,8-trideoxy-oct-6-eno-, *cis*- and *trans*-, and reld. epoxides, synth., ^{13}C nmr, configns., 3117
Pyranosiduloses, unsatd., synth., 2221
Pyrazolato binuclear complexes, prepn., chem. and nmr props., 2513
Pyrazoline(s), 4-alkylidene-1-, synth., configns. from nmr, 992; 4-alkylidene-1-, thermol., isoln. and identificn. prods., mechms., 998; 1-, prepn. from unsatd. nitro sugars, 3087
Pyridine(s), derivs., complexes with Pt(II), prepn., spect. props., 441; 1,2-dihydro-, *N*-substd., 1,3-dipolar addn. of CNN_3, 1026; 1,5-disubstd.-1,2-dihydro-, synth. via organoLi adds., 1913; and 4-methyl-, complexes with PF_6^- and AsF_6^- of Ni(II) and Co(II), prepn., spect. and mag. props., structs., 985; reacn. with HOAc and 1-Cl and tri-Cl derivs. in MeOH, kin., equil., mechms. by ir, 2567; reacn. with sulfene, prods., 1183
Pyridinium cations, substd., bromination kin., effect of p*H* on mechm., 2970; α-substd. 4-Me-, dissocn. consts. in H_2O, substit. effects, lin. free energy relns., 3072; substd., synth., stabil. in acidic and basic solns., erratum, 1042
Pyridopyrazines, electrochem. redn., prods. and mechms., 1804
Pyridylethanolamines, synth., 2673
Pyridyl-1-oxide oxiranes, synth. and reacn. with nucleophiles, 2673
Pyrimidine(s), ESCA spect. and charge distribns., 1555; substd., ^{13}C nmr, substit. effects on ^{13}C chem. shifts, tautomeric structs., 725; substd., photodimer of 5-methylorotate, cryst. and molec. struct., 824
Pyrolysis (see also Thermal decomposition, Thermolysis), in gas phase of 1- and 2-naphthylacetic and phenanthrylacetic acids, prods., mechm., 628; PhBr in MePh carrier, detn. *D*[Ph–Br], 1589
2-Pyrone, 5,6-dihydro-, derivs., synth., stereochem. from nmr and ord, 2889

Pyrones, alkyln., preferential formn. of 2-alkoxy-4-pyrones, 1796
α-Pyrones, 6-substd., synth. by Michael addn. using preformed enolate ions, 419; synth. from α,β-unsatd. ketones and aldehydes, 424
Pyrroles, α-allythio, synth. and rearr. prods., 221; aminomethyln. for synth. of porphobilinogen and isoporphobilinogen, 2437; furo, thieno, and selenolo[2,3-*b*]- and [3,2-*b*]-, synth., and characterizn. by nmr, uv, mass spect., 1429; β-propyl, synth., 221; 3-substd., synth., 654
Pyrrolizidines, cyclohexa-, synth., 320
Pyrromethenes, 5-bromo-5′-bromomethyl- and 5-bromo-5′-methoxymethyl-, synth., 1907

Quantum mechanics, hyperpolarizabilities for CO, CH_4, H_2CO, and CN^-, effect of basis sets, 1582; variational calcn. of energies of very highly excited states of He, 884
Quinazolines, synth. quinazolino[3,2-*c*]benzotriazine, 1616
Quinoline(s), Doebner–Miller synth., dihydroquinolines as intermeds., 632
p-Quinones, derivs., synth., 517
QUISTOR, ion storage study of DMSO, ion–molec. reacns., 2324

Racemization, detn. rate consts., kin. isotope effects, 2994
Radicals, excited, formed during photol. butene isomers in vac. uv, energy relaxn. mechms. as fn. of photon energy, 2630
Radioactivity, liq. scintillation counting, applicability of extl. std. channels ratio method to solns. contg. both color and chem. quenchers, 2173
Radiolysis, liq. alcs., electron solvn. rates from opt. spect., 2305; liq. alcs., scavenging of e^- prior to solvn., mechms., 2313; liq. hydrocarbon + Xe mixts., electron mobils., 756; liq. hydrocarbon + Xe mixts., free ion yields, electron ranges, 749; mechm. for NO in gas phase, 1075; N_2, yield of N atoms, isotope exch. yields and mechm., 147; pulse, $C(NO_2)_4$ in acidic aq. soln., formn. and reacns. HO_2, 1961; pulse, glassy aq. solns. LiCl, yields, spect. and reactivity of trapped electrons, 1889; pulse, solns. Na in liq. amines, yield of e_s^-, spect., formn. ion pairs, 839; S-compds. in glassy matrices at 77 K, opt. spect. of ionic intermeds., 1856; X-ray of NH_3 gas, press. depend. of ion mobils., 2337
Raman spectrum (see also Ir spectrum, Vibrational spectrum), C_6Cl_5OH, detecn. of phase transn., 359; ClO_2F, detn. struct. using opt. spect. and diffrn. techs., 1634; complexes of IOF_5 with AsF_5, SbF_5, or $(SbF_5)_2$, structs., 2253; *o*- and *m*-dihalobenzenes, detecn. phase transns., 1638; HgX_2 thiosemicarbazide complexes, vibrnl. assigns., 2526; laser, dispersions of 1,2-perdeuterodipalmitoyl-*sn*-glycero-3-phosphocholine as fn. of temp., detecn. gel–liq. phase transn., 2121; $MUOF_5$ (M = NH_4, K, Rb, Cs), vibrnl. anal., 1874; NH_4AlCl_4, molec. struct., 764; oxalate complexes of Be^{2+}, characterizn. of complexes, detn. of stabil. consts., 777; polarized, $RbCdX_3$ (X = Cl, Br), freq. anal., 1192; resonance, oxazolinones, band assigns., 232; resonance, of platinum phthalocyanine, 976; resonance, substd. oxazolinones, band assigns., 240; various Sb(V) fluoro and chlorofluoro derivs., 2947
Raoult's law, deviatns. from for vp of aq. solns. of mixed electrolytes, applicn. of BET theory, 348
Rapamycin, an antifungal antibiotic, cryst. and molec. struct., 2491
Rearrangement, of *C*-silylimines to *N*-silylenamines, 2286; intramolec. of V(III) β-diketonates, kin. from nmr line shape anal., mechm., 1005; 17-nor-13β-kauran-16-one with $Tl(NO_3)_3$, prods. and mechm., 246; photo- of 2-cyanobarrelene, prods. and mechm., 3027; substd. phenanthrene to anthracene deriv., cat. by acids, prod. struct., mechm., 2150
Reduction, electrochem., kin. evidence against particpn. of e_s^-, 17; electrochem., method for calorimetric detn. ΔH for reacns., ΔH for redn. Cl_3CCO_2H to HCl_2CCO_2H, 1415; electrochem., pyridopyrazines, prods. and mechms., 1804; electrolytic of Al, effect of nature and purity of org. electrolytes on quality of coating, 2375; ketones by $NaBH_4$, mechm., 786; org. compds. by Ti(III) formed electrochem. from metal, 2269; satd. and α,β-unsatd. sulfones by $LiAlH_4$, prods., 1779; α,β-unsatd. nitriles by $NaBH_4$, mechm., 41; unsymmly. substd. cyc. anhydrides by metal hydrides to form lactones, electronic mechm. to explain selectivity, 1524
Relaxation, paramag., H_2O in metal ion + fulvic acid solns. by nmr, 1947
Retinal(s), isomeric, fluoresc. of solid films, polarizn. study, nature of excited state, 1985
Rhenium(V), $ORe(C_5H_5N)_2Cl_2ORe(C_5H_5N)_2Cl_2O$, cryst. and molec. struct., 179
Rhodium, chlorocarbonyl phosphine complexes, cats. for hydrogn. and hydroformyln. of olefins, 1965
Rhodium(III) complexes, lig. exch. in acidic DMF, kin. and mechm., 2609
Rhodium(III) halides, complexes with cyclam, base hydrol., kin. and mechm., 709
Rhodium-on-charcoal, cat. for hydrogenol. of aspen lignin, condns. for optimal phenylpropanoid yields, 896; cat. for hydrogenol. of spruce lignin, condns. for optimal yields of lignin monomers, 899
Royleanone, a diterpenoid quinone, photol., prods., mechm. involving zwitterionic intermeds., 733
Royleanone methyl ether, photol., variation of prods. in diff. solvents, mechm., 733
Rubidium, $RbCdCl_3$, cryst. and molec. struct., Raman spect. of chloride and bromide salts, 1192

Salting effects, ΔH, Δc_p, and ΔV of the ternary systems ROH + electrolyte + H_2O, thermo., 552
Scandium(III) oxide, cat. for reacn. CO + N_2O, kin. and mechm., 2447
Schiff bases, complexes with Ni(II) and Cu(II), prepn., mag. and spect. props., 2000
Selenium, nonstereospecific addn. of benzeneselenyl chloride to 3,4-dihydro-2*H*-pyran, kin. and mechm., 2184
Selenium(IV) bromide, and chloride, $\Delta H_{f,298}$ from soln. calorimetry, 1586
Selenoanisole, and some derivs., ^1H and ^{13}C nmr, configns., 2008
Selenoxides, redn. by P_4S_{10}, mechm., 1423
Serotonin, analogs, synth., 1621
Sesquiterpene lactones, isoln. from *Centaurea linifolia*, identificn., 491
Sesquiterpenes, biosynth. from potatoes, 645; synth. of racemate and of enantiomer of 4-*epi*-aubergenone, elucidn. of struct. by ^{13}C nmr, 2508; total synth. of (−)-acorenone, 1628
Silanes, acyl-, rearrs. with alkoxides, prods. and mechms., 2758; therm. rearr. of *C*-silylimines to *N*-silylenamines, 2286
Silicon, expansn. and therm. press. coeffs. for series of $SiOR_4$ compds., 370
Silver, deposition on Pt at under and over potls., nucleation and growth, modificn. of Pt cats., 2029; vp of aq. solns. of mixed electrolytes, applicn. of BET theory to deviatns. from Raoult's law, 348
Silylenamines, formn. by rearr. of *C*-silylimines, 2286
Silyl group, trimethyl-, as substits. in 1-substd. cyclohexene epoxides, stereo. directing influence during epoxide ring opening by $LiAlH_4$, 2049
Silylimines, synth., rearrs. to silylenamines, 2286
Silyl protecting group, in oligonucleotide synth., 2768

Simmons–Smith reaction, methylenation of enolic double bonds in steroids, use in synth., 2058
Sodium, diffn. flames with alkyl halides as source of alkyl free rads., optimizn. of flame condns., 941; ionic solvn. in liq. NH_3, MO calcn., 2977; soln. in liq. amines, pulse radiol., yield of e_s^-, spect., formn. ion pairs, 839
Sodium bifluoride, therm. decompn. to provide const. concn. of HF in a gas stream, 2034
Sodium borohydride, mechm. of redn. of ketones, 786; redn. and complexn. of Co compds., prepn. $Co(BH_4)(Ph_3P)_n$ (n = 2,3), 814; redn. of Ni(II) in prepn. Ni(I)–phosphine complexes, 2552; reductive denitrn. of carbohydrate α-nitroepoxides, prods., 1177
Sodium chloride, vp of solns. in $CaCl_2$ + H_2O, detn. H_2O activity in conc. solns., 1853
Sodium iron(III) sulfide, prepn., struct. from X-ray diffrn., nature of green soln., 2797
Sodium sulfate, phase transformns. from therm. anal. and elec. cond., effect of K doping, 2616
Sodium trichloroacetate, solvol. in H_2O/EtOH mixts., kin. and mechm., 2053
Solvation effects, on transn. states for S_N2 reacns., 2691
Solvolysis, acidic, gas phase, acyl halides, mechm., 670; arenesulfonates, cat. by π-acceptor complexes, kin., mechm., 585; Cl_3CCO_2Na in H_2O/EtOH mixts., kin. and mechm., 2053
Sound, velocity in aq. solns. of p-dioxane, interpretn. involving struct. of liq. H_2O and solns., 2412
Specific heat, app., for aq. solns. of oligopeptides of glycine, serine, and alanine, 2707; β-lactoglobulin in H_2O–polyol solns., protein–polyol interacns., 848
Sphere tensiometry, mathl. anal. of this method for detn. of surface tension, 818
Spin trapping, adds. with α-Ph-*N*-*t*-Bu nitrone of OH, HO_2, and RO_2 free rads., esr assigns., structs., 2237
Spiro[*n*.2]alkan-2-ones, photol. in soln., type II prods. and decompn. mechms., 803; therm. isomerizn., prods. and mechms., 808
Spiroannelation, in synth. of spirosesquiterpenes, 1628
Spiroindolinopyrans, substd., *Z* to *E* isomerizn., kin. from nmr, mechm., 1296
Stability constants, detn. for metal ion complexes by p*H* titrn. using Osterberg–Sarkar–Kruck anal., syst. errors, 1202; fulvic acid complexes with Cd(II), 2331; oxalate complexes of Be^{2+} from Raman data, 777; various Cu(II) and UO_2^{2+} malate complex ions from potentiometry, polarimetry, spectroscopy, and nmr, comparison with calcn., 1919
Stannous chloride, reacn. with $Ph_2C{=}CHCH_3$ in presence HCl in $MeCl_2$ soln., ionic equil., mechm., 2093
Statistical data analysis, eff. of press. on kin. of hydrol. of BzCl, 1739
Stereoelectronic control, in mechm. of hydrol. of *N*,*N*′-dimethylformamidine in aq. alk., 1463
Steroids, α-alkoxycarbonyln. of 20-keto to 17α-methoxylcarbonyl 20-ketones, 410; 20-amino-, prepn. by Cr(II) promoted addn. of *N*-chlorocarboxamides to corresp. unsatd. steroid, 119, erratum, 1305; cyclopropanol derivs., synth., struct. from nmr, 2058; microbial hydroxyln. of androst-4-ene-3,17-dione and reld. compds. by *Rhizopus arrhizus*, mechm. from kin. and labelling expts., 694; substd., ^{13}C nmr, chem. shifts and assigns., 3121
Sterols, C-24 alkyl, abs. configns. from ^{13}C nmr., 1898
Stilbene(s), 4-substd., photoelectron spect., configns., MO calcns., correln. ionizn. potl. with rate data, 2714
Stress metabolites, 10 sesquiterpenes from potatoes, 645
Strychnine alkaloids, uv spect. and circ. dichroism, transn. assigns., 1222
Substitution, S_N2 mechms., effect of solvent on transn. states, 2691
Sugars (see Carbohydrates, Disaccharides, Glucose, Maltoses, Oligosaccharides)
Sulfene, reacn. with pyridines, prods., 1183
Sulfenylation, β-dicarbonyls catd. by $(Et)_4NF$, 141
Sulfenyl halides, electrophil. addn. to olefins esp. cyc-Pr substd., kin. and mechm., 205
Sulfides, alkyl aryl, oxidn. by $S_2O_8^{2-}$, substit. effects on kin., Hammett relns., mechms., 3043; formn. by select. redn. of sulfoxides by P_4S_{10}, mechm., 1423; org., reassess. of mechm. of chlorination, 2422
Sulfones, benzylic, photol. in MeOH, prods., rad. mechm., use in synth., 903; epoxy-γ- and δ-, in synth. of phenylsulfonylcyclobutanols and -cyclopentanols, 505, 512; genl. photochem. synth., 903; satd. and α,β-unsatd., redn. by $LiAlH_4$, prods., 1779
Sulfonic acids, arene, pK_a correlns., 2342
Sulfoxides, redn. to sulfides with P_4S_{10}, selectivity, mechm., 1423
Sulfur, Hg-photosensitd. decompn. of thietane vap., prods., kin. and mechm., 114; methoxycarbonylmethyldisulfide as thiomethylating agent in synth. cephems, 2879; $S_7NSN(CH_3)_2$ and $(C_6H_{11})_2$ $NSN(C_6H_{11})_2$, cryst. and molec. struct., 2927
Sulfur compounds, γ-radiol. in glassy matrices at 77 K, opt. spect. of ionic intermeds., 1856
Sulfur dioxide, therm. desorpn. and adsorpn. on chrysotile asbestos, thermochem. and mechms., 1847
Sulfur hydrides, MO calcn. of effect of p, d, and f polarizn. fns. on one-electron props., 543
Sulindac, *E*–*Z* configni. preferences from ^{13}C nmr, 2129
Surface tension, mathl. anal. of sphere tensiometric method for detn., 818
s Vectors, for vibrnl. anal., derivn., 1289

Taft equation, reln. to Kirkwood–Westheimer eqn. based on modificn. of MacInnes eqn., 747
Tantalum, ^{19}F nmr of complex anion $[Ta_2OF_{10}]^{2-}$, struct., 1545; $MTaCl_6$ (M = Na, K, Rb, or Cs), vap. press. over solid and liq., thermo. props., equil. in KCl–$KTaCl_6$ system, 2538; synth., structs. and phases of $MTaCl_6$ where M is an alkali metal, 2013
Tautomerism, of neat *N*,*N*′-dimethylformamidine and in soln., acid cat. of tautomerism of protonated species, mechms., 1470
Tellurium, ^{125}Te Mössbauer spect. of organotellurium compds., 1746
Telluroanisole, and some derivs., ^1H and ^{13}C nmr, configns., 2008
p-Terphenyls, chlorinated, photol. in org. solns. at 300 nm, prods., quantum yields, mechms., 1253
Tetraalkylammonium bromides, thermo. of salting effects on aq. solns. of alcs., 552
Tetraarylethylenes, unsymm., synth. 1246
Tetraethylammonium fluoride, cat. for sulfenylns., 141
5,6,7,8-Tetrahydrocoumarin, synth. by Michael addn. using preformed enolate ions, 419
Tetrahydrofuran, mixed hydrate with 2-methylpropanal, dielec. props. and compn., 2025; mixts. with H_2O, dens. and therm. expansivity, 2803
1,2,3,4-Tetrahydropyridylidene-4- cyanamides, synth., 1026
2-Tetralones, prepn. by acid-catd. rearr. of substd. cyclobutanones, 99
Tetramethylhydrazine cation radical, esr and nmr detecn. as intermed. in photol. and thermol. of tetramethyl-2- tetrazene, 1657

1,3,5,7-Tetramethyl-2,4,6,8-tetraacetylporphyrin, synth., 2430
Tetramethyl-2-tetrazene, photol. and thermol. in acid condns., photoaddn. to unsats., esr and nmr monitors of intermeds., prods. and mechms., 1657
Tetramethyl-2-tetrazene cation radical, esr and nmr detecn. as intermed. in photol. and thermol. of parent tetrazene, 1657
Tetranitromethane, pulse radiol. in acidic aq. soln., formn. and reacns. HO_2, 1961
1,2,3,4-Tetraphenyl-3,6-dicarbomethoxycyclohexa-1,4-diene, cryst. and molec. struct., 1358
anti-1,2,4,5-Tetraphenyl-3,6-dicarbomethoxytricyclo[3.1.0.0^{2,4}]-hexane, cryst. and molec. struct., 1364
Tetraphenyl-*p*-dioxin, correcn. of misidentificn. as prod. of Me benzoate plus B_2S_3, 1043
Tetraphenylphosphonium chloride, alk. hydrol. in tetrahydrofuran + H_2O, kin. and mechm., 1933
Tetraphenylthiophene, formn. from Me benzoate and B_2S_3, correcn. of earlier misidentificn. of prod., 1043
Tetraribonucleotide, helix struct. from ^{1}H nmr, 2243
Thallium, vp of aq. solns. of mixed electrolytes, applicn. of BET theory to deviatns. from Raoult's law, 348
Thallium ethylate, cat. for hydrol. 3,4-dimethylphospholium salts in EtOH, prods., mechms., 2486
Thallium(III) nitrate, oxid. rearr. of 17-nor-13β-kauran-16-one, prods. and mechm., 246
Thermal conductivity, for detn. *o/p* ratio in H_2 in flowing mixts. at intermed. press., theory and applicn., 1817
Thermal decomposition (see also Pyrolysis, Thermolysis), aralkyl carbonates, carbamates and thiocarbonates in soln., stereochem. of prods., kin. and mechms., 2582
Thermal expansivity, tetrahydrofuran mixts. with H_2O, 2803
Thermal isomerization, spiro[*n*.2]alkan-2-ones, prods. and mechms., 808
Thermal reactions, reformuln. of unimolec. theory in terms of master eqn., comparison with expt. and RRKM theory, 1389
Thermochemistry, calcn. equil. consts. for aldol condensns. from lin. free energy relns., 962; $\Delta H_{f,298}$ of $SeCl_4$ and $SeBr_4$ from soln. calorimetry, 1586; method for calorimetry of electrochem. redn. of Cl_3CCO_2H to HCl_2CCO_2H, 1415; species in ion–molec. equil. involving H^+, HOAc, H_2OAc^+, H_2O, and Ac^+, ΔH_f (CH_3CO^+), proton affin. of CH_2CO, decompn. protonated HOAc, 1016
Thermodynamics, $AMCl_6$ (A = Ta, Nb; M = Na, K, Rb, or Cs), vap. press. over solid and liq., equil. in KCl–$KACl_6$ systems, 2538; app. molal vols. and c_p in aq. soln. of $NaClO_3$, $NaBrO_3$, $NaIO_3$, $NaNO_3$, $NaClO_4$, NH_4NO_3, $KClO_3$, $KBrO_3$, KIO_3, NH_4Cl, and NH_4ClO_4, 24; app. molar vols. and heat capacities of aq. Na_2SO_4, K_2SO_4, $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_4, Na_2MoO_4, and Na_2WO_4, 1871; dens. and c_p of aq. solns. of org. molecs., implicns. for struct. of H_2O and molec. interacns., 2808; $\Delta G_{transfer}$ from H_2O to H_2O + volatile solute for involatile electrolytes, from vp, 844; ΔH, Δc_p, and ΔV of ternary systems ROH + electrolyte + H_2O, 552; ΔH for ionizn. from calorimetric data on reacn. $H_2O + I_2O_5$, 3084; ΔH for ionizn. H_2O from calorimetric data on reacn. with I_2O_5, 3084; ΔH_{mixt} at 298 K for mixts. of pairs of amines, implicns. for intermolec. interacns., 2856; ΔH_f^0 of K_3CrO_4 from calorimetry, 446; ΔH_{mix} for liq. HCN and HF, 2788; ΔH_{mixt} tridodecylamine with C_6 to C_9 alkanes, anal. in terms of disorder and steric contribns., 2472; ionic dissocn. of KNHMe in $MeNH_2$, from conduct. data, 1518; mixts. of $CHCl_3$ or $CHBr_3$ with *n*-alcohols, 2127; mixts. tetrahydrofuran with H_2O from dens. and therm. expansivity data, 2803; for reacn. In + Hg → amalgam from emf data, 2550; transf. fns. from H_2O to H_2O/acetone for *n*-nonyl chain attached to various ionic grps., 2940
Thermolysis (see also Pyrolysis, Thermal decomposition), 4-alkylidene-1-pyrazolines, prod. isoln. and identificn., mechms., 998
Thiazoles, ^{13}C nmr study of azido–tetrazole isom., 46
Thiazolidines, *N*-substd., synth., 326
Thiele's acid, starting compd. for synth. triquinacene and 2,3-dihydrotriquinacen-2-one and reld. derivs., 1687
7β-(2′-Thienylacetamido)-3-acetoxymethyl-Δ^3-*O*-2-isocephems-4-carboxylic acid, synth., opt. resoln., antibiotic activity, 1335
Thietane 1,1-dioxides, formn. of thiete 1,1-dioxides, ring cleavage in acid and base, 71
Thietanes, Hg-photosensitd. decompn. of vap., prods., kin. and mechm., 114; substd., synth. via epoxide, desulfurizn. upon chlorination, 71
Thiiranes, reacn. with metalloporphyrins of Cd, Mg, and Zn, initn. of stereospec. polymerizn. by Cd complex, 925
Thioacetic acid, acid hydrol., mechms., Hammett relns., 935
Thioanisole, and some derivs., ^{1}H and ^{13}C nmr, configns., 2008
Thiobenzoic acid, and derivs., acid hydrol., mechms., Hammett relns., 935
Thiobinupharidine sulfoxide, *syn*- and *anti*-, configns. from ^{13}C nmr, 56
Thiocamphor, base-catd. H/D exch. rates, mechms., 2605
Thiocarbonates, and carbonates and carbamates, aralkyl, therm. decompn. in soln., stereochem. of prods., kin. and mechms., 2582
4′-Thiocordycepin, synth., 794
α-Thioenolization, rates and mechms. for thiocamphor from base-catd. H/D exch. rates, 2605
Thiolane, substd., synth. via epoxide, 71
Thiolane 1,1-dioxide, dehydrn. of hydroxy deriv., 71
Thiols, F^- catd. air oxidn., 141
Thionuphlatine C, synth., 56
Thiophenes, benzoyl-, Me derivs., photochem. in soln., phosphor. and absorpn. spect., photoreacns., energy levels and mechms., 1970; 3-carbomethoxy-2,5-dihydro-, substd., synth. via vinyl phosphonates, 226; solid solns. in benzene, molec. motions from pulse nmr, 714
Thiouracil(s), and derivs., ESCA, correln. with substit. effects on calcd. charge dens., 2405; substd., ^{13}C nmr, substit. effects on ^{13}C chem. shifts, tautomeric structs., 725
Timolol, acidic metabolites of, synth., 722
Tin, expansn. and therm. press. coeffs. for series of SnR_4 compds., 370; formn. Sn(II)–Sn(IV) charge transf. complex in Sn-plating baths, effect of org. molecs. on rates, 2624
Tin(II) isothiocyanate, adds. with O- and N-donor ligs., prepn., props., vibrnl. spect., 2039
Titanium(III), electrochem. formn. from metal, use in redn. of org. compds., 2269
Titanium(IV), five-coord. complexes $X_3Ti(dik)$ and six-coord. $X_2Ti(dik)_2$ with X = Cl, Br, and dik = dipivaloylmethane or benzoylacetone anions, prepn. and nmr, 316
Titration, correcn. methods for applicns. to fulvic and other soil acids, 1196; in detn. formn. consts. and residual on concns. for metal ion + lig. solns., anal. of syst. errors in Osterberg–Sarkar–Kruck method, 1202
Toluene, nitrn. mechm. in highly conc. H_2SO_4 from stopped flow kin., formn. nitronium ion, 1280
Transition metal complexes, kin. and mechm. of deactivn. of $O_2(^1\Delta)$ in CCl_4 by, 1595
Transition states, for S_N2 reacns., effect of solvent, 2691
α,α-Trehalose, and isomers, 3,3′-diamino and 3,3″-dinitro derivs., synth., 2872
Trialkylalkynylborates, use in regiospecific synth. of unsymm. α,β-enones, 2786

1,2,4-Triazoline(s), 5-imino, substd., prepn. by oxidative cyclizn. of iminoguanidines, 2194
Trichloroacetate, Na, solvol. in H_2O/EtOH mixts., kin. and mechm., 2053
Trichloroacetic acid, electrochem. redn. to HCl_2CCO_2H, calorimetric detn. ΔH, 1415
6,7,8-Trideoxy-oct-6-enopyranose, *cis*- and *trans*-, and reld. epoxides, synth., ^{13}C nmr, configns., 3117
Tridodecylamine, ΔH_{mixt} with C_6 to C_9 alkanes, anal. in terms of disorders and steric contribns., 2472
Trifluoroacetate ion, complexes with fluorides of elements of grps. 3,4,5,6, and 7, identificn. of species by ^{19}F nmr, 343
Trifluoroacetic acid, aq., medium for kin. study of oxidn. of several hydrocarbons by MnO_4^-, mechms., 1273
Trifluoromethanesulfonate anion, formn. complex with Grp. III, IV, V, VI, and VII elements, ^{19}F nmr of complexes, 1419
Trifluoromethanesulfonic acid, mixts. with H_2O, dens., elec. conduct., fp, visc., phases, 1832
Trifluoromethyl radical, reacn. with CH_4, addn. to $(CF_3)_2CO$, kin., 1989
Trimethylene sulfite, and derivs., conformns. from nmr, 2019
Trioxabicyclooctanes, and -bicyclononanes, synth., 2292
Trioxane, reacn. with CH_3CHO^+, kin. and mechm. from high press. mass spectrmtry., 533
Triphenylacetate anion, decarboxyln., cat. by crown ethers, 104
Triphenyliminophosphoranes, *N*-alkyl and *N*-aryl-, ylide intermeds. in photol. mechms., 289
Triphenylphosphine, complexes with Co(I), prepn., 814
Triphenylvinyl-2-^{14}C bromide, solvol. and rearr. in HOAc/H_2O and CF_3CH_2OH, kin. and mechm., 2459
Triphenylvinyl cation, intermed. in solvol. and rearr. of triphenylvinyl bromide in HOAc/H_2O and CF_3CH_2OH, 2459
Triptycene, anions from, synth., uv, nmr spect., and other props., 80
Triquinacene, tricyclo[5.2.1.$0^{4,10}$]decatriene-2,5,8, and reld. derivs., synth. from Thiele's acid, 1687
Tris(2-benzimidazoylmethyl)amine, a 'tripod' lig., complexes with Cu(II) and Ni(II), prepn., characterizn., spect. and mag. props., structs., 1311
Triterpene(s), isoln. 7α-acetoxydihydronomilin from *Uncaria Gambia Roxb.*, ^{13}C nmr, cryst. and molec. struct., 1020; pentacyc., approach to synth., *cis*-decalins as ring DE synthons, 1646; synth., a pentacyc. precursor for Friedelin synth., 2139
Tropones, 2-substd., substit. effects on ^{13}C chem. shifts, 578
Tryptophan, double exponential decay of fluoresc. in aq. soln., 743
12-Tungstophosphoric acid, applicn. of extracn. equil. for detn. of traces of P, 1729
Tunnelling, in reacns. of e^- trapped in LiCl/H_2O or D_2O glasses, 1889
Tyrosine, fluoresc., quenching by bases, acid–base equil. in excited state, 1238

Ultrasonic absorption, HCl + DMSO + H_2O mixts., dissocn.–assocn. kin., 1881
Unimolecular reactions, reformuln. in terms of master eqn. of theory for therm. reacns., comparison with expt. and RRKM theory, 1389; RRK, RRKM, and master-eqn. theories, applicns. to therm. isomerizn. of fluorocyclopropane, 29
Uracil(s), and derivs., ESCA, correln. with substit. effects on calcd. charge dens., 2405; substd., ^{13}C nmr, substit. effects on ^{13}C chem. shifts, tautomeric structs., 725
Uranium(VI), $CsUOF_5$, cryst. and molec. struct. from neutron diffrn. and ^{19}F nmr, 2546; $MUOF_5$ (M = NH_4, K, Rb, Cs), prepn., ir and Raman spect. and vibrnl. anal., X-ray powder diffrn., 1874
Uranyl malate complex ions, stabil. consts. from potentiometry, polarimetry, spectroscopy, and nmr, comparison with calcn., 1919
Uv spectrum (see also Electronic spectrum), HN=NH and DN=ND, anal. and vibrnl. assigns., 1575

Vanadium(III), lig. exch. of β-diketonates, kin. from nmr line shape anal., mechm. of exch., 1012; rearr. of β-diketonates, kin. from nmr line shape anal., mechm. of rearr., 1005
Vanadium pentoxide, cat. for decompn. 2-propanol to C_3H_8, C_3H_6, and $(CH_3)_2CO$, 2530; cat. for O_2/CO_2 exch., alkali metal promotion, ir spect., 3078
Vaporization, ΔH, monoalkylcyclohexanes by gas chromatog., 2493
Vapour pressure, aq. solns. of mixed electrolytes, applicn. of BET theory to deviatns. from Raoult's law, 348; $CaCl_2$ + NaCl + H_2O, detn. H_2O activity in conc. solns., 1853; equil. decompn. press. of $ZrCl_4$ and $HfCl_4$ over K_2ZrCl_6 and K_2HfCl_6 resp., 1549; H_2O over solns. of mixed electrolytes and fused salts contg. H_2O, Henry's law and ΔG^{ex}, 635; ternary systems: H_2O + electrolyte + volatile solute, detn. $\Delta G_{transfer}$ for solute, 844
Vibrational analysis, derivn. of Wilson–Decius *s* vectors, 1289
Vibrational relaxation, HF(v = 1,2) by fluoroethylenes, 387
Vibrational spectrum (see also Ir spectrum, Raman spectrum), a simplified calcn. of isotopic shifts of fundamental frequencies in polyat. molecs., 379; $Sn(NCS)_2$ adds. with O- and N-donor ligs., 2039; taurine, β-alanine, and ciliatine (β-form), vibrnl. anal., force field calcs., 663
Vibrations, anharmonic in polyat. molecs., model for potl., applicn. to H_2O, H_2S, and D-derivs., 2167
Vinblastine, and derivs., synth., 62
Vindolines, synth. of derivs. of vinblastine and vincristine, 2560
Vinyl methyl ethers, α-substd., hydrol., kin. and mechm., unusual effect of Ph substit., 456; β-substd., hydrol., kin. and mechm., *cis–trans* isomerizn. as a probe for detn. of mechm., 461
Vinyl phosphonates, prepn., reacn. with α-mercaptocarbonyl compds. to yield substd. 3-carbomethoxy-2,5-dihydrothiophenes, 226
Viscosity, $Cd(NO_3)_2 \cdot 4H_2O$ in soln. in (Ni/Co)Cl_2 melts, 1231; conc. aq. solns. electrolytes, temp. depend., interpretn. in terms of H_2O struct., 1442; $HOCH_2CH_2OH$ and glycerol at several temps., reln. with diffn. coeff. for org. nitro-compds. in same liq. detd. by polarog. tech., 574; mixts. trifluoromethanesulfonic acid with H_2O, phases, 1832; polypeptides in CH_2ClCH_2Cl and $CHCl_2CO_2H$, conforms. and dimensions of polypeptide chains, 1569
Volumes, app. mol., amino acids in aq. polyols, 1827; app. molal, aq. $NaClO_3$, $NaBrO_3$, $NaIO_3$, $NaNO_3$, $NaClO_4$, NH_4NO_3, $KClO_3$, $KBrO_3$, KIO_3, NH_4Cl, and NH_4ClO_4, 24; app. molar, aq. Na_2SO_4, K_2SO_4, $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_4, Na_2MoO_4, and Na_2WO_4, 1871; excess, $CHCl_3$ and $CHBr_3$ in *n*-alcohols, 2127

Wag vibrations, derivn. of Wilson–Decius *s* vectors for vibrnl. anal., 1289
Water, detn. relaxn. times for metal ion + fulvic acid solns. by nmr, 1947; H^+ transfer rates and proton affin. in gas phase by flowing afterglow techn., 193; and H_2S, and D-derivs., modified Morse potl. to describe vibrns., 2167; liq. solns. *p*-dioxane, vel. sound, effect of solute on struct. liq. H_2O,

2412; mixts. with tetrahydrofuran, dens. and therm. expansivity, 2803; struct. in liq. from thermo. of liq. solns. of org. liqs., 2808
Wilson–Decius *s* vectors, new out-of-plane wag formulae, derivn., 1289

Xlan, birch, methylated deriv., Hofmann degradn. for cleavage of glycopyranosiduronamide linkage, 685; birch, methylated deriv., select. hydrol. of hex-5-enopyranoside derivs. for linkage anal., 680
X-ray diffraction, ClO_2F, detn. struct. using opt. spect. and diffrn. techs., 1634
X-ray powder data, $MNbCl_6$ and $MTaCl_6$ where M is an alkali metal, 2013; $MUOF_5$ (M = NH_4, K, Rb, Cs), 1874; $NaFeS_2$ and K and Li compds., 2797
o-Xylene, α,α,α′,α′,3,4,6-heptachloro-, conformns. and hindered rotns. of Me grps. by ^1H nmr, 1261

Ylides, carbonyl, intermeds. in electron transfer photosensitizn. of *cis*- and *trans*-2,3-diphenyloxirane, 2985

Zinc, complexn. with porphyrins, detn. stabil. consts., reacn. complexes with oxiranes and thiiranes, 925
Zirconium, equil. decompn. press. for K_2ZrCl_6, 1549

AUTHOR INDEX/REPERTOIRE DES AUTEURS

Abbott, F. S.
Synthesis of substituted thietanes and thiolanes from α- and β-chloroepoxides and their oxidation to 1,1-dioxides. F. S. Abbott and K. Haya, 71.

Abegg, V. P.
Acid-catalyzed reactions of cyclobutanones. III. Formation of substituted 2-tetralones from α-phenylcyclobutanones. V. P. Abegg, A. C. Hopkinson, and E. Lee-Ruff, 99.

Abraham, M.
Vapour pressures of aqueous solutions of (Ag, Tl, Cd)NO_3 at 98.5°C. I. Brunauer–Emmett–Teller isotherms. J. M. Sangster, M.-C. Abraham, and M. Abraham, 348.
Vapour pressures of aqueous solutions of (Ag, Tl, Cd)NO_3 at 98.5°C. II. Henry's law and excess free energy. M.-C. Abraham, M. Abraham, and J. M. Sangster, 635.

Abraham, M.-C.
Vapour pressures of aqueous solutions of (Ag, Tl, Cd)NO_3 at 98.5°C. I. Brunauer–Emmett–Teller isotherms. J. M. Sangster, M.-C. Abraham, and M. Abraham, 348.
Vapour pressures of aqueous solutions of (Ag, Tl, Cd)NO_3 at 98.5°C. II. Henry's law and excess free energy. M.-C. Abraham, M. Abraham, and J. M. Sangster, 635.

Absi, T. B.
Synthesis and vibrational spectra of tin(II) isothiocyanate adducts with some O- and N-donor ligands. T. B. Absi, R. C. Makhija, and M. Onyszchuk, 2039.

Ackman, R. G.
Oxidative ozonolysis of a polyunsaturated fatty acid in BF_3–MeOH medium. J.-L. Sebedio and R. G. Ackman, 2480.

Adam, F. C.
Intermediates in the γ-radiolysis of divalent sulfur compounds in dilute glass matrices. F. C. Adam, G. E. Smith, and A. J. Elliot, 1856.

Adeleke, B. B.
An electron spin resonance and CIDEP study of the photoreduction of *tert*-butyl-*p*-benzoquinones. T. Foster, A. J. Elliot, B. B. Adeleke, and J. K. S. Wan, 869.

Agarwal, A.
Local anisotropic contributions to ^1H nuclear magnetic resonance shifts in alkynes. A. Agarwal and M. J. McGlinchey, 959.

Ahern, T. P.
The chlorination of sulfides: A reassessment of product controlling factors. T. P. Ahern, D. G. Kay, and R. F. Langler, 2422

Ahmed, F. R.
7α-Acetoxydihydronomilin: isolation, spectra, and crystal structure. F. R. Ahmed, A. S. Ng, and A. G. Fallis, 1020.

Akhtar, M. H.
Comparison of orbital symmetry allowed and forbidden ring opening of aziridines. A. C. Oehlschlager, A. S. Yim, and M. H. Akhtar, 273.
Photoreactions of iminophosphoranes. A. S. Yim, M. H. Akhtar, A. M. Unrau, and A. C. Oehlschlager, 289.

Aksnes, G.
Kinetics, medium, and deuterium isotope effects in the alkaline decomposition of quaternary phosphonium salts. IV. Tetraphenylphosphonium chloride in tetrahydrofuran–water mixtures. F. Y. Khalil and G. Aksnes, 1933.

Albini, A.
Radical ions in photochemistry. 6. The photosensitized (electron transfer) ring opening of aryloxiranes. A. Albini and D. R. Arnold, 2985.

Aldaz, A.
Mechanism of L-ascorbic acid oxidation on a mercury electrode. II. Basic medium. J. J. Ruiz, A. Aldaz, and M. Dominguez, 1533.

Ali, M. A.
Chelates of nickel(II) and copper(II) with tridentate Schiff base formed by the condensation of *S*-benzyldithiocarbazate with benzoin. M. T. H. Tarafder and M. A. Ali, 2000.

Alince, B.
Interaction of polymers in solution with porous solids I: penetration of porous glass by dextran. J. C. Day, B. Alince, and A. A. Robertson, 2951.

Alward, S. J.
Synthesis of cyclohexapyrrolizidines: *C*-methylation of vinylogous amides. R. B. Kelly and S. J. Alward, 320.
A revised structure for aubergenone, a sesquiterpenoid related to eudesmane: synthesis of 4-*epi*-aubergenone. R. B. Kelly, S. J. Alward, K. S. Murty, and J. B. Stothers, 2508.
Sesquiterpene lactones from *Centaurea linifolia* Vahl. A. G. González, J. Bermejo, J. M. Amaro, G. M. Massanet, A. Galindo, and I. Cabrera, 491.

An, D. T.
Vapour pressures of $CaCl_2$–NaCl–H_2O and $MgCl_2$–NaCl–H_2O at 25°C. Prediction of the water activity of supersaturated NaCl solutions. D. T. An, T. T. Teng, and J. M. Sangster, 1853.
Anderson, H. J.
Pyrrole chemistry. XVIII. The thio-Claisen rearrangement. K.-E. Teo, G. H. Barnett, H. J. Anderson, and C. E. Loader, 221.
Pyrrole chemistry. XIX. Reactions of 2-pyrrolecarbonitrile and its 4-substituted derivatives. H. J. Anderson, C. R. Riche, T. G. Costello, C. E. Loader, and G. H. Barnett, 654.
Andrews, P.
Base-catalyzed hydrogen isotope exchange of thiocamphor: α-thioenolization rate constants. N. H. Werstiuk and P. Andrews, 2605.
Apparu, M.
Résonance magnétique nucléaire du carbone-13 de composes oxa- et azabicyclo[3.3.1]- et -[4.2.1]nonaniques. M. Barrelle, M. Apparu et C. Gey, 85.
ApSimon, J. W.
Approaches to the synthesis of triterpenoids. III. Some *cis*-decalins corresponding to rings D and E of some pentacyclic triterpenes. J. W. ApSimon, S. Badripersaud, T. T. T. Nguyen, and R. Pike, 1646.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, G. I. Birnbaum, C. Huber, and M. L. Post, 2139.
Approaches to the synthesis of triterpenes. V. An unusual acid-catalysed rearrangement of a β-γ-unsaturated ketone. J. W. ApSimon, S. Badripersaud, M. L. Post, and E. J. Gabe, 2150.
Diterpene chemistry. VI. Some chemistry of 8,14-epoxypimaric acid. Comments on the biosynthesis of tetracyclic diterpenes. J. W. ApSimon and S. F. Hall, 2156.
Arakawa, K.
Ion–molecule reactions in the binary mixture of acetaldehyde and trioxane. II. Mechanism for the reaction of acetaldehyde molecular ion with trioxane. M. Kumakura, K. Arakawa, and T. Sugiura, 533.
Archambault, A.
Construction of a novel generator for use in HF adsorption studies. F. M. Kimmerle, A. Archambault, and G. Dube, 2034.
Archibald, J. L.
Porphyrin syntheses requiring negative substituents. H. Kobayashi, J. L. Archibald, and S. F. MacDonald, 2430.
Armand, J.
Electrochemical reduction of pyridopyrazines. J. Armand, K. Chekir, and J. Pinson, 1804.
Armstrong, D. A.
Ion mobilities in gaseous ammonia. E. S. Sennhauser and D. A. Armstrong, 2337.
Arnold, D. R.
The photochemical reactivity of some benzoylthiophenes. IV. The effect of an adjacent methyl group on the excited state reactivity of 3-benzoylthiophene. D. R. Arnold and C. P. Hadjiantoniou, 1970.
Radical ions in photochemistry. 6. The photosensitized (electron transfer) ring opening of aryloxiranes. A. Albini and D. R. Arnold, 2985.
Arnold, S. J.
Deactivation of HF($v = 1, 2$) by fluoroethylenes. S. J. Arnold and G. H. Kimbell, 387.
Arsenault, G. P.
Caerulomycin D, a novel glycosidic derivative of 3,4-dihydroxy-2,2'-dipyridyl 6-aldoxime from *Streptomyces caeruleus*. A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, L. C. Vining, and G. P. Arsenault, 1836.
Arumugam, N.
Substituent and steric effects in the oxidation of alkyl aryl sulfides by peroxydisulfate. C. Srinivasan, P. Kuthalingam, and N. Arumugam, 3043.
Aspinall, G. O.
The formation of hex-5-enopyranosides and their selective hydrolysis in methylated polysaccharides. G. O. Aspinall and K.-G. Rosell, 680.
The selective cleavage of glycopyranosiduronamide linkages in methylated polysaccharides. G. O. Aspinall and K.-G. Rosell, 685.
Atwal, K. S.
On the construction of the C/D ring systems of chasmanine and napelline by diene addition. K. S. Atwal, R. Marini-Bettolo, I. H. Sanchez, T. Y. R. Tsai, and K. Wiesner, 1102.
Avédikian, L.
Thermodynamics of the salting effect; free energies, enthalpies, entropies, heat capacities, and volumes of the ternary systems electrolyte–alcohol–water at 25°C. G. Perron, D. Joly, J. E. Desnoyers, L. Avédikian, and J.-P. Morel, 552.
Ayer, W. A.
Metabolites of bird's nest fungi. Part 8. Some minor metabolites of *Cyathus helenae* and some correlations among the cyathins. W. A. Ayer, L. M. Browne, J. R. Mercer, D. R. Taylor, and D. E. Ward, 717.
Metabolites of bird's nest fungi. Part 9. Diterpenoid metabolites of *Cyathus africanus* Brodie. W. A. Ayer, T. Yoshida, and D. M. J. van Schie, 2113.
Metabolites of bird's nest fungi. Part 10. Carbon-13 nuclear magnetic resonance studies on the cyathins. W. A. Ayer, T. T. Nakashima, and D. E. Ward, 2197.

Back, R. A.
The near-ultraviolet absorption spectrum of diimide: a re-examination. R. A. Back, C. Willis, and D. A. Ramsay, 1575.
Enrichment of nitrogen-15 by the direct laser photolysis of ammonia-d_3 in the $\tilde{A}$–$\tilde{X}$ transition. P. A. Hackett, R. A. Back, and S. Koda, 2981.

Badripersaud, S.
Approaches to the synthesis of triterpenoids. III. Some *cis*-decalins corresponding to rings D and E of some pentacyclic triterpenes. J. W. ApSimon, S. Badripersaud, T. T. T. Nguyen, and R. Pike, 1646.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, G. I. Birnbaum, C. Huber, and M. L. Post, 2139.
Approaches to the synthesis of triterpenes. V. An unusual acid-catalysed rearrangement of a β-γ-unsaturated ketone. J. W. ApSimon, S. Badripersaud, M. L. Post, and E. J. Gabe, 2150.

Baer, H. H.
The reductive denitration of carbohydrate α-nitroepoxide by sodium borohydride. H. H. Baer and C. B. Madumelu, 1177.
Synthesis of the 3,3′-dinitro and 3,3′-diamino derivatives of α,α-trehalose and its D-*gluco*,D-*manno* and D-*manno*,D-*manno* isomers. H. H. Baer and A. J. Bell, 2872.
2,3-(1′-pyrazolino-3′,4′) hexopyranosides and their products of decomposition. H. H. Baer, F. Linhart, and H. R. Hanna, 3087.

Bagli, J. F.
Substituent effect on the carbon-13 nuclear magnetic resonance spectra of 2-substituted tropones. Troponoid-I. J. F. Bagli and M. St-Jacques, 578.

Baiwir, M.
Etude par résonance magnétique nucléaire de composés organiques contenant des chalcogènes. I. L'anisole et ses analogues soufré, sélénié et telluré. G. Llabres, M. Baiwir, L. Christiaens, J. Denoel, L. Laitem et J.-L. Piette, 2008.

Balakrishnan, P. V.
Volatility of amines used for water treatment in steam generating systems. P. V. Balakrishnan, 2620.

Ballard, J. G.
Mixed oxidation state compounds of antimony: a ^{121}Sb Mössbauer study of some antimony–fluorine systems. J. G. Ballard, T. Birchall, R. J. Gillespie, E. Maharajh, D. Tyrer, and J. E. Vekris, 2417.
The Raman Spectra of tetrachloroantimony(V) dichloro nonafluorodiantimonate(V), tetrachloroantimony(V) undecafluoroantimonate(V), and related molecules. J. G. Ballard and T. Birchall, 2947.

Balsevich, J.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Total synthesis of indole and dihydroindole alkaloids. XVI. Derivatives of vinblastine and vincristine: change of functionality in the vindoline unit. J. P. Kutney, J. Balsevich, T. Honda, P.-H. Liao, H. P. M. Thiellier, and B. R. Worth, 2560.

Balza, F.
A conformational study of methyl β-cellobioside-d_8 by ^{13}C nuclear magnetic resonance spectroscopy: dihedral angle dependence of $^3J_{C-H}$ in ^{13}C—O—C—′H arrays. G. K. Hamer, F. Balza, N. Cyr, and A. S. Perlin, 3109.

Bamberger, C. E.
The enthalpy of formation of potassium chromate(V), K_3CrO_4(c). L. H. Johnson, L. G. Hepler, C. E. Bamberger, and D. M. Richardson, 446.

Banerjee, S.
Towards a complete account of the exchange chemistry of a diastereotopic proton pair. I. Base-catalyzed enolization–exchange of 2-norbornanones; on the rate controlling factors. N. H. Werstiuk, R. Taillefer, and S. Banerjee, 1140.
Base-catalyzed enolization of 2,5-norbornanediones. Evidence for homoenolic assistance. N. H. Werstiuk, R. Taillefer, and S. Banerjee, 1148.

Bansal, N. P.
An aid to the interpretation of electrochemical data measured with spherical and cylindrical electrodes: corrections to the Cottrell equation. N. P. Bansal and J. A. Plambeck, 155.

Barbier, P.
X-ray, Raman, infrared, and nuclear magnetic resonance studies of the crystal structure of ammonium tetrachloroaluminate, NH_4AlCl_4. G. Mairesse, P. Barbier, J.-P. Wignacourt, A. Rubbens, and F. Wallart, 764.

Barclay, L. R. C.
Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.

Barnett, G. H.
Pyrrole chemistry. XVIII. The thio-Claisen rearrangement. K.-E. Teo, G. H. Barnett, H. J. Anderson, and C. E. Loader, 221.
Pyrrole chemistry. XIX. Reactions of 2-pyrrolecarbonitrile and its 4-substituted derivatives. H. J. Anderson, C. R. Riche, T. G. Costello, C. E. Loader, and G. H. Barnett, 654.

Barradas, R. G.
The electrochemical formation of mercuric oxide in alkaline solution. R. G. Barradas, S. Fletcher, and J. D. Porter, 336.

Catalyst modification by metal deposition: the deposition of silver on platinum at underpotential and overpotential. R. G. Barradas, S. Fletcher, and S. Szabo, 2029.

Barrelle, M.

Résonance magnétique nucléaire du carbone-13 de composes oxa- et azabicyclo[3.3.1]- et -[4.2.1]nonaniques. M. Barrelle, M. Apparu et C. Gey, 85.

Baverez, M.

Observation de transitions de phase dans les dérivés dihalogénés du benzène par spectroscopie infrarouge lointain et diffusion Raman. B. Wyncke, F. Brehat, A. Hadni, J. Serrier et M. Baverez, 1638.

Bayramli, E.

Sphere tensiometry: wall effects and correction factors. E. Bayramli, C. Huh, and S. G. Mason, 818.

Beam, C. F.

Aldol-type condensation of C(α)-dianions of azines. S. E. Davis, N. L. Shealy, K. D. Shealy, L. M. Shaffer, and C. F. Beam, 1236.

The reactions of lithioacetonitrile and lithiomethoxyacetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.

Beaucage, S. L.

The synthesis of oligoribonucleotides. II. The use of silyl protecting groups in nucleoside and nucleotide chemistry. VII. K. K. Ogilvie, S. L. Beaucage, A. L. Schifman, N. Y. Theriault, and K. L. Sadana, 2768.

Beg, M. N.

Studies with model membranes, Part XXIV. Evaluation of thermodynamic activation parameters, effective fixed charge density, and test of the theory of bi-ionic potential based on the thermodynamics of irreversible processes. F. A. Siddiqi, M. N. Beg, M. I. R. Khan, A. Haq, S. K. Saksena, and B. Islam, 2205.

Beierbeck, H.

Conformational analysis of ketoximes by the application of carbon-13 nuclear magnetic resonance spectroscopy. P. Geneste, R. Durand, J.-M. Kamenka, H. Beierbeck, R. Martino, and J. K. Saunders, 1940.

Bélanger, P. C.

Preparation of two acidic metabolites of timolol. P. C. Bélanger, 722.

Belin, C.

Interaction fluorure d'hydrogène – acide perchlorique: Réactivité du nitromethane dans le milieu. C. Belin et J. Potier, 1610.

Bell, A. J.

Synthesis of the 3,3′-dinitro and 3,3′-diamino derivatives of α,α-trehalose and its D-*gluco*,D-*manno* and D-*manno*,-D-*manno* isomers. H. H. Baer and A. J. Bell, 2872.

Bell, R. A.

Proton magnetic resonance studies on short duplexes. I. Helix formation by the duplex set GpApGpC: GpCpUpC. D. W. Hughes, R. A. Bell, T. E. England, and T. Neilson, 2243.

Proton magnetic resonance studies on short duplexes. II. The self-complementary oligoribonucleotide CpApUpG. P. J. Romaniuk, T. Neilson, D. W. Hughes, and R. A. Bell, 2249.

Belleau, B.

Aminocyclitols. 2,5-Dideoxystreptamine and derivatives. G. Kavadias, S. Velkof, and B. Belleau, 404.

Polyol–protein interactions. Thermodynamical evidence for a selective solvation of glycerol and hexitols by aqueous β-lactoglobulin. G. DiPaola and B. Belleau, 848.

Apparent molal heat capacities and volumes of amino acids in aqueous polyol solutions. G. DiPaola and B. Belleau, 1827.

Aminoglycoside antibiotics. The total synthesis of 5-deoxykanamycin A. G. Kavadias, P. Dextraze, R. Massé, and B. Belleau, 2086.

Phenyl phosphorodichloridate in the synthesis of cyclic phosphate diesters of biological interest. C. L. Penney and B. Belleau, 2396.

Cyclitol analogs of biological interest. Regioselective nucleophilic substitutions of 1,4-cyclohexadiene bisepoxide and bisepisulfide. F. Haviv and B. Belleau, 2677.

Bender, C. O.

Polar substituents in barrelene photochemistry: mechanistic aspects of the photochemistry of 2-cyanobenzobarrelene. C. O. Bender, D. W. Brooks, W. Cheng, D. Dolman, S. F. O'Shea, and S. S. Shugarman, 3027.

Benderly, A.

Synthesis and reactions of 2-epoxyethylenepyridine 1-oxide with nitrogen, oxygen, and sulfur nucleophiles. A. Benderly, G. F. Fuller, E. E. Knaus, and K. Redda, 2673.

Synthesis of two in vivo metabolites of *N*-(*n*-propyl) phentermine. R. T. Coutts, A. Benderly, A. L. C. Mak, and W. G. Taylor, 3054.

Bennett, M. J.

Conformational studies on cyclohexa-1,4-diene derivatives. The crystal and molecular structures of 1,2,4,5-tetraphenyl-3,6-dicarbomethoxycyclohexa-1,4-diene and 1,2-dicarbomethoxy-4,5-dimethylcyclohexa-1,4-diene. M. J. Bennett and J. T. Purdham, 1358.

The crystal and molecular structure of *anti*-1,2,4,5-tetraphenyl-3,6-dicarbomethoxytricyclo[3.1.0.$0^{2,4}$]hexane. M. J. Bennett and J. T. Purdham, 1364.

Benson, G. C.

Thermal expansivities of water + tetrahydrofuran mixtures at 298.15 K. O. Kiyohara, P. J. D'Arcy, and G. C. Benson, 2803.

Benzing, L.
A synthesis of 3-acetamido-3-deoxy-D-*glycero*-D-*gulo*-heptose and 3-acetamido-3-deoxy-D-*glycero*-D-*ido*-heptose from 2-acetamido-2-deoxy-D-*glucose*. L. Benzing and M. B. Perry, 691.
Berks, C. G.
Mechanism of bromination of a quaternary pyrimidinium cation. Change of rate determining step with acidity. O. S. Tee, D. C. Thackray, and C. G. Berks, 2970.
Bermejo, J.
Sesquiterpene lactones from *Centaurea linifolia* Vahl. A. G. González, J. Bermejo, J. M. Amaro, G. M. Massanet, A. Galindo, and I. Cabrera, 491.
Bernstein, E.
Chemistry of chelocardin. IV. *C*(2)-acylation and alkylation of 2-deacetylchelocardin. D. T. W. Chu, E. Bernstein, and S. N. Huckin, 1059.
Bernstein, H. J.
Infrared and laser Raman studies of deuterated model membranes: Phase transition in 1,2-perdeuterodipalmitoy-*sn*-glycero-3-phosphocholine. S. Sunder, D. Cameron, H. H. Mantsch, and H. J. Bernstein, 2121.
Bertin, F.
Application de la spectrométrie ir et Raman à l'étude des complexes en solution aqueuse – Be^{2+} – $H_2C_2O_4$. M. Jaber, F. Bertin, et G. Thomas-David, 777.
Bharadwaj, M. M.
The formation and structure determination of both acyclic and cyclic products in the reaction of sulfene and pyridines. J. S. Grossert, M. M. Bharadwaj, R. F. Langler, T. S. Cameron, and R. E. Cordes, 1183.
Bhat, S. N.
pK_a values of protonated α,β-unsaturated cyclic carboxylic acids. Effect of ring size on acidities. S. N. Bhat, R. Rao, and K. Ranganayakulu, 2003.
Bigley, D. B.
Studies in decarboxylation. XI. The gas phase pyrolysis of some arylacetic acids. D. B. Bigley and R. H. Weatherhead, 628.
Bindner, P. E.
The chemistry of *N,N'*-dimethylformamidine. III. Tautomerism and hindered rotation. J. D. Halliday, E. A. Symons, and P. E. Bindner, 1470.
Birchall, T.
Mixed oxidation state compounds of antimony: a ^{121}Sb Mössbauer study of some antimony–fluorine systems. J. G. Ballard, T. Birchall, R. J. Gillespie, E. Maharajh, D. Tyrer, and J. E. Vekris, 2417.
The Raman spectra of tetrachloroantimony(V) dichloro nonafluorodiantimonate(V), tetrachloroantimony(V) undecafluoroantimonate(V), and related molecules. J. G. Ballard and T. Birchall, 2947.
Birnbaum, G. I.
Structure and properties of a *trans–anti* photodimer of 5-methylorotate. C. P. Huber, G. I. Birnbaum, M. L. Post, E. Kulikowska, L. Gajewska, and D. Shuger, 824.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, G. I. Birnbaum, C. Huber, and M. L. Post, 2139.
Blackburn, B. J.
On spin trapping hydroxyl and hydroperoxyl radicals. E. G. Janzen, D. E. Nutter, Jr., E. R. Davis, B. J. Blackburn, J. L. Poyer, and P. B. McCay, 2237.
Blades, A. T.
The effect of diluent gases on ion formation in hydrocarbon flames. B. L. Chawner and A. T. Blades, 2273.
The effect of diluent gases on ion formation in C_2N_2 flames. B. L. Chawner and A. T. Blades, 2278.
Bohme, D. K.
Experimental and theoretical studies of proton removal from propene. G. I. Mackay, M. H. Lien, A. C. Hopkinson, and D. K. Bohme, 131.
Rate and equilibrium constant measurements for gas-phase proton-transfer reactions involving H_2O, H_2S, HCN, and H_2CO. K. Tanaka, G. I. Mackay, and D. K. Bohme, 193.
Boileau, J.
Apparent molal volumes and heat capacities of low molecular weight peptides in water at 25°C. C. Jolicoeur and J. Boileau, 2707.
Bokelman, G. H.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Bonati, F.
Pyrazolato bridged binuclear complexes of palladium and platinum. F. Bonati and H. C. Clark, 2513.
Bonnett, J. D.
The chemistry of *N,N'*-dimethylformamidine. I. Formation from potassium methylamide, and its thermal stability. J. D. Halliday, E. A. Symons, and J. D. Bonnett, 1455.
The dissociation constant for potassium methylamide ion pairs in methylamine. E. A. Symons and J. D. Bonnett, 1518.
Booy, M.
Hydrothermal preparation of magnetite from iron chelates. M. Booy and T. W. Swaddle, 402.

Bornais, J.
Complex fluoroanions in solution. VIII. Mixed anions containing fluoride and trifluoromethanesulfonate or fluorosulfate. S. Brownstein, J. Bornais, and G. Latremouille, 1419.
Bottino, F. A.
Nitration and bromination of 1,1-diphenyl-2-(2-thienyl) ethylene. F. A. Bottino, G. C. Pappalardo, G. Scarlata, D. Sciotto, and M. Torre, 2755.
Bougon, R.
Etude structurale du fluorure de chloryle en phase solide. G. Tantot, P. Joubert et R. Bougon, 1634.
Synthèse et caractérisation des oxypentafluorouranates(VI) NH_4UOF_5, $KUOF_5$, $RbUOF_5$ et $CsUOF_5$. P. Joubert, R. Bougon et B. Gaudreau, 1874.
Structural study of the cesium oxypentafluorouranate(VI) $CsUOF_5$. P. Joubert, J. M. Weulersse, R. Bougon, and B. Gaudreau, 2546.
Bounsall, E. J.
Kinetics and mechanism of the base hydrolysis of some *trans*-dihalogeno(cyclam)rhodium(III) complexes. H. L. Chung and E. J. Bounsall, 709.
Bourret, J. T.
Réduction électrolytique de l'aluminium en milieu organique. Catacterisation de l'electrolyte. R. Lafortune, J. T. Bourret et G. A. Capuano, 2375.
Bouquet, M.
Distillation extractive. II. Etude de l'interaction entre carbures insaturés et solvants dipolaires. C. Wakselman et M. Bouquet, 2259.
Boyd, A. W.
The radiation chemistry of nitrogen: primary neutral dissociative excitation yield and the isotopic exchange mechanism. A. W. Boyd, O. A. Miller, and C. Willis, 147.
The radiation chemistry of nitric oxide. A. W. Boyd and O. A. Miller, 1075.
Boyd, R. K.
Reorientation of thiophene molecules in a benzene lattice. W. E. Sanford, R. K. Boyd, and J. A. Ripmeester, 714.
Brady, B.
Cadmium complexation by soil fulvic acid. B. Brady and G. K. Pagenkopf, 2331.
Breakell, K. R.
Synthesis and coordinating properties of the anionic tridentate ligand, methyl tris(1-pyrazolyl)gallate, $[MeGa(N_2C_3H_3)_3]^-$. X-ray crystal structure of $[MeGa(N_2C_3H_3)_3]$ $Mo(CO)_2$ (η^3-C_3H_5). K. R. Breakell, S. J. Rettig, D. L. Singbeil, A. Storr, and J. Trotter, 2099.
Braekman, J.-C.
Phlegmarine, a likely key intermediate in the biosynthesis of the Lycopodium alkaloids. L. Nyembo, A. Goffin, C. Hootelé, and J.-C. Braekman, 851.
Brandon, J. B.
Fluxional behaviour of potentially bidentate phenanthroline, naphthyridine, and phthalazine ligands in palladium complexes. J. B. Brandon, M. Collins, and K. R. Dixon, 950.
Brehat, F.
Observation de transitions de phase dans les dérivés dihalogénés du benzène par spectroscopie infrarouge lointain et diffusion Raman. B. Wyncke, F. Brehat, A. Hadni, J. Serrier et M. Baverez, 1638.
Bron, J.
A simpler method to evaluate the isotopic shifts in fundamental stretching frequencies of polyatomic molecules. J. Bron and R. Wallace, 379.
An internal coordinate model for molecular vibrations: the energy levels of H_2O and H_2S and related isotopic molecules. J. Bron and R. Wallace, 2167.
Brook, A. G.
The syntheses and properties of *C*-silylimines and their thermal rearrangement to *N*-silylenamines. A. G. Brook, C. Golino, and E. Matern, 2286.
Stereochemistry and mechanisms of the reactions of acylsilanes with alkoxides. A. G. Brook, T. J. D. Vandersar, and W. Limburg, 2758.
Brooks, D. W.
Polar substituents in barrelene photochemistry: mechanistic aspects of the photochemistry of 2-cyanobenzobarrelene. C. O. Bender, D. W. Brooks, W. Cheng, D. Dolman, S. F. O'Shea, and S. S. Shugarman, 3027.
Brooks, W. V. F.
The microwave spectrum and structure of cyclopropyl carbinol. II. Four deuterated forms. W. V. F. Brooks and C. K. Sastri, 530.
Brown, I. D.
The crystal structure of $RbCdCl_3$ and the polarized Raman spectra of $RbCdX_3$ (X = Cl, Br). M. Natarajan, H. E. Howard-Lock, and I. D. Brown, 1192.
Brown, J.
The reactions of lithioacetonitrile and lithiomethoxy-acetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Brown, R. J. C.
Raman and nuclear quadrupole resonance studies of the phase transition in pentachlorophenol. H. F. Shurvell, J. Korppi-Tommola, and R. J. C. Brown, 359.

Brown, W. H.
Intermediates in the cycloanhydrotetramerization of furan with aliphatic and alicyclic ketones. W. H. Brown and B. J. Hutchinson, 617.
Browne, E. N. C.
A simple synthesis of aucantene. H.-J. Liu and E. N. C. Browne, 306.
Browne, L. M.
Metabolites of bird's nest fungi. Part 8. Some minor metabolites of *Cyathus helenae* and some correlations among the cyathins. W. A. Ayer, L. M. Browne, J. R. Mercer, D. R. Taylor, and D. E. Ward, 717.
Brownstein, M.
A ^{19}F nuclear magnetic resonance and Raman spectroscopic investigation of the reaction of iodine oxide pentafluoride with the Lewis acids, antimony and arsenic pentafluoride. M. Brownstein, R. J. Gillespie, and J. P. Krasznai, 2253.
Brownstein, S.
Complex fluoroanions in solution. VII. Replacement of fluoride by trifluoroacetate. S. Brownstein, 343.
Complex fluoroanions in solution. VIII. Mixed anions containing fluoride and trifluoromethanesulfonate or fluorosulfate. S. Brownstein, J. Bornais, and G. Latremouille, 1419.
A study of the ion $[Ta_2OF_{10}]^{2-}$. J. Sala-Pala, Y. J. Calves, J. E. Guerchais, S. Brownstein, J. C. Dewan, and A. J. Edwards, 1545.
Complex fluoroanions in solution. IX. BF_3–anion complexes and their disproportionation. S. Brownstein and G. Latremouille, 2764.
Bruce, R. B.
The crystal structures of $S_7NSN(CH_3)_2$ and $(C_6H_{11})_2NSN(C_6H_{11})_2$. R. B. Bruce, R. J. Gillespie, and D. R. Slim, 2927.
Buchanan, G. W.
Trimethylene sulfite conformations: Effects of sterically demanding substituents at C-4,6 on ring geometry as assessed by ^1H and ^{13}C nuclear magnetic resonance. G. W. Buchanan, C. M. E. Cousineau, and T. C. Mundell, 2019.
Stereochemical analysis of aromatic oximes. ^{13}C–^{15}N nuclear spin coupling and ^{13}C shieldings as conformational probes. G. W. Buchanan and B. A. Dawson, 2200.
Bueno, W. A.
Quelques aspects du spectre d'absorption infrarouge de complexes par liaison hydrogène. W. A. Bueno et N. M. Mazzaro, 1579.
Bunce, N. J.
The photolysis of chlorinated *p*-terphenyls. B. Chittim, S. Safe, N. J. Bunce, L. O. Ruzo, K. Olie, and O. Hutzinger, 1253.
Bundle, D. R.
A facile synthesis of methyl 3,6-dideoxy-α-L-*xylo*-hexopyranoside (colitose). D. R. Bundle, and S. Josephson, 2686.
Bunting, J. W.
Further studies of the specificity of carboxypeptidase A towards hippuric acid esters. J. W. Bunting and S. S.-T. Chu, 2188.
Burch, R. D.
Methods for the comparison of fulvic acid samples: the effects of origin and concentration on acidic properties. R. D. Burch, C. H. Langford, and D. S. Gamble, 1196.
Burnell, R. H.
Synthesis of dehydrocycloroyleanone. R. H. Burnell and M. Ringuet, 517.
Bury, R.
Standard thermodynamic transfer functions from water to water acetone for a *n*-nonylcarbon chain attached to different ionic groups. R. Bury and C. Treiner, 2940.
Bushnell, G. W.
The crystal structure of *cis*-chlorobis(triethylphosphine)-1,8-naphthyridineplatinum(II) tetrafluoroborate, $[PtCl(PEt_3)_2(naph)]BF_4$, a complex containing a monodentate 1,8-naphthyridine ligand. G. W. Bushnell, K. R. Dixon, and M. A. Khan, 450.
The crystal structure of *cis*-chlorobis (triethylphosphine) phthalazineplatinum(II) tetrafluoroborate, $[PtCl(PEt_3)_2(phth)]BF_4$. G. W. Bushnell and K. R. Dixon, 878.
The crystal structure of a dinuclear platinum(II) complex with a bent dihydroxy bridge, di-(μ-hydroxy)tetrakis-(triethylphosphine)diplatinum(II) tetrafluoroborate. G. W. Bushnell, 1773.
Butler, D. N.
The cyclopentadienide anion and tropylium cation analogs of triptycene. D. N. Butler and I. Gupta, 80.
Buxton, G. V.
Pulse radiolysis of deuterated aqueous LiCl glasses. Dependence of the yields and rates of reaction of visible and infrared absorbing trapped electrons in LiCl concentration. H. A. Gillis, G. G. Teather, and G. V. Buxton, 1889.
Bywater, S.
Reaction of 1,1-diphenylpropene with stannic chloride and hydrogen chloride. S. Bywater and D. J. Worsfold, 2093.
Cabelkova-Taguchi, L. M.
Oxidative cyclization of carbonyl derivatives. 5-Imino-Δ^1-1,2,4-triazolines from alkylideneimino guanidines. L. M. Cabelkova-Taguchi and J. Warkentin, 2194.
Cabrera, I.
Sesquiterpene lactones from *Centaurea linifolia* Vahl. A. G. González, J. Bermejo, J. M. Amaro, G. M. Massanet, A. Galindo, and I. Cabrera, 491.

Calhoun, H. P.
Crystal and molecular structures of 2,2,4,4,6,8,8-heptamethyl-6-methylamino-1,3,5-triaza-2,4,6,8(P^V)-tetraphosphorin and 2,2,4,4,6,8,8-heptamethyl-6-methylamino-7-benzoyl-1,3,5-triaza-2,4,6,8(P^V)-tetraphosphorin. H. P. Calhoun, R. T. Oakley, N. L. Paddock, S. J. Rettig, and J. Trotter, 2833.

Calinaud, P.
Hétérobicycles oxygénés. Synthèse d'alkyl-3,6,8-trioxabicyclo[3.2.1]octanes et d'alkyl-3,7,9 et -4,7,9-trioxabicyclo-[4.2.1]nonanes. P. Calinaud et J. Gelas, 2292.

Calves, Y. J.
A study of the ion $[Ta_2OF_{10}]^{2-}$. J. Sala-Pala, Y. J. Calves, J. E. Guerchais, S. Brownstein, J. C. Dewan, and A. J. Edwards, 1545.

Cameron, D.
Infrared and laser Raman studies of deuterated model membranes: Phase transition in 1,2-perdeuterodipalmitoy-*sn*-glycero- 3-phosphocholine. S. Sunder, D. Cameron, H. H. Mantsch, and H. J. Bernstein, 2121.

Cameron, T. S.
The formation and structure determination of both acyclic and cyclic products in the reaction of sulfene and pyridines. J. S. Grossert, M. M. Bharadwaj, R. F. Langler, T. S. Cameron, and R. E. Cordes, 1183.

Campbell, A. N.
Electrolytes in mixed solvents: indium trichloride in water–dimethylsulfoxide mixtures. A. N. Campbell, 355.
Electromotive force measurements of the cell: $In/InCl_3/In$–Hg, together with the derived thermodynamic quantities. A. N. Campbell, 2550.

Cañas, P.
The $\{Li(NH_3)_n\}^+$ and $\{Na(NH_3)_n\}^+$ systems. A CNDO/2 study of the Li^+ and Na^+ ion solvation. C. Sieiro, P. Cañas, and P. Martinez, 2977.

Cane, D. J.
Synthesis and nuclear magnetic resonance study of the compounds (2-X-1,3-dithiane) (X = H, Me, $SiMe_3$, $GeMe_3$, $SnMe_3$, $PbMe_3$) and their tetracarbonyliron complexes. D. J. Cane, W. A. G. Graham, and L. Vancea, 1538.

Capuano, G. A.
Réduction électrolytique de l'aluminium en milieu organique. Caracterisation de l'electrolyte. R. Lafortune, J. T. Bourret et G. A. Capuano, 2375.

Carey, P. R.
Resonance Raman labels: spectroscopic studies on *cis*- and *trans*- 4-benzylidene- 2-phenyl- Δ^2- oxazolin- 5-one and an isotopically substituted analog. K. Kumar, D. J. Phelps, and P. R. Carey, 232.
Preresonance Raman spectra and excitation profiles of some chemically and isotopically substituted *trans*-4-benzylideneoxazolin-5-ones. D. J. Phelps, R. G. Carriere, K. Kumar, and P. R. Carey, 240.

Carpentier, J.-M.
Fonction d'acidité relative aux amines secondaires: un critère de validité du postulat de Hammett. J.-M. Carpentier et P. Lemetais, 954.

Carriere, R. G.
Preresonance Raman spectra and excitation profiles of some chemically and isotopically substituted *trans*-4-benzylideneoxazolin-5-ones. D. J. Phelps, R. G. Carriere, K. Kumar, and P. R. Carey, 240.

Carson, D. L.
Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.

Cazaux, L.
Stéréochimie de β-diols et de leurs derivés cycliques. X. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3,4-spirocyclohexanes: methyl-2 dioxanne-1,3-4-spiro-*tert*-butyl-4′ cyclohexanes-*cis* et -*trans* (série I). L. Cazaux, J.-P. Gorrichon, P. Maroni et M. Perry, 2998.
Stéréochimie de β-diols et de leurs dérivés cycliques. XIII. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4- spirocyclohexanes: *tert*-butyl-6-*c* methyl-2-*r* (serie II) et dimethyl-2-*r*, 5-*t* ou 5-*c* (serie III) dioxanne-1,3-4-*t* ou -*c*-spiro-trimethyl-3′,3′,5′ cyclohexanes-*trans* ou-*cis*. L. Cazaux, J.-P. Gorrichon, Y. Koudsi et P. Maroni, 3006.
Stéréochimie de β-diols et de leurs dérivés cycliques. XIV. Analyse structurale de dioxanne-1,3-4-spirocyclohexanes par résonance magnetique nucleaire du ^{13}C. L. Cazaux, J.-P. Gorrichon et P. Maroni, 3016.

Cerksus, T. R.
Reactivity of cyclopropylalkenes with *p*- chlorobenzenesulfenyl chloride. T. R. Cerksus, V. M. Csizmadia, G. H. Schmid, and T. T. Tidwell, 205.

Cerutti, P. J.
The standard enthalpy of ionization of water at 298 K from calorimetric measurements on iodine pentoxide. P. J. Cerutti, H. C. Ko, K. G. McCurdy, and L. G. Hepler, 3084.

Chagas, H. C.
Study of the electrolytic reduction of Cr(VI) in aqueous solutions of chromic acid by the rotating disc electrode method. H. C. Chagas, 2042.

Chan, T.
Photoelectron spectra of 4-substituted stilbenes. H. J. McAlduff and T. Chan, 2714.

Chapelet-Barbier, C.
Analyse des malates de cuivre et d'uranyle par potentiométrie, polarimétrie et spectrophotométrie. I. Khalil, M. M. Petit-Ramel, et C. Chapelet-Barbier, 1919.

Chauhan, M. S.
Carbon-13 nuclear magnetic resonance spectra of *N*-,*O*-, and *S*- methylated uracil and thiouracil derivatives. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 725.
ESCA studies of the uracil base. The effect of methylation, thionation, and ionization on charge distribution. J. Peeling, F. E. Hruska, D. M. McKinnon, M. S. Chauhan, and N. S. McIntyre, 2405.
Chawner, B. L.
The effect of diluent gases on ion formation in hydrocarbon flames. B. L. Chawner and A. T. Blades, 2273.
The effect of diluent gases on ion formation in C_2N_2 flames. B. L. Chawner and A. T. Blades, 2278.
Chekir, K.
Electrochemical reduction of pyridopyrazines. J. Armand, K. Chekir, and J. Pinson, 1804.
Chemla, M.
A vapor pressure method for the simultaneous determination of standard thermodynamic functions of both solutes in a ternary dilute solution. C. Treiner, P. Tzias, and M. Chemla, 844.
Chen, K. S.
An electron spin resonance study of organomercury adducts of phenanthroquinone. K. S. Chen, R. T. Smith, and J. K. S. Wan, 2503.
Cheng, A. K.
Nuclear magnetic resonance studies. XXXII. Rearrangement, isomerization, and deuterium exchange via β-enolization in bicyclooctenones. A ^2H nuclear magnetic resonance study. A. K. Cheng and J. B. Stothers, 1342.
Cheng, W.
Polar substituents in barrelene photochemistry: mechanistic aspects of the photochemistry of 2-cyanobenzobarrelene. C. O. Bender, D. W. Brooks, W. Cheng, D. Dolman, S. F. O'Shea, and S. S. Shugarman, 3027.
Chenier, J. H. B.
Metal complexes as antioxidants. V. Inhibition of hydrocarbon autoxidation by cupric complexes of dialkyldithiophosphoric and dialkyldithiocarbamic acids. J. H. B. Chenier, J. A. Howard, and J. C. Tait, 157.
Absolute rate constants for hydrocarbon autoxidation. 24. Rate constants and Arrhenius parameters for reaction of *tert*-butylperoxy radicals with 3-methylpentane. J. A. Howard, J. H. B. Chenier, and D. A. Holden, 170.
Absolute rate constants for hydrocarbon autoxidation. 25. Rate constants for hydrogen atom abstraction from alkanes by the *tert*-butylperoxy radical. J. H. B. Chenier, S. B. Tong, and J. A. Howard, 3047.
Cheriyan, U. O.
Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.
Chiang, Y.
Vinyl ether hydrolysis. XI. The effect of α-phenyl substitution. Y. Chiang, W. K. Chwang, A. J. Kresge, L. H. Robinson, D. S. Sagatys, and C. I. Young, 456.
Vinyl ether hydrolysis. XII. Use of *cis–trans* isomerism to probe the reaction mechanism. Y. Chiang, A. J. Kresge, and C. I. Young, 461.
Chieh, C.
Crystal structure of methyl,2-mercaptopyrimidinatomercury(II). C. Chieh, 560.
Crystal structure of mercury(II) bromide dithiocarbamate, $[HgBr_2(S_2CNEt_2)Hg(S_2CNEt_2)]_n$, an inorganic polymer. C. Chieh, 564.
Crystal structure of dibromotetraethylthiuramdisulfidemercury(II). C. Chieh, 974.
Thiosemicarbazide complexes of mercury(II) halides. C. Chieh, L. P. C. Lee, and C. Chiu, 2526.
Chin, J.
Kinetics and mechanism of the reaction of dimethyl acetylphosphonate with water. Expulsion of a phosphate ester from a carbonyl hydrate. R. Kluger, D. C. Pike, and J. Chin, 1792.
Chittim, B.
The photolysis of chlorinated *p*-terphenyls. B. Chittim, S. Safe, N. J. Bunce, L. O. Ruzo, K. Olie, and O. Hutzinger, 1253.
Chiu, C.
Thiosemicarbazide complexes of mercury(II) halides. C. Chieh, L. P. C. Lee, and C. Chiu, 2526.
Chong, K. S.
Synthesis, characterization, and X-ray structural studies of octahedral transition metal complexes incorporating the novel anionic tridentate ligand, dimethyl(ethanolamino)(1-pyrazolyl)gallate, $[Me_2Ga(OCH_2CH_2NH_2)(N_2C_3H_3)]^-$. K. S. Chong, S. J. Rettig, A. Storr, and J. Trotter, 1212.
Chow, Y. L.
Decomposition of tetramethyl-2-tetrazene under acidic conditions. L. J. Madgzinski, K. S. Pillay, H. Richard, and Y. L. Chow, 1657.
Synthesis of azapolycyclic compounds by the aminium radical route: rearrangements of *C*-nitroso compounds and their stereoelectronic requirements. R. W. Lockhart, M. Kitadani, F. W. B. Einstein, and Y. L. Chow, 2897.
Syntheses of azapolycyclic compounds by the aminium radical routes: trapping of the radical intermediates. R. A. Perry, R. W. Lockhart, M. Kitadani, and Y. L. Chow, 2906.
Christiaens, L.
Etude par résonance magnétique nucléaire de composés organiques contenant des chalcogènes. I. L'anisole et ses analogues soufré, sélénié et telluré. G. Llabres, M. Baiwir, L. Christiaens, J. Denoel, L. Laitem et J.-L. Piette, 2008.
Christian, D. F.
The preparation of platinum(II) complexes with an *ortho*-metallated carbene ligand: the X-ray and molecular structure

of [Pt{C(NHC$_6$H$_4$CH$_3$)(NHC$_6$H$_3$CH$_3$)} {PPh$_2$(CH$_2$)$_2$PPh$_2$}]ClO$_4$. D. F. Christian, D. A. Clarke, H. C. Clark, D. H. Farrar, and N. C. Payne, 2516.

Christofis, O.

Reduction of some organic compounds by electrochemical generated titanium(III). O. Christofis, J. J. Habeeb, R. S. Steevensz, and D. G. Tuck, 2269.

Chu, D. T. W.

Chemistry of chelocardin. IV. *C*(2)-acylation and alkylation of 2-deacetylchelocardin. D. T. W. Chu, E. Bernstein, and S. N. Huckin, 1059.

Chu, S. S.-T.

Further studies of the specificity of carboxypeptidase A towards hippuric acid esters. J. W. Bunting and S. S.-T. Chu, 2188.

Chum, K.

On the existence of *cis* and *trans* conformational isomers in 2-methylphenol and 4-chloro- 2-methylphenol. T. Schaefer and K. Chum, 1788.

Chung, H. L.

Kinetics and mechanism of the base hydrolysis of some *trans*-dihalogeno(cyclam)rhodium(III) complexes. H. L. Chung and E. J. Bounsall, 709.

Chwang, W. K.

Vinyl ether hydrolysis. XI. The effect of α-phenyl substitution. Y. Chiang, W. K. Chwang, A. J. Kresge, L. H. Robinson, D. S. Sagatys, and C. I. Young, 456.

Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.

Clark, H. C.

Pyrazolato bridged binuclear complexes of palladium and platinum. F. Bonati and H. C. Clark, 2513.

The preparation of platinum(II) complexes with an *ortho*-metallated carbene ligand: the X-ray and molecular structure of [Pt{C(NHC$_6$H$_4$CH$_3$)(NHC$_6$H$_3$CH$_3$)} {PPh$_2$(CH$_2$)$_2$PPh$_2$}]ClO$_4$. D. F. Christian, D. A. Clarke, H. C. Clark, D. H. Farrar, and N. C. Payne, 2516.

Clark, J. H.

Hydrogen bonding in organic synthesis. Part 9. The sulphenylation of fluoride-activated β-dicarbonyls. J. H. Clark and J. M. Miller, 141.

Clark, R. R.

Kinetics and mechanism for the formation of oxygenated products from the photolysis of hexafluoroacetone–methane system. E.-C. Wu, R. R. Clark, and Y.-N. Tang, 1989.

Clarke, D. A.

The preparation of platinum(II) complexes with an *ortho*-metallated carbene ligand: the X-ray and molecular structure of [Pt{C(NHC$_6$H$_4$CH$_3$)(NHC$_6$H$_3$CH$_3$)} {PPh$_2$(CH$_2$)$_2$PPh$_2$}]ClO$_4$. D. F. Christian, D. A. Clarke, H. C. Clark, D. H. Farrar, N. C. Payne, 2516.

Cocivera, M.

Flow nuclear magnetic resonance study of the addition, dehydration and cyclization steps for reaction between hydrazine and ethyl acetoacetate. M. Cocivera, K. W. Woo, and P. Livant, 473.

Cole, K. C.

Anesthesia and hydrogen bonding. A semi-quantitative infrared study at room temperature. G. Trudeau, K. C. Cole, R. Massuda, and C. Sandorfy, 1681.

Collin, G. J.

Gas phase photolysis of 1-pentene and 1-pentene-d_{10} at 7.1 and 7.6 eV. Kinetic considerations. A. Więckowski and G. J. Collin, 1435.

Photolyse de l'isoprène gazeux entre son seuil d'absorption (ca. 255 nm) et 147.0 nm. R. Demers, G. J. Collin et H. Gagnon-Deslauriers, 1864.

Excited radicals in the gas phase photolysis of butene isomers at different photon energies: energy distribution in reaction products. G. J. Collin and A. Więckowski, 2630.

Collins, M.

Fluxional behaviour of potentially bidentate phenanthroline, naphthyridine, and phthalazine ligands in palladium complexes. J. B. Brandon, M. Collins, and K. R. Dixon, 950.

Collister, J. L.

The heat of mixing of hydrogen cyanide and hydrogen fluoride in the liquid phase. J. L. Collister and H. O. Pritchard, 2788.

Colter, A. K.

Chemical behavior of charge-transfer complexes. VII. Solvolysis of alkyl arenesulfonate donors in the presence of aromatic acceptors. A. K. Colter and R. E. C. Turkos, 585.

Comarmond, G.

Etude polarographique de l'antimoine (III) et (V) dans le fluorure d'hydrogene anhydre et dans ses melanges avec l'eau. J. Devynck, B. Tremillon, H. Menard et G. Comarmond, 703.

Conard, B. R.

Appearance potentials of ion fragments of iron pentacarbonyl. B. R. Conard and R. Sridhar, 2607.

Conway, B. E.

Significance of effects of pressure on electrode reactions. Part III. Equilibrium processes at reference electrodes and the volume of H in Pd. B. E. Conway and J. C. Currie, 915.

Conway, T. T.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.
Nuclear analogs of β-lactam antibiotics. IX. Synthesis of 7-methoxy 2-isocephems and *O*-2-isocephems. J. L. Douglas, D. E. Horning, and T. T. Conway, 2879.
Cook, J. M.
General method for the synthesis of [*n*.3.3]propellanes, $n \geq 3$. R. W. Weber and J. M. Cook, 189.
Cooley, J. M.
Determination of oxalate by continuous analysis using photochemical oxidation by iron(III) and a CO_2 electrode detector. J. M. Cooley and B. Kratochvil, 2452.
Corbel, B.
Preparation of cyclobutenones and cyclopent-2-enones via epoxy sulfone cyclizations. B. Corbel, J. M. Decesare, and T. Durst, 505.
Cordes, R. E.
The formation and structure determination of both acyclic and cyclic products in the reaction of sulfene and pyridines. J. S. Grossert, M. M. Bharadwaj, R. F. Langler, T. S. Cameron, and R. E. Cordes, 1183.
Corish, J.
A theoretical study of the energies of solution, association, and migration for univalent substitutional anion impurities in alkali metal chloride crystals. J. Corish, B. M. C. Parker, and P. W. M. Jacobs, 1668.
Corkum, R.
The density, electrical conductivity, freezing point, and viscosity of mixtures of trifluoromethanesulfonic acid and water. R. Corkum and J. Milne, 1832.
Corsini, A.
Heterogeneous metal-insertion: a novel reaction with porphyrins. O. Herrmann, S. H. Mehdi, and A. Corsini, 1084.
A new extraction – spectrophotometric method for the determination of phosphate. K. S. Subramanian and A. Corsini, 1729.
Costello, T. G.
Pyrrole chemistry. XIX. Reactions of 2-pyrrolecarbonitrile and its 4-substituted derivatives. H. J. Anderson, C. R. Riche, T. G. Costello, C. E. Loader, and G. H. Barnett, 654.
Couchon, M.
State equation parameters of three homologous series: tetraalkyltin compounds, tetraalkoxysilanes, trialkylamines. R. Philippe, G. Delmas, and M. Couchon, 370.
Heats and free energies of mixing of tridodecylamine with nine heptane isomers, two octanes, and one hexane. Disorder and steric hindrance contributions. M. Couchon, P. N. Hong, and G. Delmas, 2472.
Cousineau, C. M. E.
Trimethylene sulfite conformations: Effects of sterically demanding substituents at C-4,6 on ring geometry as assessed by ^1H and ^{13}C nuclear magnetic resonance. G. W. Buchanan, C. M. E. Cousineau, and T. C. Mundell, 2019.
Some empirical observations concerning the liquid scintillation counting of coloured solutions. D. C. Wigfield and C. M. E. Cousineau, 2173.
Coutts, R. T.
Synthesis of two in vivo metabolites of *N*-(*n*-propyl) phentermine. R. T. Coutts, A. Benderly, A. L. C. Mak, and W. G. Taylor, 3054.
Crawford, R. J.
Synthesis and ^1H and ^{13}C nuclear magnetic resonance spectra of some 4-alkylidene-1-pyrazolines and alkylidenecyclopropanes. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, J. C. Godard, and T. Nakashima, 992.
The stereochemistry of thermolysis of 4-alkylidene-1-pyrazolines. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, and J. C. Godard, 998.
Crossley, J.
The dielectric relaxation of some diols in *p*-dioxane solution. J. Crossley, 352.
Dielectric relaxation in 2-acetylnaphthalene and related compounds. J. Crossley, M. A. Mazid, C. K. McLellan, P. F. Mountain, and S. Walker, 567.
Csizmadia, V. M.
Reactivity of cyclopropylalkenes with *p*-chlorobenzenesulfenyl chloride. T. R. Cerksus, V. M. Csizmadia, G. H. Schmid, and T. T. Tidwell, 205.
Cullen, W. R.
Chemistry and catalytic properties of oxidized rhodium chlorocarbonyl complexes, $Rh_4Cl_4(CO)_4(O_2)_2P_2$; P = tertiary phosphine ligands. W. R. Cullen, B. R. James, and G. Strukul, 1965.
Cumming, J. B.
Summary of gas phase acidity measurements involving acids AH. Entropy changes in proton transfer reactions involving negative ions. Bond dissociation energies *D*(A—H) and electron affinities EA(A). J. B. Cumming and P. Kebarle, 1.
Currie, J. C.
Significance of effects of pressure on electrode reactions. Part III. Equilibrium processes at reference electrodes and the volume of H in Pd. B. E. Conway and J. C. Currie, 915.
Cushley, R. J.
Paramagnetic effects in flavin spectroscopy. A ^{13}C nuclear magnetic resonance study. D. D. Macmurchie and R. J. Cushley, 1045.

Cvetanović, R. J.
Temperature dependence of rate constants for the reactions of oxygen atoms, $O(^3P)$, with HBr and HI. D. L. Singleton and R. J. Cvetanović, 2934.
Cyr, N.
Some stereochemical aspects of two-bond ^{13}C–^1H spin–spin coupling. Sign determination in natural abundance ^{13}C nuclear magnetic resonance spectra. N. Cyr, G. K. Hamer, and A. S. Perlin, 297.
A conformational study of methyl β-cellobioside-d_8 by ^{13}C nuclear magnetic resonance spectroscopy: dihedral angle dependence of $^3J_{C-H}$ in ^{13}C—O—C—^1H arrays. G. K. Hamer, F. Balza, N. Cyr, and A. S. Perlin, 3109.
Cyr, T. D.
Pyrones. III. The alkylation of pyronones. Preferential formation of 2-alkoxy-4-pyrones. T. D. Cyr and G. A. Poulton, 1796.
Dalrymple-Alford, P.
A Poisson–Boltzmann treatment of the capacitance of a layer of symmetrical spherical dipoles. P. Dalrymple-Alford and K. B. Oldham, 861.
Dance, N. S.
A Mössbauer study of organotellurium compounds. Part III. Tellurium heterocycles and related compounds. N. S. Dance and C. H. W. Jones, 1746.
Danchura, W.
Limits to barriers to internal rotation in benzal fluoride, chloride, and bromide in solution by the *J* method. T. Schaefer, W. Danchura, and W. Niemczura, 36.
The internal barriers to rotation about the carbon–carbon bond in 3,5-dichlorobenzyl alcohol and selenol by the *J* method. T. Schaefer, W. Danchura W. Niemczura, and W. J. E. Parr, 1721.
The preferred conformations in solution and rotational barriers of the phenyl moiety in 3,5-dichlorobenzyl derivatives of ammonia, dimethylamine, and dimethylarsine. T. Schaefer, W. Danchura, and W. Niemczura, 2229.
Proton magnetic resonance spectra of 3-fluorotoluene and 2-chloro-5-fluorotoluene. The sign and coupling mechanism of $^5J_m^{F,CH_3}$. T. Schaefer, W. Danchura, and W. Niemczura, 2233.
Concerning the extension of the *J* method for internal barriers to six-bond couplings to ^{19}F in the 4-fluorophenyl fragment. T. Schaefer, W. Danchura, W. Niemczura, and J. Peeling, 2442.
Dao, L. H.
A novel acid-catalyzed isomerization of the adducts of 1,4-dimethyl-2,3-diphenylcyclopentadiene and dialkyl azodicarboxylates. L. H. Dao and D. Mackay, 1724.
Daoust, H.
Synthesis and study of the conformational stability of sequential polypeptides containing δ-benzyloxycarbonyl-L-ornithine and benzyl esters of L-aspartic and L-glutamic acids. N. Ho-Duc, H. Daoust, and S. St. Pierre, 622.
D'Arcy, P. J.
Thermal expansivities of water + tetrahydrofuran mixtures at 298.15 K. O. Kiyohara, P. J. D'arcy, and G. C. Benson, 2803.
Dauphinee, G. A.
1,2-Dihydroquinolines: preparation and isolation as intermediates in the synthesis of quinolines. G. A. Dauphinee and T. P. Forrest, 632.
Davidson, W. R.
Gas phase dissociation of protonated acetic acid to the acyl cation and water. Heat of formation of CH_3CO^+ and proton affinity of ketene. W. R. Davidson, Y. K. Lau, and P. Kebarle, 1016.
Davis, E. R.
On spin trapping hydroxyl and hydroperoxyl radicals. E. G. Janzen, D. E. Nutter, Jr., E. R. Davis, B. J. Blackburn, J. L. Poyer, and P. B. McCay, 2237.
Davis, S. E.
Aldol-type condensation of C(α)-dianions of azines. S. E. Davis, N. L. Shealy, K. D. Shealy, L. M. Shaffer, and C. F. Beam, 1236.
The reactions of lithioacetonitrile and lithiomethoxyacetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Dawa, B. A.
Infrared studies of carboxylic acids and pyridine in chloroform and methanol. B. A. Dawa and J. A. Gowland, 2567.
Dawe, R. D.
Nickel(II) and copper(II) complexes of the 'tripod' ligand tris(2-benzimidazylmethyl)amine. L. K. Thompson, B. S. Ramaswamy, and R. D. Dawe, 1311.
Dawson, B. A.
Stereochemical analysis of aromatic oximes. ^{13}C–^{15}N nuclear spin coupling and ^{13}C shieldings as conformational probes. G. W. Buchanan and B. A. Dawson, 2200.
Day, J. C.
Interaction of polymers in solution with porous solids I: penetration of porous glass by dextran. J. C. Day, B. Alince, and A. A. Robertson, 2951.
Decesare, J. M.
Preparation of cyclobutenones and cyclopent-2-enones via epoxy sulfone cyclizations. B. Corbel, J. M. Decesare, and T. Durst, 505.
Deczky, K.
Application of water nuclear magnetic resonance relaxation times to study of metal complexes of the soluble soil organic fraction fulvic acid. K. Deczky and C. H. Langford, 1947.

Delmas, G.
State equation parameters of three homologous series: tetraalkyltin compounds, tetraalkoxysilanes, trialkylamines. R. Philippe, G. Delmas, and M. Couchon, 370.
Heats and free energies of mixing of tridodecylamine with nine heptane isomers, two octanes, and one hexane. Disorder and steric hindrance contributions. M. Couchon, P. N. Hong, and G. Delmas, 2472.
Heats of mixing of trialkylamines: disorder and steric hindrance contributions. R. Philippe, G. Delmas, and P. N. Hong, 2856.
Demers, R.
Photolyse de l'isoprène gazeux entre son seuil d'absorption (ca. 255 nm) et 147.0 nm. R. Demers, G. J. Collin et H. Gagnon-Deslauriers, 1864.
Denoel, J.
Etude par résonance magnétique nucléaire de composés organiques contenant des chalcogènes. I. L'anisole et ses analogues soufré, sélénié et telluré. G. Llabres, M. Baiwir, L. Christiaens, J. Denoel, L. Laitem et J.-L. Piette, 2008.
de Silva, S. O.
Indole *N*-alkylation of tryptamines via dianion and phthalimido intermediates. New potential indolealkylamine haptens. S. O. de Silva and V. Snieckus, 1621.
Deslongchamps, P.
Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.
Desnoyers, J. E.
Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.
Thermodynamics of the salting effect; free energies, enthalpies, entropies, heat capacities, and volumes of the ternary systems electrolyte–alcohol–water at 25°C. G. Perron, D. Joly, J. E. Desnoyers, L. Avédikian, and J. P. Morel, 552.
The heat capacities and volumes of some low molecular weight amides, ketones, esters, and esters in water over the whole solubility range. G. Roux, G. Perron, and J. E. Desnoyers, 2808.
Devynck, J.
Etude polarographique de l'antimoine (III) et (V) dans le fluorure d'hydrogene anhydre et dans ses melanges avec l'eau. J. Devynck, B. Tremillon, H. Menard et G. Comarmond, 703.
Dewan, J. C.
A study of the ion $[Ta_2OF_{10}]^{2-}$. J. Sala-Pala, Y. J. Calves, J. E. Guerchais, S. Brownstein, J. C. Dewan, and A. J. Edwards, 1545.
Dextraze, P.
Aminoglycoside antibiotics. The total synthesis of 5-deoxykanamycin A. G. Kavadias, P. Dextraze, R. Massé, and B. Belleau, 2086.
Diakow, P. R. P.
The mechanism of the microbial hydroxylation of steroids. Part 4. The C-6β-hydroxylation of androst-4-ene-3,17-dione and related compounds by *Rhizopus arrhizus* ATCC 11145. H. L. Holland and P. R. P. Diakow, 694.
^{13}C nuclear magnetic resonance spectra of some C-19-hydroxy, C-5,6 epoxy, C-24 ethyl and C-19-norsteroids. H. L. Holland, P. R. P. Diakow, and G. J. Taylor, 3124.
Dice, D. R.
Mercury photosensitized decomposition of thietane. D. R. Dice and R. P. Steer, 114.
Diefallah, E.-H. M.
Solvolysis rates in aqueous–organic mixed solvents. V. Kinetics of the alkaline decarboxylation of trichloroacetate ion in water–ethanol solutions. E.-H. M. Diefallah and A. M. El-Nadi, 2053.
Dignam, M. J.
Transition layer model of the oxide–electrolyte interface. M. J. Dignam, 595.
A study of the adsorption of formic acid and related molecules onto evaporated copper films, both clean and oxide-covered, by infrared ellipsometric spectroscopy. R. W. Stobie and M. J. Dignam, 1088.
Dionne, G.
Cyanoethylations and Michael additions. VIII. The use of preformed enolate ions in Michael additions. Part I. G. Dionne and Ch. R. Engel, 419.
α-Pyrones. V. The synthesis of bufadienolides. Part IV. Ch. R. Engel and G. Dionne, 424.
DiPaola, G.
Polyol–protein interactions. Thermodynamical evidence for a selective solvation of glycerol and hexitols by aqueous β-lactoglobulin. G. DiPaola, and B. Belleau, 848.
Apparent molal heat capacities and volumes of amino acids in aqueous polyol solutions. G. DiPaola and B. Belleau, 1827.
Dixon, K. R.
The crystal structure of *cis*-chlorobis(triethylphosphine)-1,8-naphthyridineplatinum(II) tetrafluoroborate, $[PtCl(PEt_3)_2(naph)]BF_4$, a complex containing a monodentate 1,8-naphthyridine ligand. G. W. Bushnell, K. R. Dixon, and M. A. Khan, 450.
The crystal structure of *cis*-chlorobis(triethylphosphine)phthalazineplatinum(II) tetrafluoroborate, $[PtCl(PEt_3)_2(phth)]BF_4$. G. W. Bushnell and K. R. Dixon, 878.
Fluxional behaviour of potentially bidentate phenanthroline, naphthyridine, and phthalazine ligands in palladium complexes. J. B. Brandon, M. Collins, and K. R. Dixon, 950.

Dolman, D.
Polar substituents in barrelene photochemistry: mechanistic aspects of the photochemistry of 2-cyanobenzobarrelene. C. O. Bender, D. W. Brooks, W. Cheng, D. Dolman, S. F. O'Shea, and S. S. Shugarman, 3027.
Dolphin, D.
Electron transport via metalloporphyrins. E. C. Johnson, T. Niem, and D. Dolphin, 1381.
Synthesis of covalently-linked dimeric porphyrins. J. B. Paine III and D. Dolphin, 1710.
Exciton and electron interaction in covalently-linked dimeric porphyrins. J. B. Paine III, D. Dolphin, and M. Gouterman, 1712.
Dominguez, M.
Mechanism of L-ascorbic acid oxidation on a mercury electrode. II. Basic medium. J. J. Ruiz, A. Aldaz, and M. Dominguez, 1533.
Dong, R. Y.
^{13}C and ^{2}H spin–lattice relaxation in neopentane-d_{12}. B. A. Pettitt, R. E. Wasylishen, R. Y. Dong, and T. P. Pitner, 2576.
Donnini, G. P.
Arene–chromium complexes: Photochemical substitution of phosphine and phosphite ligands by olefin. G. P. Donnini and A. Shaver, 1477.
Douglas, A. W.
Carbon-13 nuclear magnetic resonance studies of (*Z*)-5-fluoro-2-methyl-1-{[*p*-(methylsulfinyl)phenyl]methylene}-1*H*-indene-3-acetic acid (sulindac) and some related compounds. A. W. Douglas, 2129.
Douglas, J. L.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.
Nuclear analogs of β-lactam antibiotics. IX. Synthesis of 7-methoxy 2-isocephems and *O*-2 isocephems. J. L. Douglas, D. E. Horning, and T. T. Conway, 2879.
Doyle, T. W.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.
Drake, J. E.
Studies of silyl and germyl Group VI species. Part II. Bis(methylgermyl) and bis(dimethylgermyl) chalcogenides and related species. J. E. Drake, B. M. Glavinčevski, H. E. Henderson, and R. T. Hemmings, 465.
Driguez, H.
The chromous chloride promoted addition of *N*-haloamides to olefins. V. The addition of *N*-chloroamides to enol ethers: synthesis of acyloxy and acyl derivatives of α-amino acetals and ketals (aldehydes and ketones) and of 2-amino sugars. H. Driguez, J.-P. Vermes, and J. Lessard, 119.
Erratum: The chromous chloride promoted addition of *N*-haloamides to olefins. V. The addition of *N*-chloroamides to enol ethers: synthesis of acyloxy and acyl derivatives of α-amino acetals and ketals (aldehydes and ketones) and of 2-amino sugars. H. Driguez, J.-P. Vermes, and J. Lessard, 1305.
Droghini, R.
Aminocyclitols. II. Synthesis of thioanalogues of 2,5-dideoxystreptamine. G. Kavadias and R. Droghini, 2743.
Drouin, M.
Carbon-13 enrichment in the room temperature multiphoton decomposition of CF_3Br. M. Gauthier, P. A. Hackett, M. Drouin, R. Pilon, and C. Willis, 2227.
Dube, G.
Construction of a novel generator for use in HF adsorption studies. F. M. Kimmerle, A. Archambault, and G. Dube, 2034.
Dufort, N.
Rupture du lien C—S lors de la réduction de sulfones par $LiAlH_4$. N. Dufort et B. Jodoin, 1779.
Dumas, P.
Etude des interactions des oxirannes et thiirannes avec les α,β,γ,δ-tétraphénylporphyrines au cadmium, zinc et magnésium. P. Dumas et P. Guerin, 925.
Duncan, J. R.
An explanation of reported participation of hydrated electrons as intermediates in electrochemical reduction reactions. J. R. Duncan and G. A. Wright, 17.
Dunford, H. B.
Horseradish peroxidase. XXVIII. Formation and reactivity of the alkaline form. Evidence for an enzyme–substrate complex in compound I formation. D. Job and H. B. Dunford, 1327.
Horseradish peroxidase. XXIX. Reactions in water and deuterium oxide: cyanide binding, compound I formation, and reactions of compounds I and II with ferrocyanide. H. B. Dunford, W. D. Hewson, and H. Steiner, 2844.
Dupuis, J. W.
Gas phase ion–molecule reactions of dimethylsulphoxide. J. E. Fulford, J. W. Dupuis, and R. E. March, 2324.
Durand, R.
Conformational analysis of ketoximes by the application of carbon-13 nuclear magnetic resonance spectroscopy. P. Geneste, R. Durand, J.-M. Kamenka, H. Beierbeck, R. Martino, and J. K. Saunders, 1940.

Durst, T.
Preparation of cyclobutenones and cyclopent-2-enones via epoxy sulfone cyclizations. B. Corbel, J. M. Decesare, and T. Durst, 505.
Photochemical extrusion of sulfur dioxide from sultines. T. Durst, J. C. Huang, N. K. Sharma, and D. J. H. Smith, 512.
Eaton, D. R.
Rearrangements of vanadium(III) β diketonate complexes. A. J. C. Nixon and D. R. Eaton, 1005.
Ligand exchange reactions of vanadium(III) β diketonate complexes. A. J. C. Nixon and D. R. Eaton, 1012.
The reactions of metal acetylacetonates with acids. A. J. C. Nixon and D. R. Eaton, 1928.
Eddy, F. D.
Anthraniloylanthranilamide (*o*-amino-*N*-(*o*-carbamoylphenyl)benzamide): Preparation and use as a synthetic precursor for quinazolino[1,2,3]benzotriazinones. F. D. Eddy, K. Vaughan, and M. F. G. Stevens, 1616.
Edward, J. T.
Effect of aromatic substituents on the rates of hydrolysis of ethyl thiolbenzoate and ethyl thionbenzoate in aqueous sulfuric acid. J. T. Edward, S. C. Wong, and G. Welch, 931.
The hydrolysis of thioacetic, thiobenzoic, and three substituted thiobenzoic acids in perchloric and sulfuric acids. J. T. Edward, G. Welch, and S. C. Wong, 935.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. II. Possible conformations of α,ω-amino acids in aqueous solutions, as deduced from dissociation constants. J. T. Edward, P. G. Farrell, J. L. Job, and B.-L. Poh, 1122.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. III. Dissociation constants of *cis*-3- and *trans*-4-substituted cyclohexanecarboxylic acids in water – dimethyl sulfoxide mixtures. J. Kirchnerova, P. G. Farrell, J. T. Edward, J.-C. Halle, and R. Schaal, 1130.
Edwards, A. J.
A study of the ion $[Ta_2OF_{10}]^{2-}$. J. Sala-Pala, Y. J. Calves, J. E. Guerchais, S. Brownstein, J. C. Dewan, and A. J. Edwards, 1545.
Edwards, O. E.
Photolysis of diterpenoid quinones. O. E. Edwards and P.-T. Ho, 733.
Einstein, F. W. B.
The crystal and molecular structure of (4-diethylaminophenyl)diazenyltriphenylphosphonium tetrafluoroborate. F. W. B. Einstein, D. Sutton, and P. L. Vogel, 891.
Synthesis of azapolycyclic compounds by the aminium radical route: rearrangements of *C*-nitroso compounds and their stereoelectronic requirements. R. W. Lockhart, M. Kitadani, F. W. B. Einstein, and Y. L. Chow, 2897.
Ekborg, G.
Aminoglycoside antibiotics: The formation and characterization of dihydrooxazine derivatives in the paromomycin series. S. Hanessian, R. Massé, and G. Ekborg, 1492.
Elegant, L.
Basicité des composés $(R_2N)_{3-n}(RO)_nP$ vis-à-vis de BH_3. Etude comparée par résonance magnétique nucléaire et enthalpies de réaction. L. Elegant, J.-F. Gal, C. Jouany et G. Jugie, 857.
Elguero, J.
Etudes d'hétérocycles pentagonaux polyhétéroatomiques par résonance magnétique nucleaire du ^{13}C. Thiazoles et thiazolo[2,3-*e*]tétrazoles. R. Faure, J.-P. Galy, E.-J. Vincent et J. Elguero, 46.
Elliot, A. J.
An electron spin resonance and CIDEP study of the photoreduction of *tert*-butyl-*p*-benzoquinones. T. Foster, A. J. Elliot, B. B. Adeleke, and J. K. S. Wan, 869.
Intermediates in the γ-radiolysis of divalent sulfur compounds in dilute glass matrices. F. C. Adam, G. E. Smith, and A. J. Elliot, 1856.
An ESR and CIDEP study of the photoreduction of furil. A. J. Elliot and J. K. S. Wan, 2499.
El-Nadi, A. M.
Solvolysis rates in aqueous–organic mixed solvents. V. Kinetics of the alkaline decarboxylation of trichloroacetate ion in water–ethanol solutions. E.-H. M. Diefallah and A. M. El-Nadi, 2053.
Engel, Ch. R.
The α-alkoxycarbonylation of saturated carbonyl compounds. The synthesis of 17α-hydroxymethyl 20-keto steroids. D. Mukherjee and Ch. R. Engel, 410.
Cyanoethylations and Michael additions. VIII. The use of preformed enolate ions in Michael additions. Part I. G. Dionne and Ch. R. Engel, 419.
α-Pyrones. V. The synthesis of bufadienolides. Part IV. Ch. R. Engel and G. Dionne, 424.
England, T. E.
Proton magnetic resonance studies on short duplexes. I. Helix formation by the duplex set GpApGpC: GpCpUpC. D. W. Hughes, R. A. Bell, T. E. England, and T. Neilson, 2243.
Ennis, G. J.
Memory impairment in flowing suspensions. I. Some theoretical considerations. A. Okagawa, G. J. Ennis, and S. G. Mason, 2815.
Memory impairment in flowing suspensions. II. Experimental results. G. J. Ennis, A. Okagawa, and S. G. Mason, 2824.
Evanoff, J. E.
Diffusion coefficients and viscosities in glycol and glycerol solutions. J. E. Evanoff and W. E. Harris, 574.

Evans, C. A.
Nuclear magnetic resonance studies of the solution chemistry of metal complexes. XV. Trimethyllead complexes of inorganic ligands. E. K. Millar, C. A. Evans, and D. L. Rabenstein, 3104.
Fallis, A. G.
7α-Acetoxydihydronomilin: isolation, spectra, and crystal structure. F. R. Ahmed, A. S. Ng, and A. G. Fallis, 1020.
Farnier, M.
Recherches en série hétérocyclique. XXIX. Sur les voies d'accès à des thiéno, sélénolo, furo et pyrrolopyrroles. S. Soth, M. Farnier et C. Paulmier, 1429.
Farrar, D. H.
The preparation of platinum(II) complexes with an *ortho*-metallated carbene ligand: the X-ray and molecular structure of $[Pt\{C(NHC_6H_4CH_3)(NHC_6H_3CH_3)\}\{PPh_2(CH_2)_2PPh_2\}]ClO_4$. D. F. Christian, D. A. Clarke, H. C. Clark, D. H. Farrar, and N. C. Payne, 2516.
Farrell, P. G.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. II. Possible conformations of α,ω-amino acids in aqueous solutions, as deduced from dissociation constants. J. T. Edward, P. G. Farrell, J. L. Job, and B.-L. Poh, 1122.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. III. Dissociation constants of *cis*-3- and *trans*-4-substituted cyclohexanecarboxylic acids in water – dimethyl sulfoxide mixtures. J. Kirchnerova, P. G. Farrell, J. T. Edward, J.-C. Halle, and R. Schaal, 1130.
Faught, J. B.
Crystal structure of medium ring compounds. Part II. The crystal and molecular structure of *cis-anti-cis*-4,5:9,10-biscyclohexano-1,3,6,8-tetraoxecane. A. Terzis, J. B. Faught, and T. B. Grindley, 1705.
Faure, R.
Etudes d'hétérocycles pentagonaux polyhétéroatomiques par résonance magnétique nucleaire du ^{13}C. Thiazoles et thiazolo[2,3-*e*]tetrazoles. R. Faure, J.-P. Galy, E.-J. Vincent et J. Elguero, 46.
Feiner, S.
The chemistry of 2-methyltetrahydropyran-4-one: An L-Selectride reaction that gives predominantly the equatorial alcohol. D. C. Wigfield and S. Feiner, 789.
Field, T. B.
Determination of stability constants by p*H* titrations: a critical examination of data handling. T. B. Field and W. A. E. McBryde, 1202.
Fikis, D. V.
The formation of propane, propylene, and acetone from 2-propanol over vanadium pentoxide and modified vanadium pentoxide catalysts. D. V. Fikis, W. J. Murphy, and R. A. Ross, 2530.
The oxygen exchange from $O_2/C^{18}O_2$ with surfaces of vanadium pentoxide and alkali metal-promoted vanadium pentoxide catalysts. D. V. Fikis, K. W. Heckley, W. J. Murphy, and R. A. Ross, 3078.
Findlay, J. A.
The chemistry of some 6-methyl-4-hydroxy-2-pyridones. J. A. Findlay, W. H. J. Tam, and J. Krepinsky, 613.
The X-ray crystal structure of (±)-flavipucine. P. S. White, J. A. Findlay, and W. H. J. Tam, 1904.
The X-ray crystal structure of rapamycin, $C_{51}H_{79}NO_{13}$. D. C. N. Swindells, P. S. White, and J. A. Findlay, 2491.
Fischer, A.
Nitration of 4-*tert*-butyl-*o*-xylene in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and K. C. Teo, 258.
Nitration of 1-chloro-2,3-dimethylbenzene in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and C. C. Greig, 1063.
ipso Nitration. XVIII. Nitration of 2-chloro-1,3,5-trimethylbenzene: nitration *ipso* to chlorine. A. Fischer and S. S. Seyan, 1348.
ipso Nitration. XX. Nitration of 5-*tert*-butyl-1,2,3-trimethylbenzene in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and K. C. Teo, 1758.
Inductive substituent constants from dissociation of methyl-substituted 2-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3059.
Inductive substituent constants from dissociation of methyl-substituted 3-picolinium ions, A. Fischer, M. J. King, and F. P. Robinson, 3068.
Inductive substituent constants from dissociation of methyl-substituted 4-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3072.
Fischer, J.-C.
Crystal and molecular structure of two *C*-phenyl pentitol derivatives. D. C. Rohrer, J.-C. Fischer, D. Horton, and W. Weckerle, 2915.
Fleming, R. W.
Lignin and related compounds. V. The hydrogenolysis of aspen wood lignin using rhodium-on-charcoal as catalyst. J. M. Pepper and R. W. Fleming, 896.
Flengas, S. N.
Equilibrium decomposition pressures of the compounds, K_2ZrCl_6 and K_2HfCl_6. G. J. Kipouros and S. N. Flengas, 1549.
The synthesis and properties of the hexachloroniobates and hexachlorotantalates of Na, K, Rb, and Cs. D. R. Sadoway and S. N. Flengas, 2013.
Thermodynamic properties of the alkali metal hexachloroniobate and hexachlorotantalate compounds by vapour pressure measurements. D. R. Sadoway and S. N. Flengas, 2538.

Fletcher, J. W.
The effect of temperature on the optical spectra and the yields of solvated electrons and ion-pairs in amines. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 839.
Fletcher, S.
The electrochemical formation of mercuric oxide in alkaline solution. R. G. Barradas, S. Fletcher, and J. D. Porter, 336.
The effect of the variation of potential on progressive three-dimensional nucleation and growth. S. Fletcher and A. Smith, 606.
Galvanostatic transients and crystallization overvoltage. S. Fletcher and A. Smith, 908.
Catalyst modification by metal deposition: the deposition of silver on platinum at underpotential and overpotential. R. G. Barradas, S. Fletcher, and S. Szabo, 2029.
Flowers, M. C.
Comment: On the application of RRKM theory to the unimolecular isomerization of monofluorocyclopropane: a reaction with multiple fall-off characteristics? M. C. Flowers, 29.
Forrest, T. P.
1,2-Dihydroquinolines: preparation and isolation as intermediates in the synthesis of quinolines. G. A. Dauphinee and T. P. Forrest, 632.
Foster, T.
An electron spin resonance and CIDEP study of the photoreduction of *tert*-butyl-*p*-benzoquinones. T. Foster, A. J. Elliot, B. B. Adeleke, and J. K. S. Wan, 869.
Franchetto, R. C.
The viscosity of concentrated electrolyte solutions. II. Temperature dependence. D. E. Goldsack, and R. C. Franchetto, 1442.
Fraser-Reid, B.
Synthesis of a 4,5-unsaturated-3-keto sugar (methyl 2-*o*-benzoyl-4-deoxy-6-*O*-triphenylmethyl-α-D-*glycero*-hex-4-enopyranosid-3-ulose). M. B. Yunker and B. Fraser-Reid, 2221.
Freeman, G. R.
Effect of hydrocarbon solutes on electron ranges and free ion yields in liquid xenon. T. Kimura and G. R. Freeman, 749.
Effect of hydrocarbon solutes on electron mobilities in liquid xenon. T. Kimura and G. R. Freeman, 756.
Concerning the spectra and solvation process of electrons in liquid butanols. K. Okazaki and G. R. Freeman, 2305.
Scavenging of electrons prior to solvation in liquid alcohols. K. Okazaki and G. R. Freeman, 2313.
Density and temperature effects on electron mobilities in gaseous, critical and liquid *n*-hexane, cyclohexane, and cyclopentane. S. S.-S. Huang and G. R. Freeman, 2388.
Fuchs, R.
Heats of vaporization of monoalkylcyclohexanes by the gas chromatography – calorimetry method. R. Fuchs and L. A. Peacock, 2493.
Fujita, E.
Terpenoids. Part 44. Oxidative rearrangement of 17-nor-13β-kauran-16-one with thallium(III) nitrate. E. Fujita and M. Ochiai, 246.
Fujiwara, F. Y.
Liquid crystal/glass interface effects on the orientation of lyotropic liquid crystals in magnetic fields. F. Y. Fujiwara and L. W. Reeves, 2178.
Fulford, J. E.
Gas phase ion–molecule reactions of dimethylsulphoxide. J. E. Fulford, J. W. Dupuis, and R. E. March, 2324.
Fuller, G. F.
Synthesis and reactions of 2-epoxyethylenepyridine 1-oxide with nitrogen, oxygen, and sulfur nucleophiles. A. Benderly, G. F. Fuller, E. E. Knaus, and K. Redda, 2673.
Furue, H.
Deactivation of singlet oxygen and triplet pentacene by transition metal complexes. H. Furue and K. E. Russell, 1595.
Fyles, T. M.
Bifunctionalized resins. Applications to the synthesis of insect sex attractants. T. M. Fyles, C. C. Leznoff, and J. Weatherston, 1031.
Gabe, E. J.
Approaches to the synthesis of triterpenes. V. An unusual acid-catalysed rearrangement of a β-γ-unsaturated ketone. J. W. ApSimon, S. Badripersaud, M. L. Post, and E. J. Gabe, 2150.
Gagnon-Deslauriers, H.
Photolyse de l'isoprène gazeux entre son seuil d'absorption (ca. 255 nm) et 147.0 nm. R. Demers, G. J. Collin et H. Gagnon-Deslauriers, 1864.
Gajewska, L.
Structure and properties of a *trans–anti* photodimer of 5-methylorotate. C. P. Huber, G. I. Birnbaum, M. L. Post, E. Kulikowska, L. Gajewska, and D. Shuger, 824.
Gal, J.-F.
Basicité des composés $(R_2N)_{3-n}(RO)_nP$ vis-à-vis de BH_3. Etude comparée par résonance magnetique nucléaire et enthalpies de réaction. L. Elegant, J.-F. Gal, C. Jouany et G. Jugie, 857.
Galindo, A.
Sesquiterpene lactones from *Centaurea linifolia* Vahl. A. G. González, J. Bermejo, J. M. Amaro, G. M. Massanet, A. Galindo, and I. Cabrera, 491.

Galy, J.-P.
Etudes d'hétérocycles pentagonaux polyhétéroatomiques par résonance magnétique nucléaire du ^{13}C. Thiazoles et thiazolo [2,3-*e*] tétrazoles. R. Faure, J.-P. Galy, E.-J. Vincent et J. Elguero, 46.
Gamble, D. S.
Methods for the comparison of fulvic acid samples: the effects of origin and concentration on acidic properties. R. D. Burch, C. H. Langford, and D. S. Gamble, 1196.
Gandini, A.
The photochemistry of acrylonitrile vapour at 213.9 nm. A. Gandini and P. A. Hackett, 2096.
Garratt, D. G.
The nonstereospecific addition of benzeneselenenyl chloride to 3,4-dihydro-2*H*-pyran. D. G. Garratt, 2184.
Garrigou-Lagrange, C.
Analyse des spectres de vibration de la β-alanine, de la taurine et de la citiatine-β. C. Garrigou-Lagrange, 663.
Gaudreau, B.
Synthèse et caractérisation des oxypentafluorouranates(VI) NH_4UOF_5, $KUOF_5$, $RbUOF_5$ et $CsUOF_5$. P. Joubert, R. Bougon et B. Gaudreau, 1874.
Structural study of the cesium oxy-pentafluorouranate(VI) $CsUOF_5$. P. Joubert, J.-M. Weulersse, R. Bougon, and B. Gaudreau, 2546.
Gaul, S.
Polarographic investigation of electron donor–acceptor complexes. L. Ramaley and S. Gaul, 2381.
Gauthier, M.
Carbon-13 enrichment in the room temperature multiphoton decomposition of CF_3Br. M. Gauthier, P. A. Hackett, M. Drouin, R. Pilon, and C. Willis, 2227.
Gelas, J.
Hétérobicycles oxygénés. Synthèse d'alkyl-3,6,8-trioxabicyclo[3.2.1]octanes et d'alkyl- 3,7,9 et -4,7,9- trioxabicyclo-[4.2.1] nonanes. P. Calinaud et J. Gelas, 2292.
Geneste, P.
Conformational analysis of ketoximes by the application of carbon-13 nuclear magnetic resonance spectroscopy. P. Geneste, R. Durand, J.-M. Kamenka, H. Beierbeck, R. Martino, and J. K. Saunders, 1940.
Gerber, N. N.
Biosynthesis of prodiginies. ^{13}C resonance assignments and enrichment patterns in nonyl-, cyclononyl-, methylcyclodecyl-, and butylcycloheptylprodiginine produced by actinomycete cultures supplemented with ^{13}C-labeled acetate and ^{15}N-labeled nitrate. N. N. Gerber, A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, and L. C. Vining, 1155.
George, A. L.
Proton magnetic resonance studies of 2′-deoxynucleoside and nucleotides in the *syn* conformation. A. L. George, F. E. Hruska, K. K. Ogilvie, and A. Holy, 1170.
Gey, C.
Résonance magnétique nucléaire du carbone-13 de composes oxa- et azabicyclo [3.3.1]- et -[4.2.1] nonaniques. M. Barrelle, M. Apparu et C. Gey, 85.
Giam, C. S.
Some reactions of *N*-substituted-1,2-dihydropyridines with cyanogen azide. Synthesis of 1,2,3,4-tetrahydropyridylidene-4-cyanamides. T. A. Ondrus, E. E. Knaus, and C. S. Giam, 1026.
Some reactions of 2-*n*-butyl(phenyl)-1,2-dihydropyridines with isocyanates, pyridyl esters, and diethyl chlorophosphate. T. A. Ondrus, F. M. Pasutto, E. E. Knaus, and C. S. Giam, 1913.
Giasson, G.
Hydrolysis of Co(II) at elevated temperatures. G. Giasson and P. H. Tewari, 435.
Gillespie, R. J.
A ^{19}F nuclear magnetic resonance and Raman spectroscopic investigation of the reaction of iodine oxide pentafluoride with the Lewis acids, antimony and arsenic pentafluoride. M. Brownstein, R. J. Gillespie, and J. P. Krasznai, 2253.
Mixed oxidation state compounds of antimony: a ^{121}Sb Mössbauer study of some antimony–fluorine systems. J. G. Ballard, T. Birchall, R. J. Gillespie, E. Maharajh, D. Tyrer, and J. E. Vekris, 2417.
The crystal structures of $S_7NSN(CH_3)_2$ and $(C_6H_{11})_2NSN(C_6H_{11})_2$. R. B. Bruce, R. J. Gillespie, and D. R. Slim, 2927.
Gillis, H. A.
Pulse radiolysis of deuterated aqueous LiCl glasses. Dependence of the yields and rates of reaction of visible and infrared absorbing trapped electrons in LiCl concentration. H. A. Gillis, G. G. Teather, and G. V. Buxton, 1889.
Glavinčevski, B. M.
Studies of silyl and germyl Group VI species. Part II. Bis(methylgermyl) and bis(dimethylgermyl) chalcogenides and related species. J. E. Drake, B. M. Glavinčevski, H. E. Henderson, and R. T. Hemmings, 465.
Godard, J. C.
Synthesis and ^1H and ^{13}C nuclear magnetic resonance spectra of some 4-alkylidene 1-pyrazolines and alkylidenecyclopropanes. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, J. C. Godard, and T. Nakashima, 992.
The stereochemistry of thermolysis of 4-alkylidene-1-pyrazolines. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, and J. C. Goddard, 998.
Goffin, A.
Phlegmarine, a likely key intermediate in the biosynthesis of the Lycopodium alkaloids. L. Nyembo, A. Goffin, C. Hootelé, and J.-C. Braekman, 851.

Goldsack, D. E.
The viscosity of concentrated electrolyte solutions. II. Temperature dependence. D. E. Goldsack, and R. C. Franchetto, 1442.
Goldwasser, J. M.
The solid phase synthesis of monoester monoamides and monoester monoalcohols from symmetrical diacid chlorides. J. M. Goldwasser and C. C. Leznoff, 1562.
Golino, C.
The syntheses and properties of *C*-silylimines and their thermal rearrangement to *N*-silylenamines. A. G. Brook, C. Golino, and E. Matern, 2286.
González, A. G.
Sesquiterpene lactones from *Centaurea linifolia* Vahl. A. G. González, J. Bermejo, J. M. Amaro, G. M. Massanet, A. Galindo, and I. Cabrera, 491.
Gorrichon, J.-P.
Stéréochimie de β-diols et de leurs derivés cycliques. X. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4-spirocyclohexanes: methyl-2 dioxanne-1,3,4-spiro-*tert*-butyl-4′ cyclohexanes-*cis* et -*trans* (série I). L. Cazaux, J.-P. Gorrichon, P. Maroni et M. Perry, 2998.
Stéréochimie de β-diols et de leurs dérivés cycliques. XIII. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4-spirocyclohexanes: *tert*-butyl- 6-*c* methyl-2-*r* (serie II) et dimethyl-2-*r*, 5-*t*- ou 5-*c* (serie III) dioxanne-1,3-4-*t* ou -*c*-spiro-trimethyl-3′,3′,5′ cyclohexanes-*trans* ou-*cis*. L. Cazaux, J.-P. Gorrichon, Y. Koudsi et P. Maroni, 3006.
Stéréochimie de β-diols et de leurs dérivés cycliques. XIV. Analyse structurale de dioxanne-1,3,4-spirocyclohexanes par résonance magnetique nucleaire du ^{13}C. L. Cazaux, J.-P. Gorrichon et P. Maroni, 3016.
Gough, S. R.
The clathrate hydrate of 2-methylpropanal: dielectric evidence. S. R. Gough, 2025.
Gouterman, M.
Exciton and electron interaction in covalently-linked dimeric porphyrins. J. B. Paine III, D. Dolphin, and M. Gouterman, 1712.
Gowland, F. W.
Mechanism of borohydride reductions. Evidence for lack of disproportionation in the reduction of ketones. D. C. Wigfield and F. W. Gowland. 786.
Gowland, J. A.
Infrared studies of carboxylic acids and pyridine in chloroform and methanol. B. A. Dawa and J. A. Gowland, 2567.
Graham, W. A. G.
Synthesis and nuclear magnetic resonance study of the compounds (2-X-1,3-dithiane) (X = H, Me, $SiMe_3$, $GeMe_3$, $SnMe_3$, $PbMe_3$) and their tetracarbonyliron complexes. D. J. Cane, W. A. G. Graham, and L. Vancea, 1538.
Grattan, D. W.
Reactions of hydrogen atoms with hexafluoroacetone. D. W. Grattan and K. O. Kutschke, 2638.
Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.
Gregoire, R. J.
Oligoribonucleotide synthesis. XI. Improved preparation of 2′-*O*-tetrahydropyranyl derivatives of guanosine and adenosine necessary for insertion in phosphotriester synthesis. R. J. Gregoire and T. Neilson, 487.
Greig, C. C.
Nitration of 1-chloro-2,3-dimethylbenzene in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and C. C. Greig, 1063.
Grindley, T. B.
Crystal structure of medium ring compounds. Part II. The crystal and molecular structure of *cis-anti-cis*- 4,5:9,10-biscyclohexano-1,3,6,8-tetraoxecane. A. Terzis, J. B. Faught, and T. B. Grindley, 1705.
Grossert, J. S.
The formation and structure determination of both acyclic and cyclic products in the reaction of sulfene and pyridines. J. S. Grossert, M. M. Bharadwaj, R. F. Langler, T. S. Cameron, and R. E. Cordes, 1183.
Grossman, M.
Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.
Gruda, I.
Kinetics of *Z–E* isomerization of spiroindolinopyrans. I. Gruda, R. M. Leblanc, and J. Sochanski, 1296.
Guay, M.
Photolysis of 1,2-dipropyl-3,5-diethyl-1,2-dihydropyridine. A model for some elastin cross-links. M. Guay and F. Lamy, 302.
Guerchais, J. E.
A study of the ion $[Ta_2 OF_{10}]^{2-}$. J. Sala-Pala, Y. J. Calves, J. E. Guerchais, S. Brownstein, J. C. Dewan, and A. J. Edwards, 1545.
Guerin, P.
Etude des interactions des oxirannes et thiirannes avec les α,β,γ,δ-tétraphénylporphyrines au cadmium, zinc et magnésium. P. Dumas et P. Guerin, 925.

Guindon, Y.
Assembly of the carbon skeletal framework of erythronolide A. S. Hanessian, G. Rancourt, and Y. Guindon, 1843.
Gupta, I.
The cyclopentadienide anion and tropylium cation analogs of triptycene. D. N. Butler and I. Gupta, 80.
Guthrie, J. P.
Equilibrium constants for a series of simple aldol condensations, and linear free energy relations with other carbonyl addition reactions. J. P. Guthrie, 962.
Hydrolysis of esters oxyacids: pK_a values for strong acids; Brønsted relationship for attack of water at methyl; free energies of hydrolysis of esters of oxyacids; and a linear relationship between free energy of hydrolysis and pK_a holding over a range of 20 pK units. J. P. Guthrie, 2342.
Habeeb, J. J.
Reduction of some organic compounds by electrochemical generated titanium(III). O. Christofis, J. J. Habeeb, R. S. Steevensz, and D. G. Tuck, 2269.
Hackett, P. A.
The photochemistry of acrylonitrile vapour at 213.9 nm. A Gandini and P. A. Hackett, 2096.
Carbon-13 enrichment in the room temperature multiphoton decomposition of CF_3Br. M. Gauthier, P. A. Hackett, M. Drouin, R. Pilon, and C. Willis, 2227.
Enrichment of nitrogen-15 by the direct laser photolysis of ammonia-d_3 in the $\tilde{A}$–$\tilde{X}$ transition. P. A. Hackett, R. A. Back, and S. Koda, 2981.
Hadjiantoniou, C. P.
The photochemical reactivity of some benzoylthiophenes. IV. The effect of an adjacent methyl group on the excited state reactivity of 3-benzoylthiophene. D. R. Arnold and C. P. Hadjiantoniou, 1970.
Hadni, A.
Observation de transitions de phase dans les dérivés dihalogénés du benzène par spectroscopie infrarouge lointain et diffusion Raman. B. Wyncke, F. Brehat, A. Hadni, J. Serrier et M. Baverez, 1638.
Hall, S. F.
Diterpene chemistry. VI. Some chemistry of 8,14-epoxypimaric acid. Comments on the biosynthesis of tetracyclic diterpenes. J. W. ApSimon and S. F. Hall, 2156.
Halle, J.-C.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. III. Dissociation constants of *cis*-3- and *trans*-4-substituted cyclohexanecarboxylic acids in water – dimethyl sulfoxide mixtures. J. Kirchnerova, P. G. Farrell, J. T. Edward, J.-C. Halle, and R. Schaal, 1130.
Halliday, J. D.
The chemistry of *N,N'*-dimethylformamidine. I. Formation from potassium methylamide, and its thermal stability. J. D. Halliday, E. A. Symons, and J. D. Bonnett, 1455.
The chemistry of *N,N'*-dimethylformamidine. II. Hydrolysis. Kinetically controlled formation of *cis*-*N*-methylformamide. J. D. Halliday and E. A. Symons, 1463.
The chemistry of *N,N'*-dimethylformamidine. III. Tautomerism and hindered rotation. J. D. Halliday, E. A. Symons, and P. E. Bindner, 1470.
Hamer, G. K.
Some stereochemical aspects of two-bond ^{13}C–^{1}H spin–spin coupling. Sign determination in natural abundance ^{13}C nuclear magnetic resonance spectra. N. Cyr, G. K. Hamer, and A. S. Perlin, 297.
A conformational study of methyl β-cellobioside-d_8 by ^{13}C nuclear magnetic resonance spectroscopy: dihedral angle dependence of $^{3}J_{C-H}$ in $^{13}C—O—C—^{1}H$ arrays. G. K. Hamer, F. Balza, N. Cyr, and A. S. Perlin, 3109.
Hamity, M.
Crown ether catalysis of decarboxylation: a general survey of reactivity and a detailed analysis of the triphenylacetate anion. D. H. Hunter, M. Hamity, V. Patel, and R. A. Perry, 104.
Hanberry, C. R.
The reactions of lithioacetonitrile and lithiomethoxy-acetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Hanessian, S.
Aminoglycoside antibiotics: Chemical conversion of neomycin B, paromomycin and lividomycin B into bioactive pseudosaccharides. S. Hanessian, T. Takamoto, R. Massé, and G. Patil, 1482.
Aminoglycoside antibiotics: The formation and characterization of dihydrooxazine derivatives in the paromomycin series. S. Hanessian, R. Massé, and G. Ekborg, 1492.
Aminoglycoside antibiotics: Synthesis of pseudotrisaccharides derived from neamine and paromamine. S. Hanessian, T. Ogawa, and T. Takamoto, 1500.
Aminoglycoside antibiotics: Studies directed toward the selective modification of hydroxyl groups: Synthesis of 3′-epiparomamine and 3′-epineamine. S. Hanessian, R. Massé, and T. Nakagawa, 1509.
Assembly of the carbon skeletal framework of erythronolide A. S. Hanessian, G. Rancourt, and Y. Guindon, 1843.
Hanna, H. R.
2,3-(1′-Pyrazolino-3′,4′) hexopyranosides and their products of decomposition. H. H. Baer, F. Linhart, and H. R. Hanna, 3087.
Haq, A.
Studies with model membranes, Part XXIV. Evaluation of thermodynamic activation parameters, effective fixed charge density, and test of the theory of bi-ionic potential based on the thermodynamics of irreversible processes. F. A. Siddiqi, M. N. Beg, M. I. R. Khan, A. Haq, S. K. Saksena, and B. Islam, 2205.

Harcourt, R. D.
Valence-bond studies of 4-electron 3-centre bonding units. (I). The π-electrons of O_3, NO_2^-, and CH_2N_2. R. D. Harcourt and W. Roso, 1093.
Harris, W. E.
Diffusion coefficients and viscosities in glycol and glycerol solutions. J. E. Evanoff and W. E. Harris, 574.
Hasan, S. K.
Phosphorus pentasulfide as a mild, selective reagent for the reduction of sulfoxides to sulfides. I. W. J. Still, S. K. Hasan, and K. Turnbull, 1423.
Haviv, F.
Cyclitol analogs of biological interest. Regioselective nucleophilic substitutions of 1,4-cyclohexadiene bis-epoxide and bis-episulfide. F. Haviv and B. Belleau, 2677.
Haya, K.
Synthesis of substituted thietanes and thiolanes from α- and β-chloroepoxides and their oxidation to 1,1-dioxides. F. S. Abbott and K. Haya, 71.
Heckley, K. W.
The oxygen exchange from $O_2/C^{18}O_2$ with surfaces of vanadium pentoxide and alkali metal-promoted vanadium pentoxide catalysts. D. V. Fikis, K. W. Heckley, W. J. Murphy, and R. A. Ross. 3078.
Hemmings, R. T.
Studies of silyl and germyl Group VI species. Part II. Bis(methylgermyl) and bis(dimethylgermyl) chalcogenides and related species. J. E. Drake, B. M. Glavinčevski, H. E. Henderson, and R. T. Hemmings, 465.
Henderson, H. E.
Studies of silyl and germyl Group VI species. Part II. Bis(methylgermyl) and bis(dimethylgermyl) chalcogenides and related species. J. E. Drake, B. M. Glavinčevski, H. E. Henderson, and R. T. Hemmings, 465.
Hepler, L. G.
Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.
The enthalpy of formation of potassium chromate(V), K_3CrO_4(c). L. H. Johnson, L. G. Hepler, C. E. Bamberger, and D. M. Richardson, 446.
Apparent molar heat capacities and volumes of aqueous electrolytes at 25°C: Na_2SO_4, K_2SO_4, $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_4, Na_2MoO_4, and Na_2WO_4. I. V. Olofsson, J. J. Spitzer, and L. G. Hepler, 1871.
The standard enthalpy of ionization of water at 298 K from calorimetric measurements on iodine pentoxide. P. J. Cerutti, H. C. Ko, K. G. McCurdy, and L. G. Hepler, 3084.
Herrmann, O.
Heterogeneous metal-insertion: a novel reaction with porphyrins. O. Herrmann, S. H. Mehdi, and A. Corsini, 1084.
Hewson, W. D.
Horseradish peroxidase. XXIX. Reactions in water and deuterium oxide: cyanide binding, compound I formation, and reactions of compounds I and II with ferrocyanide. H. B. Dunford, W. D. Hewson, and H. Steiner, 2844.
Hibino, T.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Hiebert, W. E.
The proton magnetic resonance determination of the hindered rotation in α,α,α′,3,4,6-heptachloro-*o*-xylene. H. M. Hutton, W. E. Hiebert, and V. Mark, 1261.
Hileman, O. E., Jr.
Studies on nucleation phenomena occurring in aqueous solutions supersaturated with calcium sulfate. D. M. Keller, R. E. Massey, and O. E. Hileman, Jr., 831.
Studies on nucleation phenomena occurring in aqueous solutions supersaturated with calcium sulfate. II. The induction time. D. M. Keller, R. E. Massey, and O. E. Hileman, Jr., 3096.
Ho, P.-T.
Photolysis of diterpenoid quinones. O. E. Edwards and P.-T. Ho, 733.
Hocking, M. B.
Detection of intermediates and isolation of hydroquinone monoacetate in the Dakin oxidation of *p*-hydroxyacetophenone. M. B. Hocking, M. Ko, and T. A. Smyth, 2646.
Ho-Duc, N.
Synthesis and study of the conformational stability of sequential polypeptides containing δ-benzyloxycarbonyl-L-ornithine and benzyl esters of L-aspartic and L-glutamic acids. N. Ho-Duc, H. Daoust, and S. St. Pierre, 622.
Propriétés hydrodynamiques des conformations ordonnée et desordonnées du poly(γ-L-glutamate de benzyle): dimensions et flexibilité de la chaîne. N. Ho-Duc, 1569.
Holah, D. G.
Production of Ni(I) complexes from reactions between Ni(II) and $NaBH_4$ in the presence of triphenylphosphine and some bidentate phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and C. T. Kan, 255.
Reduction of Co(II) with $NaBH_4$ in the presence of triphenylphosphine. D. G. Holah, A. N. Hughes, B. C. Hui, and C. T. Kan, 814.
Holden, D. A.
Absolute rate constants for hydrocarbon autoxidation. 24. Rate constants and Arrhenius parameters for reaction of *tert*-butylperoxy radicals with 3-methylpentane. J. A. Howard, J. H. B. Chenier, and D. A. Holden, 170.

Holland, H. L.
Solidaline. A modified protoberberine alkaloid from *Corydalis solida*. R. H. F. Manske, R. Rodrigo, H. L. Holland, D. W. Hughes, D. B. MacLean, and J. K. Saunders, 383.
The mechanism of the microbial hydroxylation of steroids. Part 4. The C-6β hydroxylation of androst-4-ene-3,17-dione and related compounds by *Rhizopus arrhizus* ATCC 11145. H. L. Holland and P. R. P. Diakow, 694.
Cancentrine. V. The ^{13}C magnetic resonance spectra of cancentrine and some derivatives; the structure of 10-oxocancentrine. H. L. Holland, D. W. Hughes, D. B. MacLean, and R. G. A. Rodrigo, 2467.
^{13}C nuclear magnetic resonance spectra of some C-19-hydroxy, C-5,6 epoxy, C-24 ethyl and C-19-norsteroids. H. L. Holland, P. R. P. Diakow, and G. J. Taylor, 3124.
Holy, A.
Proton magnetic resonance studies of 2′-deoxynucleoside and nucleotides in the *syn* conformation. A. L. George, F. E. Hruska, K. K. Ogilvie, and A. Holy, 1170.
Honda, T.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Total synthesis of indole and dihydroindole alkaloids. XVI. Derivatives of vinblastine and vincristine: change of functionality in the vindoline unit. J. P. Kutney, J. Balsevich, T. Honda, P.-H. Liao, H. P. M. Thiellier, and B. R. Worth, 2560.
Hong, P. N.
Heats and free energies of mixing of tridodecylamine with nine heptane isomers, two octanes, and one hexane. Disorder and steric hindrance contributions. M. Couchon, P. N. Hong, and G. Delmas, 2472.
Heats of mixing of trialkylamines: disorder and steric hindrance contributions. R. Philippe, G. Delmas, and P. N. Hong, 2856.
Hooker, Jr., T. M.
The chiroptical properties of the strychnine alkaloids: strychnine, β-colubrine, brucine, and their dihydro derivatives. J. W. Snow and T. M. Hooker, Jr., 1222.
Hooper, J. W.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, G. I. Birnbaum, C. Huber, and M. L. Post, 2139.
Hootelé, C.
Phlegmarine, a likely key intermediate in the biosynthesis of the Lycopodium alkaloids. L. Nyembo, A. Goffin, C. Hootelé, and J.-C. Braekman, 851.
Hooz, J.
A new regiospecific synthesis of α,β-unsaturated ketone via acetylene derivatives. J. Hooz and R. D. Mortimer, 2786.
Hopkinson, A. C.
Acid-catalyzed reactions of cyclobutanones. III. Formation of substituted 2-tetralones from α-phenylcyclobutanones. V. P. Abegg, A. C. Hopkinson, and E. Lee-Ruff, 99.
Experimental and theoretical studies of proton removal from propene. G. I. Mackay, M. H. Lien, A. C. Hopkinson, and D. K. Bohme, 131.
Horning, D.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.
Nuclear analogs of β-lactam antibiotics. IX. Synthesis of 7-methoxy 2-isocephems and *O*-2 isocephems. J. L. Douglas, D. E. Horning, and T. Conway, 2879.
Hornof, V.
La formation des liaisons éthériques lors de la production du polytéréphthalate d'éthylène glycol. V. Hornof and L. Zeman, 2703.
Horton, D.
Crystal and molecular structure of two *C*-phenyl pentitol derivatives. D. C. Rohrer, J.-C. Fischer, D. Horton, and W. Weckerle, 2915.
Hotchandani, S.
Polarized fluorescence study of retinals at room temperature. S. Hotchandani, P. Paquin, and R. M. Leblanc, 1985.
Houk, K. N.
Photoelectron spectra of substituted benzamides. E. J. McAlduff, B. M. Lynch, and K. N. Houk, 495.
Hourigan, M. J.
Mechanism of S_Ni reactions. The effect of the base strength of the anionic fragments. D. J. Verrinder, M. J. Hourigan, and J. M. Prokipcak, 2582.
Howard, J. A.
Metal complexes as antioxidants. V. Inhibition of hydrocarbon autoxidation by cupric complexes of dialkyldithiophosphoric and dialkyldithiocarbamic acids. J. H. B. Chenier, J. A. Howard, and J. C. Tait, 157.
Metal complexes as antioxidants. VI. An electron spin resonance study of the transient cupric complexes formed in the reaction of cupric dialkyldithiocarbamates with alkylperoxy radicals and alkyl hydroperoxides. J. A. Howard and J. C. Tait, 164.
Absolute rate constants for hydrocarbon autoxidation. 24. Rate constants and Arrhenius parameters for reaction of *tert*-butylperoxy radicals with 3-methylpentane. J. A. Howard, J. H. B. Chenier, and D. A. Holden, 170.

Electron paramagnetic resonance spectra of the *tert*-butylperoxy and *tert*-butoxy adducts to phenyl *tert*-butyl nitrone and 2-methyl-2-nitrosopropane. Oxygen-17 hyperfine coupling constants. J. A. Howard and J. C. Tait, 176.
Organometallic peroxy radicals. 4. Electron spin resonance spectra of the radicals produced by reaction of organophosphorus(IV) and organoarsenic(IV) radicals with ^{17}O-enriched oxygen. J. A. Howard and J. C. Tait, 2163.
Absolute rate constants for hydrocarbon autoxidation. 25. Rate constants for hydrogen atom abstraction from alkanes by the *tert*-butylperoxy radical. J. H. B. Chenier, S. B. Tong, and J. A. Howard, 3047.

Howard-Lock, H. E.
The crystal structure of $RbCdCl_3$ and the polarized Raman spectra of $RbCdX_3$ (X = Cl, Br). M. Natarajan, H. E. Howard-Lock, and I. D. Brown, 1192.

Hruska, F. E.
Ribo-2′-deoxyribo hybrid dinucleoside monophosphates. Proton magnetic resonance studies of 3′,5′- and 2′,5′-uridylyl-2′-deoxythymidine. J. Peeling, F. E. Hruska, and P. C. Loewen, 522.
Proton magnetic resonance studies of 2′-deoxynucleoside and nucleotides in the *syn* conformation. A. L. George, F. E. Hruska, K. K. Ogilvie, and A. Holy, 1170.
ESCA spectra and molecular charge distributions for some pyrimidine and purine bases. J. Peeling, F. E. Hruska and N. S. McIntyre, 1555.
ESCA studies of the uracil base. The effect of methylation, thionation, and ionization on charge distribution. J. Peeling, F. E. Hruska, D. M. McKinnon, M. S. Chauhan, and N. S. McIntyre, 2405.

Huang, J. C.
Photochemical extrusion of sulfur dioxide from sultines. T. Durst, J. C. Huang, N. K. Sharma, and D. J. H. Smith, 512.

Huang, S. S.-S.
Density and temperature effects on electron mobilities in gaseous, critical and liquid *n*-hexane, cyclohexane, and cyclopentane. S. S.-S. Huang and G. R. Freeman, 2388.

Huang, T.-h.
Resonance Raman in platinum phthalocyanine. T.-h. Huang, K. E. Rieckhoff, and E.-M. Voigt, 976.

Huber, C.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, G. I. Birnbaum, C. Huber, and M. L. Post, 2139.

Huber, C. P.
Structure and properties of a *trans–anti* photodimer of 5-methylorotate. C. P. Huber, G. I. Birnbaum, M. L. Post, E. Kulikowska, L. Gajewska, and D. Shuger, 824.

Huckin, S. N.
Chemistry of chelocardin. IV. *C*(2)-acylation and alkylation of 2-deacetylchelocardin. D. T. W. Chu, E. Bernstein, and S. N. Huckin, 1059.

Hughes, A. N.
Production of Ni(I) complexes from reactions between Ni(II) and $NaBH_4$ in the presence of triphenylphosphine and some bidentate phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and C. T. Kan, 255.
Reduction of Co(II) with $NaBH_4$ in the presence of triphenylphosphine. D. G. Holah, A. N. Hughes, B. C. Hui, and C. T. Kan, 814.

Hughes, D. W.
Solidaline. A modified protoberberine alkaloid from *Corydalis solida*. R. H. F. Manske, R. Rodrigo, H. L. Holland, D. W. Hughes, D. B. MacLean, and J. K. Saunders, 383.
Proton magnetic resonance studies on short duplexes. I. Helix formation by the duplex set GpApGpC: GpCpUpC. D. W. Hughes, R. A. Bell, T. E. England, and T. Neilson, 2243.
Proton magnetic resonance studies on short duplexes. II. The self-complementary oligoribonucleotide CpApUpG. P. J. Romaniuk, T. Neilson, D. W. Hughes, and R. A. Bell, 2249.
Cancentrine. V. The ^{13}C magnetic resonance spectra of cancentrine and some derivatives; the structure of 10-oxocancentrine. H. L. Holland, D. W. Hughes, D. B. MacLean, and R. G. A. Rodrigo, 2467.

Huh, C.
Sphere tensiometry: wall effects and correction factors. E. Bayramli, C. Huh, and S. G. Mason, 818.

Hui, B. C.
Production of Ni(I) complexes from reactions between Ni(II) and $NaBH_4$ in the presence of triphenylphosphine and some bidentate phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and C. T. Kan, 255.
Reduction of Co(II) with $NaBH_4$ in the presence of triphenylphosphine. D. G. Holah, A. N. Hughes, B. C. Hui, and C. T. Kan, 814.

Hung, H.-K.
The total synthesis of 4-deoxy-D,L-daunosamine. H.-K. Hung, H.-Y. Lam, W. Niemczura, M.-C. Wang, and C.-M. Wong, 638.
Synthesis of *trans*- and *cis*-α-damascone. H.-J. Liu, H.-K. Hung, G. L. Mhehe, and M. L. D. Weinberg, 1368.

Hunter, D. H.
Crown ether catalysis of decarboxylation: a general survey of reactivity and a detailed analysis of the triphenylacetate anion. D. H. Hunter, M. Hamity, V. Patel, and R. A. Perry, 104.

Hutchinson, B. J.
Intermediates in the cycloanhydrotetramerization of furan with aliphatic and alicyclic ketones. W. H. Brown and B. J. Hutchinson, 617.

Hutton, H. M.
The proton magnetic resonance determination of the hindered rotation in α,α,α′,α′,3,4,6-heptachloro-*o*-xylene. H. M. Hutton, W. E. Hiebert, and V. Mark, 1261.
Hutzinger, O.
The photolysis of chlorinated *p*-terphenyls. B. Chittim, S. Safe, N. J. Bunce, L. O. Ruzo, K. Olie, and O. Hutzinger, 1253.
Hyne, J. B.
The volume of activation for benzyl chloride hydrolysis and its pressure dependence. R. Lohmüller, D. D. Macdonald, M. Mackinnon, and J. B. Hyne, 1739.
Idler, D.
Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.
Islam, B.
Studies with model membranes, Part XXIV. Evaluation of thermodynamic activation parameters, effective fixed charge density, and test of the theory of bi-ionic potential based on the thermodynamics of irreversible processes. F. A. Siddiqi, M. N. Beg, M. I. R. Khan, A. Haq, S. K. Saksena, and B. Islam, 2205.
Islam, N.
Fluidities and conductances of glass-forming melts of cadmium nitrate tetrahydrate and transition metal chlorides. N. Islam, S. Kumar, and K. P. Singh, 1231.
Ito, O.
Formation and reactivity of the aminothiyl and iminothiyl radicals by means of flash photolysis. O. Ito and M. Matsuda, 1080.
Itoh, I.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Iwakawa, M.
Synthetic routes to nucleoside analogs of *N*-substituted 1,3-thiazolidines. M. Iwakawa, B. M. Pinto, and W. A. Szarek, 326.
Jaber, M.
Application de la spectrométrie ir et Raman à l'étude des complexes en solution aqueuse – Be^{2-} – $H_2C_2O_4$. M. Jaber, F. Bertin et G. Thomas-David, 777.
Jacobs, P. W. M.
A theoretical study of the energies of solution, association, and migration for univalent substitutional anion impurities in alkali metal chloride crystals. J. Corish, B. M. C. Parker, and P. W. M. Jacobs, 1668.
James, B. R.
Chemistry and catalytic properties of oxidized rhodium chlorocarbonyl complexes, $Rh_4Cl_4(CO)_4(O_2)_2P_2$; P = tertiary phosphine ligands. W. R. Cullen, B. R. James, and G. Strukul, 1965.
Jamoulle, J. C.
Synthèse et identification spectroscopique d'un hydroxylate-3 d'acyl-2 pyridothiazolium. D. Tavernier, J. C. Jamoulle et C. L. Lapière, 2109.
Janzen, A. F.
Reaction of dimethyl sulfoxide with chlorothiolformates hydrogen chloride, hydrogen fluoride, and hexafluoroisopropanol. A. Queen, A. E. Lemire A. F. Janzen, and M. N. Paddon-Row, 2884.
Janzen, E. G.
On spin trapping hydroxyl and hydroperoxyl radicals. E. G. Janzen, D. E. Nutter, Jr., E. R. Davis, B. J. Blackburn, J. L. Poyer, and P. B. McCay, 2237.
Jarrell, H. C.
Syntheses related to the octodiose in apramycin. Part II. H. C. Jarrell and W. A. Szarek, 144.
Jawdosiuk, M.
Preparation of substituted 2,3-diphenylindoles and 2,3-diphenylindolenyl-3-hydroperoxides via reduction of α-(-*o*-nitrophenyl)-deoxybenzoins. M. Jawdosiuk, I. Kmiotek-Skarżyńska, and W. Wilczyński, 218.
Job, D.
Horseradish peroxidase. XXVIII. Formation and reactivity of the alkaline form. Evidence for an enzyme–substrate complex in compound I formation. D. Job and H. B. Dunford, 1327.
Job, J. L.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. II. Possible conformations of α,ω-amino-acids in aqueous solutions, as deduced from dissociation constants. J. T. Edward, P. G. Farrell, J. L. Job, and B.-L. Poh, 1122.
Jodoin, B.
Rupture du lien C—S lors de la réduction de sulfones par $LiAlH_4$. N. Dufort et B. Jodoin, 1779.
Johnson, E. C.
Electron transport via metalloporphyrins. E. C. Johnson, T. Niem, and D. Dolphin, 1381.
Johnson, L. H.
The enthalpy of formation of potassium chromate(V), K_3CrO_4(c). L. H. Johnson, L. G. Hepler, C. E. Bamberger, and D. M. Richardson, 446.

Jolicoeur, C.
Apparent molal volumes and heat capacities of low molecular weight peptides in water at 25°C. C. Jolicoeur and J. Boileau, 2707.
Joly, D.
Thermodynamics of the salting effect; free energies, enthalpies, entropies, heat capacities, and volumes of the ternary systems electrolyte–alcohol–water at 25°C. G. Perron, D. Joly, J. E. Desnoyers, L. Avédikian, and J.-P. Morel, 552.
Jones, C. H. W.
A Mössbauer study of organotellurium compounds. Part III. Tellurium heterocycles and related compounds. N. S. Dance and C. H. W. Jones, 1746.
Josephson, S.
A facile synthesis of methyl 3,6-dideoxy-α-L-*xylo*-hexopyranoside (colitose). D. R. Bundle, and S. Josephson, 2686.
Jouany, C.
Basicité des composés $(R_2N)_{3-n}(RO)_nP$ vis-à-vis de BH_3. Etude comparée par résonance magnetique nucléaire et enthalpies de réaction. L. Elegant, J.-F. Gal, C. Jouany et G. Jugie, 857.
Joubert, P.
Etude structurale du fluorure de chloryle en phase solide. G. Tantot, P. Joubert et R. Bougon, 1634.
Synthèse et caractérisation des oxypentafluorouranates(VI) NH_4UOF_5, $KUOF_5$, $RbUOF_5$ et $CsUOF_5$. P. Joubert, R. Bougon et B. Gaudreau, 1874.
Structural study of the cesium oxypentafluorouranate (VI) $CsUOF_5$. P. Joubert, J.-M. Weulersse, R. Bougon, and B. Gaudreau, 2546.
Jugie, G.
Basicité des composés $(R_2N)_{3-n}(RO)_nP$ vis-à-vis de BH_3. Etude comparée par résonance magnétique nucléaire et enthalpies de réaction. L. Elegant, J.-F. Gal, C. Jouany et G. Jugie, 857.
Just, G.
The synthesis of D,L-*cis*-*N*-oxalamido-3-*N*-phenylacetamido-4-methoxymethyl-2-azetidinone. G. Just and T. J. Liak, 211.
β-Lactams. II. The synthesis of *cis*-*N*-(2′-carboxyphenyl)-3-*N*-phenylacetamido-4-methoxymethyl-2-azetidinone. G. Just and R. Zamboni, 2720.
β-Lactams. III. The synthesis of 7-β-phenylacetamido-3′-carboxybenzo[3,4]-*O*-2-isocephem. G. Just and R. Zamboni, 2725.
Kamenka, J.-M.
Conformational analysis of ketoximes by the application of carbon-13 nuclear magnetic resonance spectroscopy. P. Geneste, R. Durand, J.-M. Kamenka, H. Beierbeck, R. Martino, and J. K. Saunders, 1940.
Kan, C.-T.
Production of Ni(I) complexes from reactions between Ni(II) and $NaBH_4$ in the presence of triphenylphosphine and some bidentate phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and C.-T. Kan, 255.
Reduction of Co(II) with $NaBH_4$ in the presence of triphenylphosphine. D. G. Holah, A. N. Hughes, B. C. Hui, and C.-T. Kan, 814.
Kari, R.
The effect of *p*, *d*, and *f* Gaussian polarization functions on the computed one-electron properties of AH_n oxygen and sulfur hybrides. R. Poirier and R. Kari, 543.
Kavadias, G.
Aminocyclitols. 2,5-Dideoxystreptamine and derivatives. G. Kavadias, S. Velkof, and B. Belleau, 404.
The Darzens glycidic ester condensation of indian-1-ones. A reinvestigation of the reaction. G. Kavadias and S. Velkof, 730.
Aminoglycoside antibiotics. The total synthesis of 5-deoxykanamycin A. G. Kavadias, P. Dextraze, R. Massé, and B. Belleau, 2086.
Aminocyclitols. II. Synthesis of thioanalogues of 2,5-dideoxystreptamine. G. Kavadias and R. Droghini, 2743.
Kay, D. G.
The chlorination of sulfides: A reassessment of product controlling factors. T. P. Ahern, D. G. Kay, and R. F. Langler, 2422.
Kayser, M. M.
Reduction of cyclic anhydrides. II. Factors affecting regioselectivity of attack of the carbonyl group by metal hydrides. M. M. Kayser and P. Morand, 1524.
Kebarle, P.
Summary of gas phase acidity measurements involving acids AH. Entropy changes in proton transfer reactions involving negative ions. Bond dissociation energies *D*(A—H) and electron affinities EA(A). J. B. Cumming and P. Kebarle, 1.
Gas phase dissociation of protonated acetic acid to the acyl cation and water. Heat of formation of CH_3CO^+ and proton affinity of ketene. W. R. Davidson, Y. K. Lau, and P. Kebarle, 1016.
Keller, D. M.
Studies on nucleation phenomena occurring in aqueous solutions supersaturated with calcium sulfate. D. M. Keller, R. E. Massey, and O. E. Hileman, Jr., 831.
Studies on nucleation phenomena occurring in aqueous solutions supersaturated with calcium sulfate. II. The induction time. D. M. Keller, R. E. Massey, and O. E. Hileman, Jr., 3096.
Kelly, R. B.
Synthesis of cyclohexapyrrolizidines: *C*-methylation of vinylogous amides. R. B. Kelly and S. J. Alward, 320.

A revised structure for aubergenone, a sesquiterpenoid related to eudesmane: synthesis of 4-*epi*-aubergenone. R. B. Kelly, S. J. Alward, K. S. Murty, and J. B. Stothers, 2508.

Kewley, R.

Microwave spectrum of methylthioacetonitrile. R. Kewley, 772.

Khalil, F. Y.

Kinetics, medium, and deuterium isotope effects in the alkaline decomposition of quaternary phosphonium salts. IV. Tetraphenylphosphonium chloride in tetrahydrofuran–water mixtures. F. Y. Khalil and G. Aksnes, 1933.

Khalil, H.

Phase-transfer catalyzed synthesis of activated cyclopropanes. J. M. McIntosh and H. Khalil, 2134.

Khalil, I.

Analyse des malates de cuivre et d'uranyle par potentiométrie, polarimétrie et spectrophotométrie. I. Khalil, M. M. Petit-Ramel et C. Chapelet-Barbier, 1919.

Khalil, W.

Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.

Khan, M. A.

The crystal structure of *cis*-chlorobis(triethylphosphine)-1,8-naphthyridineplatinum(II) tetrafluoroborate, $[PtCl(PEt_3)_2(naph)]BF_4$, a complex containing a monodentate 1,8-naphthyridine ligand. G. W. Bushnell, K. R. Dixon, and M. A. Khan, 450.

Khan, M. I. R.

Studies with model membranes, Part XXIV. Evaluation of thermodynamic activation parameters, effective fixed charge density, and test of the theory of bi-ionic potential based on the thermodynamics of irreversible processes. F. A. Siddiqi, M. N. Beg, M. I. R. Khan, A. Haq, S. K. Saksena, and B. Islam, 2205.

Khazanie, P. G.

Competitive thermal and photochemical processes in cyclopropylketone rearrangements. I. Photolysis of spiro[*n*.2]alkan-2-ones. E. Lee-Ruff and P. G. Khazanie, 803.

Competitive thermal and photochemical processes in cyclopropylketone rearrangements. II. Thermal isomerization of spiro[*n*.2]alkan-2-ones. P. G. Khazanie and E. Lee-Ruff, 808.

Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.

Khulbe, C. P.

Allene–methylacetylene isomerization over silica-supported cobalt and iron catalysts. C. P. Khulbe and R. S. Mann, 2791.

Khulbe, K. C.

Electron spin resonance studies of the surface chemistry of molybdenum–alumina catalysts. K. C. Khulbe, R. S. Mann, and M. Ternan, 1769.

Kielland, S. L.

Water-soluble lysine-containing polypeptides. V. Circular dichroism, electron microscopic, and thermal denaturation studies of the interaction of poly(L-lysyl-L-alanine) and poly(L-lysyl-D-alanine) with calf thymus DNA. S. L. Kielland, L. A. Slotin, and R. E. Williams, 2650.

Water-soluble lysine-containing polypeptides. VI. A study of annealed complexes between calf thymus DNA and the following copolymers: poly-(L-lysyl-X), where X = Gly, L-Ala, L-Val, L-Leu, L-Phe. S. L. Kielland, L. A. Slotin, and R. E. Williams, 2657.

Kimbell, G. H.

Deactivation of $HF(v = 1, 2)$ by fluoroethylenes. S. J. Arnold and G. H. Kimbell, 387.

Kimmerle, F. M.

Construction of a novel generator for use in HF adsorption studies. F. M. Kimmerle, A. Archambault, and G. Dube, 2034.

Kimura, T.

Effect of hydrocarbon solutes on electron ranges and free ion yields in liquid xenon. T. Kimura and G. R. Freeman, 749.

Effect of hydrocarbon solutes on electron mobilities in liquid xenon. T. Kimura and G. R. Freeman, 756.

King, M. J.

Inductive substituent constants from dissociation of methyl-substituted 2-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3059.

Inductive substituent constants from dissociation of methyl-substituted 3-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3068.

Inductive substituent constants from dissociation of methyl-substituted 4-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3072.

Kipouros, G. J.

Equilibrium decomposition pressures of the compounds K_2ZrCl_6 and K_2HfCl_6. G. J. Kipouros and S. N. Flengas, 1549.

Kirchnerova, J.

Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. III. Dissociation constants of *cis*-3- and *trans*-4-substituted cyclohexanecarboxylic acids in water – dimethyl sulfoxide mixtures. J. Kirchnerova, P. G. Farrell, J. T. Edward, J.-C. Halle, and R. Schaal, 1130.

Kitadani, M.

Synthesis of azapolycyclic compounds by the aminium radical route: rearrangements of *C*-nitroso compounds and their stereoelectronic requirements. R. W. Lockhart, M. Kitadani, F. W. B. Einstein, and Y. L. Chow, 2897.

Syntheses of azapolycyclic compounds by the aminium radical routes: trapping of the radical intermediates. R. A. Perry, R. W. Lockhart, M. Kitadani, and Y. L. Chow, 2906.

Kiyohara, O.

Thermal expansivities of water + tetrahydrofuran mixtures at 298.15 K. O. Kiyohara, P. J. D'Arcy, and G. C. Benson, 2803.

Kliegel, W.

Crystal and molecular structure of diphenylboron *N*-methylacethydroxamate (4,5-dimethyl-2,2-diphenyl-1,3- dioxa-4-azonia-2-boratacyclopent-4-ene). S. J. Rettig, J. Trotter, W. Kliegel, and D. Nanninga, 1676.

Kluger, R.

Erratum: General base catalysis in acidic solutions. Acceleration of intramolecular phosphonate-assisted amide hydrolysis. R. Kluger and C.-H. Lam, 1042.

Kinetics and mechanism of the reaction of dimethyl acetylphosphonate with water. Expulsion of a phosphate ester from a carbonyl hydrate. R. Kluger, D. C. Pike, and J. Chin, 1792.

Kmiotek-Skarzyńska, I.

Preparation of substituted 2,3-diphenylindoles and 2,3-diphenylindolenyl-3-hydroperoxides via reduction of α-(-*o*-nitrophenyl deoxybenzoins. M. Jawdosiuk, I. Kmiotek-Skarżyńska, and W. Wilczyński, 218.

Knaus, E. E.

Some reactions of *N*-substituted-1,2-dihydropyridines with cyanogen azide. Synthesis of 1,2,3,4-tetrahydropyridylidene-4-cyanamides. T. A. Ondrus, E. E. Knaus, and C. S. Giam, 1026.

Some reactions of 2-*n*-butyl(phenyl)-1,2-dihydropyridines with isocyanates, pyridyl esters, and diethyl chlorophosphate. T. A. Ondrus, F. M. Pasutto, E. E. Knaus, and C. S. Giam, 1913.

Some reactions of 10-methyl-10*H*-pyrido[3,2-*b*][1,4]benzothiazine-*N*-butyllithium adduct with electrophiles. F. M. Pasutto and E. E. Knaus, 2365.

Synthesis and reactions of 2-epoxyethylenepyridine 1-oxide with nitrogen, oxygen, and sulfur nucleophiles. A. Benderly, G. F. Fuller, E. E. Knaus and K. Redda, 2673.

Ko, E. C. F.

Rearrangement studies with ^{14}C. XLII. The solvolysis of triphenylvinyl-2-^{14}C bromide in aqueous acetic acid and in 2,2,2-trifluoroethanol. C. C. Lee and E. C. F. Ko, 2459.

Ko, H. C.

The standard enthalpy of ionization of water at 298 K from calorimetric measurements on iodine pentoxide. P. J. Cerutti, H. C. Ko, K. G. McCurdy, and L. G. Hepler, 3084.

Ko, M.

Detection of intermediates and isolation of hydroquinone monoacetate in the Dakin oxidation of *p*-hydroxyacetophenone. M. B. Hocking, M. Ko, and T. A. Smyth, 2646.

Kobayashi, H.

Porphyrin syntheses requiring negative substituents. H. Kobayashi, J. L. Archibald, and S. F. MacDonald, 2430.

Koda, S.

Enrichment of nitrogen-15 by the direct laser photolysis of ammonia-d_3 in the $\tilde{A}$–$\tilde{X}$ transition. P. A. Hackett, R. A. Back, and S. Koda, 2981.

Kolny, H.

An interferometric study of a convectionless steady state of concentration polarization. R. N. O'Brien and H. Kolny, 591.

Kominar, R. J.

Pyrolysis of bromobenzene by the toluene carrier technique and determination of $D(C_6H_5—Br)$. R. J. Kominar, M. J. Krech and S. J. W. Price, 1589.

Kong, P.-C.

Reactions of K_2PtCl_4 with pyridine derivatives in dimethylformamide and synthesis of potassium trichloro(pyridine)-platinum(II). P.-C. Kong and F. D. Rochon, 441.

Kopecky, K. R.

Perepoxide intermediates in the conversion of some β-halohydroperoxides to allylic hydroperoxides by base. K. R. Kopecky, W. A. Scott, P. A. Lockwood, and C. Mumford, 1114.

Korppi-Tommola, J.

Raman and nuclear quadrupole resonance studies of the phase transition in pentachlorophenol. H. F. Shurvell, J. Korppi-Tommola, and R. J. C. Brown, 359.

Factor analysis as a complement to band resolution. V. Complexing of pentachlorophenol and acetone in carbon tetrachloride solution. J. Korppi-Tommola and H. F. Shurvell, 2959.

Koudsi, Y.

Stéroéochimie de β-diols et de leurs dérivés cycliques. XIII. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4-spirocyclohexanes: *tert*-butyl-6-*c* methyl-2-*r* (serie II) et dimethyl-2-*r*, 5-*t* ou 5-*c* (serie III) dioxanne-1,3-4-*t* ou -*c*-spiro-trimethyl-3′,3′,5′ cyclohexanes-*trans* ou-*cis*. L. Cazaux, J.-P. Gorrichon, Y. Koudsi et P. Maroni, 3006.

Krajcarski, D. T.

Excited state acid–base equilibrium of tyrosine. D. M. Rayner, D. T. Krajcarski, and A. G. Szabo, 1238.

Krasznai, J. P.

A ^{19}F nuclear magnetic resonance and Raman spectroscopic investigation of the reaction of iodine oxide pentafluoride with the Lewis acids, antimony and arsenic pentafluoride. M. Brownstein, R. J. Gillespie, and J. P. Krasznai, 2253.

Kratochvil, B.

Determination of oxalate by continuous analysis using photochemical oxidation by iron(III) and a CO_2 electrode detector. J. M. Cooley and B. Kratochvil, 2452.

Krech, M. J.
Pyrolysis of bromobenzene by the toluene carrier technique and determination of $D(C_6H_5 - Br)$. R. J. Kominar, M. J. Krech and S. J. W. Price, 1589.
Krepinsky, J.
The chemistry of some 6-methyl-4-hydroxy-2-pyridones. J. A. Findlay, W. H. J. Tam, and J. Krepinsky, 613.
Kresge, A. J.
Vinyl ether hydrolysis. XI. The effect of α-phenyl substitution. Y. Chiang, W. K. Chwang, A. J. Kresge, L. H. Robinson, D. S. Sagatys, and C. I. Young, 456.
Vinyl ether hydrolysis. XII. Use of *cis–trans* isomerism to probe the reaction mechanism. Y. Chiang, A. J. Kresge, and C. I. Young, 461.
Krishnasamy, V.
Dehydrogenation of Δ^3-carene over chromia and chromia–alumina catalysts. V. Krishnasamy, 1994.
Krupay, B. W.
The heterogeneous catalytic reaction between carbon monoxide and nitrous oxide over manganous oxide and cobalto-cobaltic oxide. B. W. Krupay and R. A. Ross, 10.
Reaction of carbon monoxide with nitrous oxide on scandium and magnesium oxides. B. W. Krupay and R. A. Ross, 2447.
Kruus, P.
Ion association in solutions of HCl in DMSO–water mixtures: ultrasonic absorption studies. P. Kruus and M. J. McGuire, 1881.
Kulikowska, E.
Structure and properties of a *trans–anti* photodimer of 5-methylorotate. C. P. Huber, G. I. Birnbaum, M. L. Post, E. Kulikowska, L. Gajewska, and D. Shuger, 824.
Kumakura, M.
Ion–molecule reactions in the binary mixture of acetaldehyde and trioxane. II. Mechanism for the reaction of acetaldehyde molecular ion with trioxane. M. Kumakura, K. Arakawa, and T. Sugiura, 533.
Kumar, K.
Resonance Raman labels: spectroscopic studies on *cis*- and *trans*-4-benzylidene-2-phenyl-Δ^2-oxazolin-5-one and an isotopically substituted analog. K. Kumar, D. J. Phelps, and P. R. Carey, 232.
Preresonance Raman spectra and excitation profiles of some chemically and isotopically substituted *trans*-4-benzylideneoxazolin-5-ones. D. J. Phelps, R. G. Carriere, K. Kumar, and P. R. Carey, 240.
Kumar, S.
Fluidities and conductances of glass-forming melts of cadmium nitrate tetrahydrate and transition metal chlorides. N. Islam, S. Kumar, and K. P. Singh, 1231.
Kuriyan, M.
Variational energies for highly excited states of the helium atom. W.-T. Ma, M. Kuriyan, and H. O. Pritchard, 884.
Kurobane, I.
Diastereoisomeric 4a,10a-dihydrofusarubins: True metabolites of *Fusarium solani*. I. Kurobane, L. C. Vining, A. G. McInnes, and D. G. Smith, 1593.
Kuthalingam, P.
Substituent and steric effects in the oxidation of alkyl aryl sulfides by peroxydisulfate. C. Srinivasan, P. Kuthalingam, and N. Arumugam, 3043.
Kutney, J. P.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Total synthesis of indole and dihyroindole alkaloids. XVI. Derivatives of vinblastine and vincristine: change of functionality in the vindoline unit. J. P. Kutney, J. Balsevich, T. Honda, P.-H. Liao, H. P. M. Thiellier, and B. R. Worth, 2560.
Kutschke, K. O.
Reactions of hydrogen atoms with hexafluoroacetone. D. W. Grattan and K. O. Kutschke, 2638.
Lafuma, F.
Molécules modèles des motifs des poly-1,4-glucosides. I. Synthèse et correspondance configurationnelle de diastéréoisomères avec les motifs de la cellulose et de l'amylose. F. Lafuma et C. Quivoron, 2065.
Molécules modèles des motifs des poly-1,4-glucosides. II. Etude, par spectroscopie infrarouge, des conformations chélatées des diastéréoisomères modèles et discussion dans le cadre des chelations glucosidiques. F. Lafuma et C. Quivoron, 2076.
Lafortune, R.
Réduction électrolytique de l'aluminium en milieu organique. Caracterisation de l'electrolyte. R. Lafortune, J. T. Bourret et G. A. Capuano, 2375.
Laidlaw, W. G.
Les fonctions de Hartree–Fock–Slater comme base pour des calculs de perturbation à un electron pour molecules. III. Le calcul de la première hyperpolarisabilité. M. Trsic et W. G. Laidlaw, 1582.
Laitem, L.
Etude par résonance magnétique nucléaire de composés organiques contenant des chalcogènes. I. L'anisole et ses analogues soufré, sélénié et telluré. G. Llabres, M. Baiwir, L. Christiaens, J. Denoel, L. Laitem et J.-L. Piette, 2008.

LaLonde, R. T.
Nuphar thiaspirane sulfoxides. ^{13}C nuclear magnetic resonance determined configuration and utilization in the interconversion of thiaspirane stereochemical types. R. T. LaLonde and C. F. Wong, 56.
Lam, C.-H.
Erratum: General base catalysis in acidic solutions. Acceleration of intramolecular phosphonate-assisted amide hydrolysis. R. Kluger and C.-H. Lam, 1042.
Lam, H.-Y.
The total synthesis of 4-deoxy-D,L-daunosamine. H.-K. Hung, H.-Y. Lam, W. Niemczura, M.-C. Wang, and C.-M. Wong, 638.
Lambert, Y.
Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.
Lamy, F.
Photolysis of 1,2-dipropyl-3,5-diethyl-1,2-dihydropyridine. A model for some elastin cross-links. M. Guay and F. Lamy, 302.
Lange, G. L.
Synthesis of the spirosesquiterpene (−)-acorenone and related cyclopentanoid monoterpenes. G. L. Lange, E. E. Neidert, W. J. Orrom, and D. J. Wallace, 1628.
Langford, C. H.
Methods for the comparison of fulvic acid samples: the effects of origin and concentration on acidic properties. R. D. Burch, C. H. Langford, and D. S. Gamble, 1196.
Application of water nuclear magnetic resonance relaxation times to study of metal complexes of the solution soil organic fraction fulvic acid. K. Deczky and C. H. Langford, 1947.
Langler, R. F.
The photochemistry of benzylic sulfonyl compounds: The preparation of sulfones and sulfinic acids. R. F. Langler, Z. A. Marini, and J. A. Pincock, 903.
The formation and structure determination of both acyclic and cyclic products in the reaction of sulfene and pyridines. J. S. Grossert, M. M. Bharadwaj, R. F. Langler, T. S. Cameron, and R. E. Cordes, 1183.
The chlorination of sulfides: A reassessment of product controlling factors. T. P. Ahern, D. G. Kay, and R. F. Langler, 2422.
Lapière, C. L.
Synthèse et identification spectroscopique d'un hydroxylate-3 d'acyl-2 pyridothiazolium. D. Tavernier, J. C. Jamoulle et C. L. Lapière, 2109.
Latremouille, G.
Complex fluoroanions in solution. VIII. Mixed anions containing fluoride and trifluoromethanesulfonate or fluorosulfate. S. Brownstein, J. Bornais, and G. Latremouille, 1419.
Complex fluoroanions in solution. IX. BF_3–anion complexes and their disproportionation. S. Brownstein and G. Latremouille, 2764.
Lau, P.-Y.
Field desorption mass spectrometry of carboxylic acids: characteristic spectra and analysis of mixtures and impure samples. G. W. Wood, E. J. Oldenburg, P.-Y. Lau, and D. L. Wade, 1372.
Field desorption mass spectrometry of carboxylate salts: characteristic spectra and effects of added complexing agents. G. W. Wood, E. J. Oldenburg, and P.-Y. Lau, 2750.
Lau, Y. K.
Gas phase dissociation of protonated acetic acid to the acyl cation and water. Heat of formation of CH_3CO^+ and proton affinity of ketene. W. R. Davidson, Y. K. Lau, and P. Kebarle, 1016.
Leblanc, R. M.
Kinetics of *Z–E* isomerization of spiroindolinopyrans. I. Gruda, R. M. Leblanc, and J. Sochanski, 1296.
Polarized fluorescence study of retinals at room temperature. S. Hotchandani, P. Paquin, and R. M. Leblanc, 1985.
Lede, J.
Mesure de la constante de vitesse de réaction des atomes d'hydrogène sur l'éthane et le propane en réacteurs tubulaire et parfaitement agité ouverts. J. Lede et J. Villermaux, 392.
Lee, C. C.
Protonated cyclopropanes. X. Studies on the deamination of *n*-butylamine-1-^{14}C and the decomposition of 3-(*n*-butyl-1-^{14}C)-1-phenyltriazene. C. C. Lee, R. Reichle, and U. Weber, 658.
Ligand exchange reactions between ferrocene and 9,10-dimethylanthracene. R. G. Sutherland, W. J. Pannekoek, and C. C. Lee, 1782.
Rearrangement studies with ^{14}C. XLII. The solvolysis of triphenylvinyl-2-^{14}C bromide in aqueous acetic acid and in 2,2,2-trifluoroethanol. C. C. Lee and E. C. F. Ko, 2459.
Lee, L. P. C.
Thiosemicarbazide complexes of mercury(II) halides. C. Chieh, L. P. C. Lee, and C. Chiu, 2526.
Lee-Ruff, E.
Acid-catalyzed reactions of cyclobutanones. III. Formation of substituted 2-tetralones from α-phenylcyclobutanones. V. P. Abegg, A. C. Hopkinson, and E. Lee-Ruff, 99.

Competitive thermal and photochemical processes in cyclopropylketone rearrangements. I. Photolysis of spiro[*n*.2]alkan-2-ones. E. Lee-Ruff and P. G. Khazanie, 803.
Competitive thermal and photochemical processes in cyclopropylketone rearrangements. II. Thermal isomerization of spiro[*n*.2]alkan-2-ones. P. G. Khazanie and E. Lee-Ruff, 808.

Le Goaller, R.
Cyclopropanediols. VII. Comportement chimique des cyclopropanediols et reactions de bis(trimethylsiloxy)-1,2 cyclopropanes. R. Le Goaller et J.-L. Pierre, 481.

Lemetais, P.
Fonction d'acidité relative aux amines secondaires: un critère de validité du postulat de Hammett. J.-M. Carpentier et P. Lemetais, 954.

Lemire, A. E.
Reaction of dimethyl sulfoxide with chlorothiolformates hydrogen chloride, hydrogen fluoride, and hexafluoroisopropanol. A. Queen, A. E. Lemire, A. F. Janzen, and M. N. Paddon-Row, 2884.

Le Roy, D. J.
Kinetics of radical reactions in sodium diffusion flames. K. J. Mintz and D. J. Le Roy, 941.
Theoretical and experimental behaviour of a thermal conductivity detector for the determination of the ortho/para hydrogen composition of gas mixtures in the temperature-jump region. D. N. Mitchell and D. J. Le Roy, 1817.

Lesage, S.
Synthesis and stereochemistry of 2-pyrone derivatives related to some fungal metabolites. S. Lesage and A. S. Perlin, 2889.
^{13}C nuclear magnetic resonance spectra of oxiranes. Configuration of 1,2-epoxypropyl side chains in fungal metabolites. S. Lesage and A. S. Perlin, 3117.

Lessard, J.
The chromous chloride promoted addition of *N*-haloamides to olefins. V. The addition of *N*-chloroamides to enol ethers: synthesis of acyloxy and acyl derivatives of α-amino acetals and ketals (aldehydes and ketones) and of 2-amino sugars. H. Driguez, J.-P. Vermes, and J. Lessard, 119.
Erratum: The chromous chloride promoted addition of *N*-haloamides to olefins. V. The addition of *N*-chloroamides to enol ethers: synthesis of acyloxy and acyl derivatives of α-amino acetals and ketals (aldehydes and ketones) and of 2-amino sugars. H. Driguez, J.-P. Vermes, and J. Lessard, 1305.
The radical addition of *N*-haloamides to 1,6-heptadiene the transfer step in the photochemical and chromous chloride promoted addition of *N*-haloamides to olefins. M. Mondon and J. Lessard, 2590.

Leznoff, C. C.
Bifunctionalized resins. Applications to the synthesis of insect sex attractants. T. M. Fyles, C. C. Leznoff, and J. Weatherston, 1031.
The solid phase synthesis of monoester monoamides and monester monoalcohols from symmetrical diacid chlorides. J. M. Goldwasser and C. C. Leznoff, 1562.

Lhoste, J. M.
^{15}N-Etioporphyrin I and its copper complexes: Proton and electron magnetic resonance characterization. M. Momenteau, J. Mispelter, B. Loock, and J. M. Lhoste, 2598.

Liak, T.-J.
The synthesis of D,L-*cis*-*N*-oxalamido-3-*N*- phenylacetamido-4-methoxymethyl-2-azetidinone. G. Just and T. J. Liak, 211.

Liao, P.-H.
Total synthesis of indole and dihydroindole alkaloids. XVI. Derivatives of vinblastine and vincristine: change of functionality in the vindoline unit. J. P. Kutney, J. Balsevich, T. Honda, P.-H. Liao, H. P. M. Thiellier, and B. R. Worth, 2560.

Liebman, A. A.
Selective reduction of a carboxyl group with diborane. Synthesis of specifically carbon-14 labelled D,L-2-amino-4-(2-aminoethoxy)-butanoic acid. Y. Y. Liu, E. Thom, and A. A. Liebman, 2853.

Lien, M. H.
Experimental and theoretical studies of proton removal from propene. G. I. Mackay, M. H. Lien, A. C. Hopkinson, and D. K. Bohme, 131.

Lim, G.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.

Limburg, W.
Stereochemistry and mechanisms of the reactions of acylsilanes with alkoxides. A. G. Brook, T. J. D. Vandersar, and W. Limburg, 2758.

Linhart, F.
2,3-(1′-pyrazolino-3′,4′) hexopyranosides and their products of decomposition. H. H. Baer, F. Linhart, and H. R. Hanna, 3087.

Liu, H.-J.
A simple synthesis of aucantene. H.-J. Liu and E. N. C. Browne, 306.
Synthesis of *trans*- and *cis*-α-damascone. H.-J. Liu, H.-K. Hung, G. L. Mhehe, and M. L. D. Weinberg, 1368.

Liu, Y.-Y.
Selective reduction of a carboxyl group with diborane. Synthesis of specifically carbon-14 labelled D,L-2-amino-4-(2-aminoethoxy)-butanoic acid. Y.-Y. Liu, E. Thom, and A. A. Liebman, 2853.

Livant, P.
Flow nuclear magnetic resonance study of the addition, dehydration and cyclization steps for reaction between hydrazine and ethyl acetoacetate. M. Cocivera, K. W. Woo, and P. Livant, 473.
Llabres, G.
Etude par résonance magnétique nucléaire de composés organiques contenant des chalcogènes. I. L'anisole et ses analogues soufré, sélénié et telluré. G. Llabres, M. Baiwir, L. Christiaens, J. Denoel, L. Laitem et J.-L. Piette, 2008.
Lo, S. T. D.
Kinetics and mechanism of substitution reactions of (*N*,*N*-dimethylformamide)pentaamine–cobalt(III) and –rhodium(III) ions in DMF as solvent. S. T. D. Lo, M. J. Sisley, and T. W. Swaddle, 2609.
Loader, C. E.
Pyrrole chemistry. XVIII. The thio-Claisen rearrangement. K.-E. Teo, G. H. Barnett, H. J. Anderson, and C. E. Loader, 221.
Pyrrole chemistry. XIX. Reactions of 2-pyrrolecarbonitrile and its 4-substituted derivatives. H. J. Anderson, C. R. Riche, T. G. Costello, C. E. Loader, and G. H. Barnett, 654.
Lock, C. J. L.
Studies of the rhenium–oxygen bond. II. The crystal and molecular structure of μ-oxobis(*cis*-dichloro-*cis*-di(pyridine)-*trans*-oxorhenium(V)), $ORe(C_5H_5N)_2Cl_2ORe(C_5H_5N)_2Cl_2O$. C. J. L. Lock and G. Turner, 179.
Lockhart, R. W.
Synthesis of azapolycyclic compounds by the aminium radical route: rearrangements of *C*-nitroso compounds and their stereoelectronic requirements. R. W. Lockhart, M. Kitadani, F. W. B. Einstein, and Y. L. Chow, 2897.
Syntheses of azapolycyclic compounds by the aminium radical routes: trapping of the radical intermediates. R. A. Perry, R. W. Lockhart, M. Kitadani, and Y. L. Chow, 2906.
Lockwood, P. A.
Perepoxide intermediates in the conversion of some β-halohydroperoxides to allylic hydroperoxides by base. K. R. Kopecky, W. A. Scott, P. A. Lockwood, and C. Mumford, 1114.
Loeb, S. J.
Fluorinated alkoxides. Part XII. Studies on potentially tridentate fluorinated diols; zwitterionic and five-coordinate complexes of Ni^{2+} and Cu^{2+}. S. J. Loeb, J. W. L. Martin, and C. H. Willis, 2369.
Loewen, P. C.
Ribo-2′-deoxyribo hybrid dinucleoside monophosphates. Proton magnetic resonance studies of 3′,5′- and 2′,5′-uridylyl-2′-deoxythymidine. J. Peeling, F. E. Hruska, and P. C. Loewen, 522.
Lohmüller, R.
The volume of activation for benzyl chloride hydrolysis and its pressure dependence. R. Lohmüller, D. D. Macdonald, M. Mackinnon, and J. B. Hyne, 1739.
Loock, B.
^{15}N-Etioporphyrin I and its copper complexes: Proton and electron magnetic resonance characterization. M. Momenteau, J. Mispelter, B. Loock, and J. M. Lhoste, 2598.
Lown, J. W.
Studies related to antitumor antibiotics. Part XIII. Reactivity of 2- and 3-indolylcarbinyl compounds as models for mitosane action. J. W. Lown and G. L. Weir, 249.
Lynch, B. M.
Photoelectron spectra of substituted benzamides. E. J. McAlduff, B. M. Lynch, and K. N. Houk, 495.
Ma, W.-T.
Variational energies for highly excited states of the helium atom. W.-T. Ma, M. Kuriyan, and H. O. Pritchard, 884.
MacAlpine, G. A.
Thermolysis of Δ^3-1,3,4-oxadiazolin-2-ones and 2-phenylimino-Δ^3-1,3,4-oxadiazolines derived from α,β-epoxyketones. An alternative method for the conversion of α,β-epoxyketones to alkynones and alkynals. G. A. MacAlpine and J. Warkentin, 308.
Macdonald, D. D.
The volume of activation for benzyl chloride hydrolysis and its pressure dependence. R. Lohmüller, D. D. Macdonald, M. Mackinnon, and J. B. Hyne, 1739.
MacDonald, S. F.
A new route to 5-bromo-5′-bromomethylpyrromethenes. A. Rowold and S. F. MacDonald, 1907.
Porphyrin syntheses requiring negative substituents. H. Kobayashi, J. L. Archibald, and S. F. MacDonald, 2430.
Derivatives of porphobilinogen and isoporphobilinogen. G. Ufer, S. S. Tjoa, and S. F. MacDonald, 2437.
Mackay, D.
A novel acid-catalyzed isomerization of the adducts of 1,4-dimethyl-2,3-diphenylcyclopentadiene and dialkyl azodicarboxylates. H. L. Dao and D. Mackay, 1724.
Mackay, G. I.
Experimental and theoretical studies of proton removal from propene. G. I. Mackay, M. H. Lien, A. C. Hopkinson, and D. K. Bohme, 131.
Rate and equilibrium constant measurements for gas-phase proton-transfer reactions involving H_2O, H_2S, HCN, and H_2CO. K. Tanaka, G. I. Mackay, and D. K. Bohme, 193.
Mackinnon, M.
The volume of activation for benzyl chloride hydrolysis and its pressure dependence. R. Lohmüller, D. D. Macdonald, M. Mackinnon, and J. B. Hyne, 1739.
MacLachlan, F. N.
The oxidation of haplophytine. P. Yates, F. N. MacLachlan, and I. D. Rae, 1052.

MacLean, D. B.
Solidaline. A modified protoberberine alkaloid from *Corydalis solida*. R. H. F. Manske, R. Rodrigo, H. L. Holland, D. W. Hughes, D. B. MacLean, and J. K. Saunders, 383.
The synthesis of hypercorinine and bicucullinine. B. C. Nalliah and D. B. MacLean, 1378.
Cancentrine. V. The ^{13}C magnetic resonance spectra of cancentrine and some derivatives; the structure of 10-oxocancentrine. H. L. Holland, D. W. Hughes, D. B. MacLean, and R. G. A. Rodrigo, 2467.
Macmurchie, D. D.
Paramagnetic effects in flavin spectroscopy. A ^{13}C nuclear magnetic resonance study. D. D. Macmurchie and R. J. Cushley, 1045.
Madgzinski, L. J.
Decomposition of tetramethyl-2-tetrazene under acidic conditions. L. J. Madgzinski, K. S. Pillay, H. Richard, and Y. L. Chow, 1657.
Madumelu, C. B.
The reductive denitration of carohydrate α-nitroepoxide by sodium borohydride. H. H. Baer and C. B. Madumelu, 1177.
Maharajh, E.
Mixed oxidation state compounds of antimony: a ^{121}Sb Mössbauer study of some antimony–fluorine systems. J. G. Ballard, T. Birchall, R. J. Gillespie, E. Maharajh, D. Tyrer, and J. E. Vekris, 2417.
Mairesse, G.
X-ray, Raman, infrared and nuclear magnetic resonance studies of the crystal structure of ammonium tetrachloroaluminate, NH_4AlCl_4. G. Mairesse, P. Barbier, J.-P. Wignacourt, A. Rubbens, and F. Wallart, 764.
Mak, A. L. C.
Synthesis of two in vivo metabolites of *N*-(*n*-propyl) phentermine. R. T. Coutts, A. Benderly, A. L. C. Mak, and W. G. Taylor, 3054.
Makhija, R.
Enthalpies of formation of crystalline selenium(IV) chloride and bromide. A. D. Westland and R. Makhija, 1586.
Makhija, R. C.
Synthesis and vibrational spectra of tin(II) isothiocyanate adducts with some O- and N-donor ligands. T. B. Absi, R. C. Makhija, and M. Onyszchuk, 2039.
Mann, R. S.
Electron spin resonance studies of the surface chemistry of molybdenum–alumina catalysts. K. C. Khulbe, R. S. Mann, and M. Ternan, 1769.
Allene–methylacetylene isomerization over silica-supported cobalt and iron catalysts. C. P. Khulbe and R. S. Mann, 2791.
Manske, R. H. F.
Solidaline. A modified protoberberine alkaloid from *Corydalis solida*. R. H. F. Manske, R. Rodrigo, H. L. Holland, D. W. Hughes, D. B. MacLean, and J. K. Saunders, 383.
Manthorne, K. C.
The reaction of methyl radicals with formaldehyde in dimethyl ether pyrolysis. K. C. Manthorne and P. D. Pacey, 1307.
Mantsch, H. H.
Infrared and laser Raman studies of deuterated model membranes: Phase transition in 1,2-perdeuterodipalmitoyl-*sn*-glycero-3-phosphocholine. S. Sunder, D. Cameron, H. H. Mantsch, and H. J. Bernstein, 2121.
Manuel, G.
Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. II. Epoxydation des dérivés vinyliques et ouverture des époxydes par $LiAlH_4$, $MeOH/H^+$ et H_2O/H^+. J.-C. Richer, M.-A. Poirier, Y. Maroni et G. Manuel, 2049.
March, R. E.
Gas phase ion–molecule reactions of dimethylsulphoxide. J. E. Fulford, J. W. Dupuis, and R. E. March, 2324.
Marchessault, R. H.
Rotamers arising from restricted motions and electronic interactions of acetoxymethyl groups in carbohydrates. S. Perez, J. St-Pierre, and R. H. Marchessault, 2866.
Marini, Z. A.
The photochemistry of benzylic sulfonyl compounds: The preparation of sulfones and sulfinic acids. R. F. Langler, Z. A. Marini, and J. A. Pincock, 903.
Marini-Bettolo, R.
On the construction of the C/D ring systems of chasmanine and napelline by diene addition. K. S. Atwal, R. Marini-Bettolo, I. H. Sanchez, T. Y. R. Tsai, and K. Wiesner, 1102.
Mark, V.
The proton magnetic resonance determination of the hindered rotation in α,α,α′,α′,3,4,6-heptachloro-*o*-xylene. H. M. Hutton, W. E. Hiebert, and V. Mark, 1261.
Maroni, P.
Stéréochimie de β-diols et de leurs derivés cycliques. X. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4-spirocyclohexanes: methyl-2 dioxanne-1,3-4-spiro-*tert*-butyl-4′ cyclohexanes-*cis* et -*trans* (série I). L. Cazaux, J.-P. Gorrichon, P. Maroni et M. Perry, 2998.
Stéréochimie de β-diols et de leurs dérivés cycliques. XIII. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4- spirocyclohexanes: *tert*-butyl-6-*c* methyl-2-*r* (serie II) et dimethyl-2-*r*, 5-*t* ou 5-*c* (serie III) dioxanne-1,3-4-*t* ou -*c*-spiro-trimethyl-3′,3′,5′ cyclohexanes-*trans* ou-*cis*. L. Cazaux, J.-P. Gorrichon, Y. Koudsi et P. Maroni, 3006.

Stéréochimie de β-diols et de leurs dérivés cycliques. XIV. Analyse structurale de dioxanne-1,3-4-spirocyclohexanes par résonance magnetique nucleaire du ^{13}C. L. Cazaux, J.-P. Gorrichon et P. Maroni, 3016.

Maroni, Y.

Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. II. Epoxydation des dérivés vinyliques et ouverture des époxydes par $LiAlH_4$, $MeOH/H^+$ et H_2O/H^+. J.-C. Richer, M.-A. Poirier, Y. Maroni et G. Manuel, 2049.

Martin, J. W. L.

Fluorinated alkoxides. Part XII. Studies on potentially tridentate fluorinated diols; zwitterionic and five-coordinate complexes of Ni^{2+} and Cu^{2+}. S. J. Loeb, J. W. L. Martin, and C. J. Willis, 2369.

Fluorinated alkoxides, Part XIII. The reduction of β-imino-alkoxy complexes to give stable, polydentate, amino-alcohols; their coordination to Co^{2+}, Ni^{2+}, and Cu^{2+}. J. W. L. Martin and C. J. Willis, 2966.

Martinez, P.

The $\{Li(NH_3)_n\}^+$ and $\{Na(NH_3)_n\}^+$ systems. A CNDO/2 study of the Li^+ and Na^+ ion solvation. C. Sieiro, P. Cãnas, and P. Martinez, 2977.

Martino, R.

Conformational analysis of ketoximes by the application of carbon-13 nuclear magnetic resonance spectroscopy. P. Geneste, R. Durand, J.-M. Kamenka, H. Beierbeck, R. Martino, and J. K. Saunders, 1940.

Mason, S. G.

Sphere tensiometry: wall effects and correction factors. E. Bayramli, C. Huh, and S. G. Mason, 818.

Memory impairment in flowing suspensions. I. Some theoretical considerations. A. Okagawa, G. J. Ennis, and S. G. Mason, 2815.

Memory impairment in flowing suspensions. II. Experimental results. G. J. Ennis, A. Okagawa, and S. G. Mason, 2824.

Massanet, G. M.

Sequiterpene lactones from *Centaurea linifolia* Vahl. A. G. González, J. Bermejo, J. M. Amaro, G. M. Massanet, A. Galindo, and I. Cabrera, 491.

Massé, R.

Aminoglycoside antibiotics: Chemical conversion of neomycin B, paromomycin and lividomycin B into bioactive pseudosaccharides. S. Hanessian, T. Takamoto, R. Massé, and G. Patil, 1482.

Aminoglycoside antibiotics: The formation and characterization of dihydrooxazine derivatives in the paromomycin series. S. Hanessian, R. Massé, and G. Ekborg, 1492.

Aminoglycoside antibiotics: Studies directed toward the selective modification of hydroxyl groups: Synthesis of 3′-epiparomamine and 3′-epineamine. S. Hanessian, R. Massé, and T. Nakagawa, 1509.

Aminoglycoside antibiotics. The total synthesis of 5-deoxykanamycin A. G. Kavadias, P. Dextraze, R. Massé, and B. Belleau, 2086.

Massey, R. E.

Studies on nucleation phenomena occurring in aqueous solutions supersaturated with calcium sulfate. D. M. Keller, R. E. Massey, and O. E. Hileman, Jr., 831.

Studies on nucleation phenomena occurring in aqueous solutions supersaturated with calcium sulfate. II. The induction time. D. M. Keller, R. E. Massey, and O. E. Hileman, Jr., 3096.

Massuda, R.

Anesthesia and hydrogen bonding. A semi-quantitative infrared study at room temperature. G. Trudeau, K. C. Cole, R. Massuda, and C. Sandorfy, 1681.

Matern, E.

The syntheses and properties of *C*-silylimines and their thermal rearrangement to *N*-silylenamines. A. G. Brook, C. Golino, and E. Matern, 2286.

Matheson, H. M.

Crystal structure of aquohydronium hexachloroantimonate(V). H. M. Matheson and W. A. Whitla, 957.

Mathey, F.

Synthèse et propriétés chimiques du phényl-5-octahydro-1,2,3,4,6,7,8,9- dibenzophosphole. F. Mathey et D. Thavard, 1952.

Hydrolyse des sels de phospholium monomères: Préparation et propriétés des oxydes de 1,3-diénylphosphines. F. Mathey et G. Muller, 2486.

Matsuda, M.

Formation and reactivity of the aminothiyl and iminothiyl radicals by means of flash photolysis. O. Ito and M. Matsuda, 1080.

Matsuda, S.

Effects of potassium ion on the electron-transfer reaction between $Fe(CN)_6^{4-}$ and TCNQ or chloranil. S. Matsuda and A. Yamagishi, 2216.

Mazaleyrat, J.-P.

Synthèse de cétones encombrées via réduction de nitriles tertiaires en présence de métaux alcalins. J.-P. Mazaleyrat, 2731.

Mazid, M. A.

Dielectric relaxation in 2-acetylnaphthalene and related compounds. J. Crossley, M. A. Mazid, C. K. McLellan, P. F. Mountain, and S. Walker, 567.

Activation energy for methoxy group relaxation. M. A. Mazid, J. P. Shukla, and S. Walker, 1800.

Mazuch, L.

Constituents of commercial methoxychlor-III. The mechanism of tetraanisylethylene formation. *unsym*-Tetraarylethylenes ($Ar_2C{=}CAr_2'$); synthesis from DT class pesticides, and conversion to phenanthrenes and dibenzo[*g*,*p*]chrysenes. R. H. Mitchell, L. Mazuch, B. Shell, and P. R. West, 1246.

Mazzaro, N. M.
Quelques aspects du spectre d'absorption infrarouge de complexes par liaison hydrogène. W. A. Bueno et N. M. Mazzaro, 1579.
McAlduff, E. J.
Photoelectron spectra of substituted benzamides. E. J. McAlduff, B. M. Lynch, and K. N. Houk, 495.
McAlduff, H. J.
Photoelectron spectra of 4-substituted stilbenes. H. J. McAlduff and Tammy Chan, 2714.
McBryde, W. A. E.
Determination of stability constants by p*H* titrations: a critical examination of data handling. T. B. Field and W. A. E. McBryde, 1202.
McCarthy, P. J.
Novel aspects of the optical spectra of dichlorotetrabis(thiourea)iron(II). P. J. McCarthy and I. M. Walker, 1284.
McCay, P. B.
On spin trapping hydroxyl and hydroperoxyl radicals. E. G. Janzen, D. E. Nutter, Jr., E. R. Davis, B. J. Blackburn, J. L. Poyer, and P. B. McCay, 2237.
McCurdy, K. G.
The standard enthalpy of ionization of water at 298 K from calorimetric measurements on iodine pentoxide. P. J. Cerutti, H. C. Ko, K. G. McCurdy, and L. G. Hepler, 3084.
McGlinchey, M. J.
Local anisotropic contributions to ^{1}H nuclear magnetic resonance shifts in alkynes. A. Agarwal and M. J. McGlinchey, 959.
McGuire, M. J.
Ion association in solutions of HCl in DMSO–water mixtures: ultrasonic absorption studies. P. Kruus and M. J. McGuire, 1881.
McInnes, A. G.
Biosynthesis of prodiginies. ^{13}C resonance assignments and enrichment patterns in nonyl-, cyclononyl-, methylcyclodecyl-, and butylcycloheptylprodiginine produced by actinomycete cultures supplemented with ^{13}C-labeled acetate and ^{15}N-labeled nitrate. N. N. Gerber, A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, and L. C. Vining, 1155.
Diastereoisomeric 4a,10a-dihydrofusarubins: True metabolites of *Fusarium solani*. I. Kurobane, L. C. Vining, A. G. McInnes, and D. G. Smith, 1593.
Caerulomycin D, a novel glycosidic derivative of 3,4-dihydroxy-2,2′-dipyridyl 6-aldoxime from *streptomyces caeruleus*. A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, L. C. Vining, and G. P. Arsenault, 1836.
Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.
McIntosh, D. F.
A consistent derivation of the Wilson–Decius *s* vectors, including new out-of-plane wag formulae. D. F. McIntosh, K. H. Michaelian, and M. R. Peterson, 1289.
McIntosh, J. M.
Synthesis of 3-carboxylated 2,5-dihydrothiophenes. J. M. McIntosh and R. A. Sieler, 226.
Phase-transfer catalyzed synthesis of activated cyclopropanes. J. M. McIntosh and H. Khalil, 2134.
McIntyre, N. S.
ESCA spectra and molecular charge distributions for some pyrimidine and purine bases. J. Peeling, F. E. Hruska, and N. S. McIntyre, 1555.
ESCA studies of the uracil base. The effect of methylation, thionation, and ionization on charge distribution. J. Peeling, F. E. Hruska, D. M. McKinnon, M. S. Chauhan, and N. S. McIntyre, 2405.
McKinnon, D. M.
Carbon-13 nuclear magnetic resonance spectra of *N*-,*O*-, and *S*- methylated uracil and thiouracil derivatives. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 725.
ESCA studies of the uracil base. The effect of methylation, thionation, and ionization on charge distribution. J. Peeling, F. E. Hruska, D. M. McKinnon, M. S. Chauhan, and N. S. McIntyre, 2405.
McLellan, C. K.
Dielectric relaxation in 2-acetylnaphthalene and related compounds. J. Crossley, M. A. Mazid, C. K. McLellan, P. F. Mountain, and S. Walker, 567.
Gas phase acidic solvolysis reactions of acyl halides by ion cyclotron resonance spectroscopy. T. B. McMahon, 670.
The fluoroformate ion, FCO_2^-. An ion cyclotron resonance study of the gas phase Lewis acidity of carbon dioxide and related isoelectronic species. T. B. McMahon and C. J. Northcott, 1069.
Mehdi, S. H.
Heterogeneous metal-insertion: a novel reaction with porphyrins. O. Herrmann, S. H. Mehdi, and A. Corsini, 1084.
Mehrotra, P. N.
Differential thermal analysis and infrared studies on the effect of impurities on aragonite–calcite transformation. C. R. M. Rao and P. N. Mehrotra, 32.
Menard, H.
Etude polarographique de l'antimoine (III) et (V) dans le fluorure d'hydrogene anhydre et dans ses melanges avec l'eau. J. Devynck, B. Tremillon, H. Menard et G. Comarmond, 703.
Menard, M.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*Q*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.

Mercer, J. R.
Metabolites of bird's nest fungi. Part 8. Some minor metabolites of *Cyathus helenae* and some correlations among the cyathins. W. A. Ayer, L. M. Browne, J. R. Mercer, D. R. Taylor, and D. E. Ward, 717.
Mercier, J.-C.
Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.
Mhehe, G. L.
Synthesis of *trans*- and *cis*-α-damascone. H.-J. Liu, H.-K. Hung, G. L. Mhehe, and M. L. D. Weinberg, 1368.
Michaelian, K. H.
A consistent derivation of the Wilson–Decius *s* vectors, including new out-of-plane wag formulae. D. F. McIntosh, K. H. Michaelian, and M. R. Peterson, 1289.
Millar, E. K.
Nuclear magnetic resonance studies of the solution chemistry of metal complexes. XV. Trimethyllead complexes of inorganic ligands. E. K. Millar, C. A. Evans, and D. L. Rabenstein, 3104.
Miller, J. M.
Hydrogen bonding in organic synthesis. Part 9. The sulphenylation of fluoride-acrivated β-dicarbonyls. J. H. Clark and J. M. Miller, 141.
Miller, O. A.
The radiation chemistry of nitrogen: primary neutral dissociative excitation yield and the isotopic exchange mechanism. A. W. Boyd, O. A. Miller, and C. Willis, 147.
The radiation chemistry of nitric oxide. A. W. Boyd and O. A. Miller, 1075.
Milne, J.
The density, electrical conductivity, freezing point, and viscosity of mixtures of trifluoromethanesulfonic acid and water. R. Corkum and J. Milne, 1832.
Milton, J. R.
Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.
Mintz, K. J.
Kinetics of radical reactions in sodium diffusion flames. K. J. Mintz and D. J. Le Roy, 941.
Mispelter, J.
^{15}N-Etioporphyrin I and its copper complexes: Proton and electron magnetic resonance characterization. M. Momenteau, J. Mispelter, B. Loock, and J. M. Lhoste, 2598.
Mitchell, D. N.
Theoretical and experimental behaviour of a thermal conductivity detector for the determination of the ortho/para hydrogen composition of gas mixtures in the temperature-jump region. D. N. Mitchell and D. J. Le Roy, 1817.
Mitchell, R. H.
Constituents of commercial methoxychlor-III. The mechanism of tetraanisylethylene formation. *unsym*-Tetraarylethylenes ($Ar_2C{=}CAr_2'$): synthesis from DT class pesticides, and conversion to phenanthrenes and dibenzo[*g*,*p*]chrysenes. R. H. Mitchell, L. Mazuch, B. Shell, and P. R. West, 1246.
Momenteau, M.
^{15}N-Etioporphyrin I and its copper complexes: Proton and electron magnetic resonance characterization. M. Momenteau, J. Mispelter, B. Loock, and J. M. Lhoste, 2598.
Mondon, M.
The radical addition of *N*-haloamides to 1,6-heptadiene the transfer step in the photochemical and chromous chloride promoted addition of *N*-haloamides to olefins. M. Mondon and J. Lessard, 2590.
Morand, P.
Reduction of cyclic anhydrides. II. Factors affecting regioselectivity of attack of the carbonyl group by metal hydrides. M. M. Kayser and P. Morand, 1524.
Morel, J.-P.
Thermodynamics of the salting effect; free energies, enthalpies, entropies, heat capacities, and volumes of the ternary systems electrolyte–alcohol–water at 25°C. G. Perron, D. Joly, J. E. Desnoyers, L. Avédikian, and J. P. Morel, 552.
Morris, L. R.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.
Morrison, R.
Synthesis and structure of 4-methylpyridine complexes of cobalt(II) and nickel(II) hexafluorophosphate and hexafluoroarsenate. R. M. Morrison and R. C. Thompson, 985.
Mortimer, R. D.
A new regiospecific synthesis of α,β-unsaturated ketone via acetylene derivatives. J. Hooz and R. D. Mortimer, 2786.
Moseley, M. E.
A study of ^{14}N relaxation and nitrogen–proton spin coupling in nucleoside, indole and ε-caprolactam systems through Fourier transform measurements of NH proton spin–lattice relaxation in the rotating frame. M. E. Moseley and P. Stilbs, 1302.
Mountain, P. F.
Dielectric relaxation in 2-acetylnaphthalene and related compounds. J. Crossley, M. A. Mazid, C. K. McLellan, P. F. Mountain, and S. Walker, 567.

Mukherjee, D.
The α-alkoxycarbonylation of saturated carbonyl compounds. The synthesis of 17α-hydroxymethyl 20-keto steroids. D. Mukherjee and Ch. R. Engel, 410.
Muller, G.
Hydrolyse des sels de phospholium monomères: Préparation et propriétés des oxydes de 1,3-diénylphosphines. F. Mathey et G. Muller, 2486.
Mumford, C.
Perepoxide intermediates in the conversion of some β-halohydroperoxides to allylic hydroperoxides by base. K. R. Kopecky, W. A. Scott, P. A. Lockwood, and C. Mumford, 1114.
Mundell, T. C.
Trimethylene sulfite conformations: Effects of sterically demanding substituents at C-4,6 on ring geometry as assessed by ^1H and ^{13}C nuclear magnetic resonance. G. W. Buchanan, C. M. E. Cousineau, and T. C. Mundell, 2019.
Murphy, W. J.
The thermal desorption of surface species from sulfur dioxide adsorption on natural chrysotile asbestos and calorimetric sorption heats at 298, 323, 373 and 423 K. W. J. Murphy and R. A. Ross, 1847.
The formation of propane, propylene, and acetone from 2-propanol over vanadium pentoxide and modified vanadium pentoxide catalysts. D. V. Fikis, W. J. Murphy, and R. A. Ross, 2530.
The oxygen exchange from $O_2/C^{18}O_2$ with surfaces of vanadium pentoxide and alkali metal-promoted vanadium pentoxide catalysts. D. V. Fikis, K. W. Heckley, W. J. Murphy, and R. A. Ross, 3078.
Murray, R. M.
Phase transformation studies on pure and K-doped Na_2SO_4. R. M. Murray and E. A. Secco, 2616.
Murthy, N. M.
Temperature dependence of adiabatic compressibilities of and sound velocities in *p*-dioxane–water mixtures. N. M. Murthy and S. V. Subrahmanyam, 2412.
Murty, K. S.
A revised structure for aubergenone, a sesquiterpenoid related to eudesmane: synthesis of 4-*epi*-aubergenone. R. B. Kelly, S. J. Alward, K. S. Murty, and J. B. Stothers, 2508.
Musbally, G. M.
Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.
Nakagawa, T.
Aminoglycoside antibiotics: Studies directed toward the selective modification of hydroxyl groups: Synthesis of 3′-epiparomamine and 3′-epineamine. S. Hanessian, R. Massé, and T. Nakagawa, 1509.
Nakashima, T.
Synthesis and ^1H and ^{13}C nuclear magnetic resonance spectra of some 4-alkylidene 1-pyrazolines and alkylidenecyclopropanes. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, J. C. Godard, and T. Nakashima, 992.
Nakashima, T. T.
Metabolites of bird's nest fungi. Part 10. Carbon-13 nuclear magnetic resonance studies on the cyathins. W. A. Ayer, T. T. Nakashima, and D. E. Ward, 2197.
Nalliah, B. C.
The synthesis of hypecorinine and bicucullinine. B. C. Nalliah and D. B. MacLean, 1378.
Nambiar, K. P.
A new stereospecific total synthesis of chasmanine and 13-desoxydelphonine. K. Wiesner, T. Y. R. Tsai, and K. P. Nambiar, 1451.
Nanninga, D.
Crystal and molecular structure of diphenylboron *N*-methylacethydroxamate (4,5-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boratacyclopent-4-ene). S. J. Rettig, J. Trotter, W. Kliegel, and D. Nanninga, 1676.
Natarajan, M.
The crystal structure of $RbCdCl_3$ and the polarized Raman spectra of $RbCdX_3$ (X = Cl, Br). M. Natarajan, H. E. Howard-Lock, and I. D. Brown, 1192.
Nazémi, H.
Sur la réduction par $NaBH_4$ de quelques nitriles α,β-insaturés. Y. Pépin, H. Nazémi et D. Payette, 41.
Neidert, E. E.
Synthesis of the spirosesquiterpene (−)-acorenone and related cyclopentanoid monoterpenes. G. L. Lange, E. E. Neidert, W. J. Orrom, and D. J. Wallace, 1628.
Neilson, T.
Oligoribonucleotide synthesis. XI. Improved preparation of 2′-*O*-tetrahydropyranyl derivatives of guanosine and adenosine necessary for insertion in phosphotriester synthesis. R. J. Gregoire and T. Neilson, 487.
Proton magnetic resonance studies on short duplexes. I. Helix formation by the duplex set GpApGpC: GpCpUpC. D. W. Hughes, R. A. Bell, T. E. England, and T. Neilson, 2243.
Proton magnetic resonance studies on short duplexes. II. The self-complementary oligoribonucleotide CpApUpG. P. J. Romaniuk, T. Neilson, D. W. Hughes, and R. A. Bell, 2249.
Ng, A. S.
7α-Acetoxydihydronomilin: isolation, spectra, and crystal structure. F. R. Ahmed, A. S. Ng, and A. G. Fallis, 1020.
Nguyen, T. T. T.
Approaches to the synthesis of triterpenoids. III. Some *cis*-decalins corresponding to rings D and E of some pentacyclic triterpenes. J. W. ApSimon, S. Badripersaud, T. T. T. Nguyen, and R. Pike, 1646.

Niem, T.
Electron transport via metalloporphyrins. E. C. Johnson, T. Niem, and D. Dolphin, 1381.
Niemczura, W.
Limits to barriers to internal rotation in benzal fluoride, chloride, and bromide in solution by the *J* method. T. Schaefer, W. Danchura, and W. Niemczura, 36.
The total synthesis of 4-deoxy-D,L-daunosamine. H.-K. Hung, H.-Y. Lam, W. Niemczura, M.-C. Wang, and C.-M. Wong, 638.
The internal barriers to rotation about the carbon–carbon bond in 3,5-dichlorobenzyl alcohol and selenol by the *J* method. T. Schaefer, W. Danchura, W. Niemczura, and W. J. E. Parr, 1721.
The preferred conformations in solution and rotational barriers of the phenyl moiety in 3,5-dichlorobenzyl derivatives of ammonia, dimethylamine, and dimethylarsine. T. Schaefer, W. Danchura, and W. Niemczura, 2229.
Proton magnetic resonance spectra of 3-fluorotoluene and 2-chloro-5-fluorotoluene. The sign and coupling mechanism of $^5J_m^{F,CH_3}$. T. Schaefer, W. Danchura, and W. Niemczura, 2233.
Concerning the extension of the *J* method for internal barriers to six-bond couplings to ^{19}F in the 4-fluorophenyl fragment. T. Schaefer, W. Danchura, W. Niemczura, and J. Peeling, 2442.
Nixon, A. J. C.
Rearrangements of vanadium(III) β diketonate complexes. A. J. C. Nixon and D. R. Eaton, 1005.
Ligand exchange reactions of vanadium(III) β diketonate complexes. A. J. C. Nixon and D. R. Eaton, 1012.
The reactions of metal acetylacetonates with acids. A. J. C. Nixon and D. R. Eaton, 1928.
Norris, D. J.
Erratum: The pyridinium–dihydropyridine system. I. Synthesis of a series of substituted pyridinium ions and their 1,4-dihydro reduction products and a determination of their stabilities in aqueous buffers. D. J. Norris and R. Stewart, 1042.
Northcott, C. J.
The fluoroformate ion, FCO_2^-. An ion cyclotron resonance study of the gas phase Lewis acidity of carbon dioxide and related isoelectronic species. T. B. McMahon and C. J. Northcott, 1069.
Nutter, D. E. Jr.
On spin trapping hydroxyl and hydroperoxyl radicals. E. G. Janzen, D. E. Nutter, Jr., E. R. Davis, B. J. Blackburn, J. L. Poyer, and B. B. McCay, 2237.
Nyembo, L.
Phlegmarine, a likely key intermediate in the biosynthesis of the Lycopodium alkaloids. L. Nyembo, A. Goffin, C. Hootelé, and J.-C. Braekman, 851.
Oakley, R. T.
Crystal and molecular structures of 2,2,4,4,6,8,8-heptamethyl-6-methylamino-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin and 2,2,4,4,6,8,8-heptamethyl-6-methylamino-7-benzoyl-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin. H. P. Calhoun, R. T. Oakley, N. L. Paddock, S. J. Rettig, and J. Trotter, 2833.
O'Brien, R. N.
An interferometric study of a convectionless steady state of concentration polarization. R. N. O'Brien and H. Kolny, 591.
Ochiai, E.-I.
Crystal and molecular structure of bis(perchlorato)(γ-*C*-*meso*-5,5,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)copper(II). E.-I. Ochiai, S. J. Rettig, and J. Trotter, 267.
Ochiai, M.
Terpenoids. Part 44. Oxidative rearrangement of 17-nor-13β-kauran-16-one with thallium(III) nitrate. E. Fujita and M. Ochiai, 246.
Oehlschlager, A. C.
Comparison of orbital symmetry allowed and forbidden ring opening of aziridines. A. C. Oehlschlager, A. S. Yim, and M. H. Akhtar, 273.
Photoreactions of a iminophosphoranes. A. S. Yim, M. H. Akhtar, A. M. Unrau, and A. C. Oehlschlager, 289.
Ogawa, T.
Aminoglycoside antibiotics: synthesis of pseudotrisaccharides derived from neamine and paromamine. S. Hanessian, T. Ogawa, and T. Takamoto, 1500.
Ogilvie, K. K.
Proton magnetic resonance studies of 2′-deoxynucleoside and nucleotides in the *syn* conformation. A. L. George, F. E. Hruska, K. K. Ogilvie, and A. Holy, 1170.
The synthesis of oligoribonucleotides. II. The use of silyl protecting groups in nucleoside and nucleotide chemistry. VII. K. K. Ogilvie, S. L. Beaucage, A. L. Schifman, N. Y. Theriault, and K. L. Sadana, 2768.
Okagawa, A.
Memory impairment in flowing suspensions. I. Some theoretical considerations. A. Okagawa, G. J. Ennis, and S. G. Mason, 2815.
Memory impairment in flowing suspensions. II. Experimental results. G. J. Ennis, A. Okagawa, and S. G. Mason, 2824.
Okazaki, K.
Concerning the spectra and solvation process of electrons in liquid butanols. K. Okazaki and G. R. Freeman, 2305.
Scavenging of electrons prior to solvation in liquid alcohols. K. Okazaki and G. R. Freeman, 2313.
Okazawa, N.
The conformational preferences and the rotational barriers of some simple cyclopropylcarbinyl cations. N. Okazawa and T. S. Sorensen, 2355.

Okazawa, N.
The line-shape analysis of nuclear magnetic resonance peaks broadened by the presence of a 'hidden' exchange partner. N. Okazawa and T. S. Sorensen, 2737.
Oldenburg, E. J.
Field desorption mass spectrometry of carboxylic acids: characteristic spectra and analysis of mixtures and impure samples. G. W. Wood, E. J. Oldenburg, P.-Y. Lau, and D. L. Wade, 1372.
Field desorption mass spectrometry of carboxylate salts: characteristic spectra and effects of added complexing agents. G. W. Wood, E. J. Oldenburg, and P.-Y. Lau, 2750.
Oldham, K. B.
A Poisson–Boltzmann treatment of the capacitance of a layer of symmetrical spherical dipoles. P. Dalrymple-Alford and K. B. Oldham, 861.
Olie, K.
The photolysis of chlorinated *p*-terphenyls. B. Chittim, S. Safe, N. J. Bunce, L. O. Ruzo, K. Olie, and O. Hutzinger, 1253.
Olofsson, I. V.
Apparent molar heat capacities and volumes of aqueous electrolytes at 25°C: Na_2SO_4, K_2SO_4, $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_4, Na_2MoO_4, and Na_2WO_4. I. V. Olofsson, J. J. Spitzer, and L. G. Hepler, 1871.
Ondrus, T. A.
Some reactions of *N*-substituted-1,2-dihydropyridines with cyanogen azide. Synthesis of 1,2,3,4-tetrahydropyridylidene-4-cyanamides. T. A. Ondrus, E. E. Knaus, and C. S. Giam, 1026.
Some reactions of 2-*n*-butyl(phenyl)-1,2-dihyropyridines with isocyanates, pyridyl esters, and diethyl chlorophosphate. T. A. Ondrus, F. M. Pasutto, E. E. Knaus, and C. S. Giam, 1913.
Onyszchuk, M.
Synthesis and vibrational spectra of tin(II) isothiocyanate adducts with some O- and N-donor ligands. T. B. Absi, R. C. Makhija, and M. Onyszchuk, 2039.
Orrom, W. J.
Synthesis of the spirosesquiterpene (−)-acorenone and related cyclopentanoid monoterpenes. G. L. Lange, E. E. Neidert, W. J. Orrom, and D. J. Wallace, 1628.
O'Shea, S. F.
Polar substituents in barrelene photochemistry: mechanistic aspects of the photochemistry of 2-cyanobenzobarrelene. C. O. Bender, D. W. Brooks, W. Cheng, D. Dolman, S. F. O'Shea, and S. S. Shugarman, 3027.
Pacey, P. D.
The reaction of methyl radicals with formaldehyde in dimethyl ether pyrolysis. K. C. Manthorne and P. D. Pacey, 1307.
Paddock, N. L.
Crystal and molecular structures of 2,2,4,4,6,8,8-heptamethyl-6-methylamino-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin and 2,2,4,4,6,8,8-heptamethyl-6-methylamino-7-benzoyl-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin. H. P. Calhoun, R. T. Oakley, N. L. Paddock, S. J. Rettig, and J. Trotter, 2833.
Paddon-Row, M. N.
Reaction of dimethyl sulfoxide with chlorothiolformates hydrogen chloride, hydrogen fluoride, and hexafluoroisopropanol. A. Queen, A. E. Lemire, A. F. Janzen, and M. N. Paddon-Row, 2884.
Pagenkopf, G. K.
Cadmium complexation by soil fulvic acid. B. Brady and G. K. Pagenkopf, 2331.
Paine, A. J.
SCF molecular orbitals and the photoelectron spectrum of 5,5-dimethyl-Δ^3-1,3,4-oxadiazolin-2-one. A. J. Paine and N. H. Werstiuk, 1319.
Paine, III, J. B.
Synthesis of covalently-linked dimeric porphyrins. J. B. Paine III and D. Dolphin, 1710.
Exciton and electron interaction in covalently-linked dimeric porphyrins. J. B. Paine III, D. Dolphin, and M. Gouterman, 1712.
Pannekoek, W. J.
Ligand exchange reactions between ferrocene and 9,10-dimethylanthracene. R. G. Sutherland, W. J. Pannekoek, and C. C. Lee, 1782.
Pappalardo, G. C.
Nitration and bromination of 1,1-diphenyl-2-(2-thienyl) ethylene. F. A. Bottino, G. C. Pappalardo, G. Scarlata, D. Sciotto, and M. Torre, 2755.
Paquin, P.
Polarized fluorescence study of retinals at room temperature. S. Hotchandani, P. Paquin, and R. M. Leblanc, 1985.
Parker, B. M. C.
A theoretical study of the energies of solution, association, and migration for univalent substitutional anion impurities in alkali metal chloride crystals. J. Corish, B. M. C. Parker, and P. W. M. Jacobs, 1668.
Parr, W. J. E.
Long-range ^1H,^{19}F spin–spin coupling constants in benzenesulfonyl fluoride and some of its derivatives. Insensitivity of ^{19}F shifts to *ortho* substituents. T. Schaefer and W. J. E. Parr, 1717.
The internal barriers to rotation about the carbon–carbon bond in 3,5-dichlorobenzyl alcohol and selenol by the *J* method. T. Schaefer, W. Danchura, W. Niemczura, and W. J. E. Parr, 1721.
Paslat, V. G.
Cyclopropanation of steroidal A-ring 2-enol derivatives. J. F. Templeton, V. G. Paslat, and C. W. Wie, 2058.

Pasutto, F. M.
Some reactions of 2-*n*-butyl(phenyl)-1,2-dihydropyridines with isocyanates, pyridyl esters, and diethyl chlorophosphate. T. A. Ondrus, F. M. Pasutto, E. E. Knaus, and C. S. Giam, 1913.
Some reactions of 10-methyl-10*H*-pyrido[3,2-*b*][1,4]benzothiazine-*N*-butyllithium adduct with electrophiles. F. M. Pasutto and E. E. Knaus, 2365.
Patel, V.
Crown ether catalysis of decarboxylation: a general survey of reactivity and a detailed analysis of the triphenylacetate anion. D. H. Hunter, M. Hamity, V. Patel, and R. A. Perry, 104.
Patil, G.
Aminoglycoside antibiotics: Chemical conversion of neomycin B, paromomycin and lividomycin B into bioactive pseudosaccharides. S. Hanessian, T. Takamoto, R. Massé, and G. Patil, 1482.
Paulmier, C.
Recherches en série hétérocyclique. XXIX. Sur les voies d'accès à des thiéno, sélénolo, furo et pyrrolopyrroles. S. Soth, M. Farnier et C. Paulmier, 1429.
Pavlakovich, K. P.
The reactions of lithioacetonitrile and lithiomethoxy-acetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Payette, D.
Sur la réduction par $NaBH_4$ de quelques nitriles α,β-insaturés. Y. Pépin, H. Nazémi et D. Payette, 41.
Payne, N. C.
The crystal and molecular structure of *trans*-chloro(3-hydroxypropyl-*N*,*N*-dimethylaminocarbene)bis(dimethylphenylphosphine)platinum(II) hexafluorophosphate. R. F. Stepaniak and N. C. Payne, 1602.
The preparation of platinum(II) complexes with an *ortho*-metallated carbene ligand: the X-ray and molecular structure of $[Pt\{C(NHC_6H_4CH_3)(NHC_6H_3CH_3)\}\{PPh_2(CH_2)_2PPh_2\}]ClO_4$. D. F. Christian, D. A. Clarke, H. C. Clark, D. H. Farrar, and N. C. Payne, 2516.
Peacock, L. A.
Heats of vaporization of monoalkylcyclohexanes by the gas chromatography – calorimetry method. R. Fuchs and L. A. Peacock, 2493.
Peeling, J.
Ribo-2′-deoxyribo hybrid dinucleoside monophosphates. Proton magnetic resonance studies of 3′,5′- and 2′,5′-uridylyl-2′-doxythymidine. J. Peeling, F. E. Hruska, and P. C. Loewen, 522.
ESCA spectra and molecular charge distributions for some pyrimidine and purine bases. J. Peeling, F. E. Hruska and N. S. McIntyre, 1555.
ESCA studies of the uracil base. The effect of methylation, thionation, and ionization on charge distribution. J. Peeling, F. E. Hruska, D. M. McKinnon, M. S. Chauhan, and N. S. McIntyre, 2405.
Concerning the extension of the *J* method for internal barriers to six-bond couplings to ^{19}F in the 4-fluorophenyl fragment. T. Schaefer, W. Danchura, W. Niemczura, and J. Peeling, 2442.
Penney, C. L.
Phenyl phosphorodichloridate in the synthesis of cyclic phosphate diesters of biological interest. C. L. Penney and B. Belleau, 2396.
Pépin, Y.
Sur la réduction par $NaBH_4$ de quelques nitriles α,β-insaturés. Y. Pépin, H. Nazémi et D. Payette, 41.
Pepper, J. M.
Lignin and related compounds. V. The hydrogenolysis of aspen wood lignin using rhodium-on-charcoal as catalyst. J. M. Pepper and R. W. Fleming, 896.
Lignin and related compounds. VI. A study of variables affecting the hydrogenolysis of spruce wood lignin using a rhodium-on-charcoal catalyst. J. M. Peppe and P. Supathna, 899.
Perez, S.
Rotamers arising from restricted motions and electronic interactions of acetoxymethyl groups in carbohydrates. S. Perez, J. St-Pierre, and R. H. Marchessault, 2866.
Perkins, R. R.
Photoinduced chlorination and bromination of haloadamantanes in tetrachloromethane and bromotrichloromethane. R. R. Perkins and R. E. Pincock, 1269.
Perlin, A. S.
Some stereochemical aspects of two-bond $^{13}C-^{1}H$ spin–spin coupling. Sign determination in natural abundance ^{13}C nuclear magnetic resonance spectra. N. Cyr, G. K. Hamer, and A. S. Perlin, 297.
Synthesis and stereochemistry of 2-pyrone derivatives related to some fungal metabolites. S. Lesage and A. S. Perlin, 2889.
A conformational study of methyl β-cellobioside-d_8 by ^{13}C nuclear magnetic resonance spectroscopy: dihedral angle dependence of $^{3}J_{C-H}$ in $^{13}C—O—C—^{1}H$ arrays. G. K. Hamer, F. Balza, N. Cyr, and A. S. Perlin, 3109.
^{13}C nuclear magnetic resonance spectra of oxiranes. Configuration of 1,2-epoxypropyl side chains in fungal metabolites. S. Lesage and A. S. Perlin, 3117.
Perron, G.
Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.
Thermodynamics of the salting effect; free energies, enthalpies, entropies, heat capacities, and volumes of the ternary

systems electrolyte–alcohol–water at 25°C. G. Perron, D. Joly, J. E. Desnoyers, L. Avédikian, and J.-P. Morel, 552.
The heat capacities and volumes of some low molecular weight amides, ketones, esters, and esters in water over the whole solubility range. G. Roux, G. Perron, and J. E. Desnoyers, 2808.

Perry, M.
Stéroéochimie de β-diols et de leurs derivés cycliques. X. Etude structurale en résonance magnétique nucléaire du proton de dioxanne-1,3-4-spirocyclohexanes: methyl-2 dioxanne-1,3-4-spiro-*tert*-butyl-4′ cyclohexanes-*cis* et -*trans* (série I). L. Cazaux, J.-P. Gorrichon, P. Maroni et M. Perry, 2998.

Perry, M. B.
A synthesis of 3-acetamido-3-deoxy-D-*glycero*-D-*gulo*-heptose and 3-acetamido-3-deoxy-D-*glycero*-D-*ido*-heptose from 2-acetamido-2-deoxy-D-glucose. L. Benzing and M. B. Perry, 691.

Perry, R. A.
Crown ether catalysis of decarboxylation: a general survey of reactivity and a detailed analysis of the triphenylacetate anion. D. H. Hunter, M. Hamity, V. Patel, and R. A. Perry, 104.
Syntheses of azapolycyclic compounds by the aminium radical routes: trapping of the radical intermediates. R. A. Perry, R. W. Lockhart, M. Kitadani, and Y. L. Chow, 2906.

Peterson, M. R.
A consistent derivation of the Wilson–Decius *s* vectors, including new out-of-plane wag formulae. D. F. McIntosh, K. H. Michaelian, and M. R. Peterson, 1289.

Petit-Ramel, M. M.
Analyse des malates de cuivre et d'uranyle par potentiométrie, polarimétrie et spectrophotométrie. I. Khalil, M. M. Petit-Ramel et C. Chapelet-Barbier, 1919.

Pettitt, B. A.
^{13}C and ^{2}H spin–lattice relaxation in neopentane-d_{12}. B. A. Pettitt, R. E. Wasylishen, R. Y. Dong, and T. P. Pitner, 2576.

Phelps, D. J.
Resonance Raman labels: spectroscopic studies on *cis*- and *trans*-4-benzylidene-2-phenyl-Δ^2-oxazolin-5-one and an isotopically substituted analog. K. Kumar, D. J. Phelps, and P. R. Carey, 232.
Preresonance Raman spectra and excitation profiles of some chemically and isotopically substituted *trans*-4-benzylideneoxazolin-5-ones. D. J. Phelps, R. G. Carriere, K. Kumar, and P. R. Carey, 240.

Philippe, R.
State equation parameters of three homologous series: tetraalkyltin compounds, tetraalkoxysilanes, trialkylamines. R. Philippe, G. Delmas, and M. Couchon, 370.
Heats of mixing of trialkylamines: disorder and steric hindrance contributions. R. Philippe, G. Delmas, and P. N. Hong, 2856.

Pierre, J.-L.
Cyclopropanediols. VIII. Comportement chimique des cyclopropanediols et reactions de bis(trimethylsiloxy)-1,2 cyclopropanes. R. Le Goaller et J.-L. Pierre, 481.

Piette, J.-L.
Etude par résonance magnétique nucléaire de composés organiques contenant des chalcogènes. I. L'anisole et ses analogues soufré, sélénié et telluré. G. Llabres, M. Baiwir, L. Christiaens, J. Denoel, L. Laitem et J.-L. Piette, 2008.

Pike, D. C.
Kinetics and mechanism of the reaction of dimethyl acetylphosphonate with water. Expulsion of a phosphate ester from a carbonyl hydrate. R. Kluger, D. C. Pike, and J. Chin, 1792.

Pike, R.
Approaches to the synthesis of triterpenoids. III. Some *cis*-decalins corresponding to rings D and E of some pentacyclic triterpenes. J. W. ApSimon, S. Badripersaud, T. T. T. Nguyen, and R. Pike, 1646.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, G. I. Birnbaum, C. Huber, and M. L. Post, 2139.

Pillay, K. S.
Decomposition of tetramethyl-2-tetrazene under acidic conditions. L. J. Madgzinski, K. S. Pillay, H. Richard, and Y. L. Chow, 1657.

Pilon, R.
Carbon-13 enrichment in the room temperature multiphoton decomposition of CF_3Br. M. Gauthier, P. A. Hackett, M. Drouin, R. Pilon, and C. Willis, 2227.

Pincock, J. A.
The photochemistry of benzylic sulfonyl compounds: The preparation of sulfones and sulfinic acids. R. F. Langler, Z. A. Marini, and J. A. Pincock, 903.
The bromination of 3-arylpropynes: evidence for phenyl participation at a vinyl cation. J. A. Pincock and C. Somawardhana, 1164.

Pincock, R. E.
Photoinduced chlorination and bromination of haloadamantanes in tetrachloromethane and bromotrichloromethane. R. R. Perkins and R. E. Pincock, 1269.

Pinson, J.
Electrochemical reduction of pyridopyrazines. J. Armand, K. Chekir, and J. Pinson, 1804.

Pinto, B. M.
Synthetic routes to nucleoside analogs of *N*-substituted 1,3-thiazolidines. M. Iwakawa, B. M. Pinto, and W. A. Szarek, 326.

Pitner, T. P.
^{13}C and ^{2}H spin–lattice relaxation in neopentane-d_{12}. B. A. Pettitt, R. E. Wasylishen, R. Y. Dong, and T. P. Pitner, 2576.
Plambeck, J. A.
An aid to the interpretation of electrochemical data measured with spherical and cylindrical electrodes: corrections to the Cottrell equation. N. P. Bansal and J. A. Plambeck, 155.
Plavac, N.
Carbon-13 nuclear magnetic resonance spectra of *N*-, *O*-, and *S*-methylated uracil and thiouracil derivatives. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 725.
Poh, B.-L.
Relationship between Taft and Kirkwood–Westheimer equations. B.-L. Poh, 747.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. II. Possible conformations of α,ω-amino-acids in aqueous solutions, as deduced from dissociation constants. J. T. Edward, P. G. Farrell, J. L. Job, and B.-L. Poh, 1122.
Poirier, M.-A.
Influence des groupes *tert*-butyle, triméthylsilyle et triméthlgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. II. Epoxydation des dérivés vinyliques et ouverture des époxydes par $LiAlH_4$, $MeOH/H^+$ et H_2O/H^+. J.-C. Richer, M.-A. Poirier, Y. Maroni et G. Manuel, 2049.
Poirier, R.
The effect of *p*, *d*, and *f* Gaussian polarization functions on the computed one-electron properties of AH_n oxygen and sulfur hydrides. R. Poirier and R. Kari, 543.
Porter, J. D.
The electrochemical formation of mercuric oxide in alkaline solution. R. G. Barradas, S. Fletcher, and J. D. Porter, 336.
Post, M. L.
Structure and properties of a *trans–anti* photodimer of 5-methylorotate. C. P. Huber, G. I. Birnbaum, M. L. Post, E. Kulikowska, L. Gajewska, and D. Shuger, 824.
Approaches to the synthesis of triterpenoids. IV. The ABC + E ring approach to the pentacyclic triterpene skeleton. Synthesis of a pentacyclic compound suitable for triterpene synthesis. J. W. ApSimon, S. Badripersaud, J. W. Hooper, R. Pike, B. I. Birnbaum, C. Huber, and M. L. Post, 2139.
Approaches to the synthesis of triterpenes. V. An unusual acid-catalysed rearrangement of a β-γ-unsaturated ketone. J. W. ApSimon, S. Badripersaud, M. L. Post, and E. J. Gabe, 2150.
Potier, J.
Interaction fluorure d'hydrogène – acide perchlorique: Reactivité du nitromethane dans le milieu. C. Belin et J. Potier, 1610.
Poulton, G. A.
Pyrones. III. The alkylation of pyrononones. Preferential formation of 2-alkoxy-4-pyrones. T. D. Cyr and G. A. Poulton, 1796.
Poyer, J. L.
On spin trapping hydroxyl and hydroperoxyl radicals. E. G. Janzen, D. E. Nutter, Jr., E. R. Davis, B. J. Blackburn, J. L. Poyer, and P. B. McCay, 2237.
Price, S. J. W.
X-ray photoelectron spectra of C_6F_5X compounds (X = CH_3, CF_3, CN, CHO, OH, OCH_3, NH_2, NO_2). B. C. Trudell and S. J. W. Price, 538.
Pyrolysis of bromobenzene by the toluene carrier technique and determination of $D(C_6H_5—Br)$. R. J. Kominar, M. J. Krech, and S. J. W. Price, 1589.
Pritchard, H. O.
Variational energies for highly excited states of the helium atom. W.-T. Ma, M. Kuriyan, and H. O. Pritchard, 884.
A reformulation of the theory of unimolecular reactions. A. W. Yau and H. O. Pritchard, 1389.
Calorimetric study of an electrochemical reduction. P. J. Turner, and H. O. Pritchard, 1415.
The heat of mixing of hydrogen cyanide and hydrogen fluoride in the liquid phase. J. L. Collister and H. O. Pritchard, 2788.
Prokipcak, J. M.
Mechanism of S_Ni reactions. The effect of the base strength of the anionic fragments. D. J. Verrinder, M. J. Hourigan, and J. M. Prokipcak, 2582.
Purdham, J. T.
Conformational studies on cyclohexa-1,4-diene derivatives. The crystal and molecular structures of 1,2,4,5-tetraphenyl-3,6-dicarbomethoxycyclohexa-1,4-diene and 1,2-dicarbomethoxy-4,5-dimethylcyclohexa-1,4-diene. M. J. Bennett and J. T. Purdham, 1358.
The crystal and molecular structure of *anti*-1,2,4,5-tetraphenyl-3,6-dicarbomethoxytricyclo [3.1.0.$0^{2,4}$] hexane. M. J. Bennett and J. T. Purdham, 1364.
Queen, A.
Reaction of dimethyl sulfoxide with chlorothiolformates hydrogen chloride, hydrogen fluoride, and hexafluoroisopropanol. A. Queen, A. E. Lemire, A. F. Janzen, and M. N. Paddon-Row, 2884.
Quivoron, C.
Molécules modèles des motifs des poly-1,4-glucosides. I. Synthèse et correspondance configurationnelle de diastéréoisomères avec les motifs de la cellulose et de l'amylose. F. Lafuma et C. Quivoron, 2065.

Molécules modèles des motifs des poly-1,4-glucosides. II. Etude, par spectroscopie infrarouge, des conformations chélatées des diastéréoisomères modèles et discussion dans le cadre des chelations glucosidiques. F. Lafuma et C. Quivoron, 2076.

Rabenstein, D. L.

Nuclear magnetic resonance studies of the solution chemistry of metal complexes. XV. Trimethyllead complexes of inorganic ligands. E. K. Millar, C. A. Evans, and D. L. Rabenstein, 3104.

Rae, I. D.

The oxidation of haplophytine. P. Yates, F. N. MacLachlan, and I. D. Rae, 1052.

Ragan, M. A.

Phenol sulfate esters: ultraviolet, infrared, ^{1}H and ^{13}C nuclear magnetic resonance spectroscopic investigation. M. A. Ragan, 2681.

Ramaley, L.

Polarographic investigation of electron donor–acceptor complexes. L. Ramaley and S. Gaul, 2381.

Ramaswamy, B. S.

Nickel(II) and copper(II) complexes of the 'tripod' ligand tris(2-benzimidazylmethyl)amine. L. K. Thompson, B. S. Ramaswamy, and R. D. Dawe, 1311.

Ramsay, D. A.

The near-ultraviolet absorption spectrum of diimide: a re-examination. R. A. Back, C. Willis, and D. A. Ramsay, 1575.

Rancourt, G.

Assembly of the carbon skeletal framework of erythronolide A. S. Hanessian, G. Rancourt, and Y. Guindon, 1843.

Ranganayakulu, K.

pK_a values of protonated α,β-unsaturated cyclic carboxylic acids. Effect of ring size on acidities. S. N. Bhat, R. Rao, and K. Ranganayakulu, 2003.

Rao, C. R. M.

Differential thermal analysis and infrared studies on the effect of impurities on aragonite–calcite transformation. C. R. M. Rao and P. N. Mehrotra, 32.

Rao, R.

pK_a values of protonated α,β-unsaturated cyclic carboxylic acids. Effect of ring size on acidities. S. N. Bhat, R. Rao, and K. Ranganayakulu, 2003.

Ratcliffe, A. H.

Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.

Rayez, J.-C.

Triplet–triplet absorption of some aryl substituted 1,3,4-oxadiazoles. C. Rullière, J.-C. Rayez, and P. C. Roberge, 2781.

Rayner, D. M.

Time resolved fluorescence of aqueous tryptophan. D. M. Rayner and A. G. Szabo, 743.

Excited state acid–base equilibrium of tyrosine. D. M. Rayner, D. T. Krajcarski, and A. G. Szabo, 1238.

Redda, K.

Synthesis and reactions of 2-epoxyethylenepyridine 1-oxide with nitrogen, oxygen, and sulfur nucleophiles. A. Benderly, G. F. Fuller, E. E. Knaus, and K. Redda, 2673.

Reeves, L. W.

Liquid crystal/glass interface effects on the orientation of lyotropic liquid crystals in magnetic fields. F. Y. Fujiwara and L. W. Reeves, 2178.

Reichle, R.

Protonated cyclopropanes. X. Studies on the deamination of *n*-butylamine-1-^{14}C and the decomposition of 3-(*n*-butyl-1-^{14}C)-1-phenyltriazene. C. C. Lee, R. Reichle, and U. Weber, 658.

Rettig, S. J.

Crystal and molecular structure of bis(perchlorato)(γ-*C*-*meso*-5,5,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)copper(II). E.-I. Ochiai, S. J. Rettig, and J. Trotter, 267.

Synthesis, characterization, and X-ray structural studies of octahedral transition metal complexes incorporating the novel anionic tridentate ligand, dimethyl(ethanolamino)(1-pyrazolyl)gallate, $[Me_2Ga(OCH_2CH_2NH_2)(N_2C_3H_3)]^-$. K. S. Chong, S. J. Rettig, A. Storr, and J. Trotter, 1212.

Crystal and molecular structure of diphenylboron *N*-methylacethydroxamate (4,5-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boratacyclopent-4-ene). S. J. Rettig, J. Trotter, W. Kliegel, and D. Nanninga, 1676.

Synthesis and coordinating properties of the anionic tridentate ligand, methyl tris(1-pyrazolyl)gallate, $[MeGa(N_2C_3H_3)_3]^-$. X-ray crystal structure of $[MeGa(N_2C_3H_3)_3]Mo(CO)_2(\eta^3\text{-}C_3H_5)$. K. R. Breakell, S. J. Rettig, D. L. Singbeil, A. Storr, and J. Trotter, 2099.

Crystal and molecular structures of 2,2,4,4,6,8,8-heptamethyl-6-methylamino-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin and 2,2,4,4,6,8,8-heptamethyl-6-methylamino-7-benzoyl-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin. H. P. Calhoun, R. T. Oakley, N. L. Paddock, S. J. Rettig, and J. Trotter, 2833.

Richard, H.

Decomposition of tetramethyl-2-tetrazene under acidic conditions. L. J. Madgzinski, K. S. Pillay, H. Richard, and Y. L. Chow, 1657.

Richardson, D. M.

The enthalpy of formation of potassium chromate(V), K_3CrO_4(c). L. H. Johnson, L. G. Hepler, C. E. Bamberger, and D. M. Richardson, 446.

Riche, C. R.
Pyrrole chemistry. XIX. Reactions of 2-pyrrolecarbonitrile and its 4-substituted derivatives. H. J. Anderson, C. R. Riche, T. G. Costello, C. E. Loader, and G. H. Barnett, 654.
Richer, J.-C.
Influence des groupes *tert*-butyle, triméthylsilyle et triméthlgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. II. Epoxydation des dérivés vinyliques et ouverture des époxydes par $LiAlH_4$, $MeOH/H^+$ et H_2O/H^+. J.-C. Richer, M.-A. Poirier, Y. Maroni et G. Manuel, 2049.
Rieckhoff, K. E.
Resonance Raman in platinum phthalocyanine. T.-H. Huang, K. E. Rieckhoff, and E.-M. Voigt, 976.
Ringuet, M.
Synthesis of dehydrocycloroyleanone. R. H. Burnell and M. Ringuet, 517.
Ripmeester, J. A.
Reorientation of thiophene molecules in a benzene lattice. W. E. Sanford, R. K. Boyd, and J. A. Ripmeester, 714.
Risinger, S. A.
The reactions of lithioacetonitrile and lithiomethoxy-acetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Ritchie, R. G. S.
Addition of pseudohalogens to unsaturated carbohydrates. VI. Synthesis of 4'-thiocordycepin. R. G. S. Ritchie, D. M. Vyas, and W. A. Szarek, 794.
Rivest, P.
Nuclear analogs of β-lactam antibiotics. VIII. Synthesis of 3-acetoxymethyl-Δ^3-*O*-2-isocephems. T. T. Conway, G. Lim, J. L. Douglas, M. Menard, T. W. Doyle, P. Rivest, D. Horning, L. R. Morris, and D. Cimon, 1335.
Roberge, P. C.
Triplet–triplet absorption of some aryl substituted 1,3,4-oxadiazoles. C. Rullière, J.-C. Rayez, and P. C. Roberge, 2781.
Robertson, A. A.
Interaction of polymers in solution with porous solids I: penetration of porous glass by dextran. J. C. Day, B. Alince, and A. A. Robertson, 2951.
Robinson, F. P.
Inductive substituent constants from dissociation of methyl-substituted 2-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3059.
Inductive substituent constants from dissociation of methyl-substituted 3-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3068.
Inductive substituent constants from dissociation of methyl-substituted 4-picolinium ions. A. Fischer, M. J. King, and F. P. Robinson, 3072.
Robinson, L. H.
Vinyl ether hydrolysis. XI. The effect of α-phenyl substitution. Y. Chiang, W. K. Chwang, A. J. Kresge, L. H. Robinson, D. S. Sagatys, and C. I. Young, 456.
Rochon, F. D.
Reactions of K_2PtCl_4 with pyridine derivatives in dimethylformamide and synthesis of potassium trichloro(pyridine)platinum(II). P.-C. Kong and F. D. Rochon, 441.
Rodrigo, R.
Solidaline. A modified protoberberine alkaloid from *Corydalis solida*. R. H. F. Manske, R. Rodrigo, H. L. Holland, D. W. Hughes, D. B. MacLean, and J. K. Saunders, 383.
Rodrigo, R. G. A.
Cancentrine. V. The ^{13}C magnetic resonance spectra of cancentrine and some derivatives; the structure of 10-oxocancentrine. H. L. Holland, D. W. Hughes, D. B. MacLean, and R. G. A. Rodrigo, 2467.
Rohrer, D. C.
Crystal and molecular structure of two *C*-phenyl pentitol derivatives. D. C. Rohrer, J.-C. Fischer, D. Horton, and W. Weckerle, 2915.
Romaniuk, P. J.
Proton magnetic resonance studies on short duplexes. II. The self-complementary oligoribonucleotide CpApUpG. P. J. Romaniuk, T. Neilson, D. W. Hughes, and R. A. Bell, 2249.
Rosell, K.-G.
The formation of hex-5-enopyranosides and their selective hydrolysis in methylated polysaccharides. G. O. Aspinall and K.-G. Rosell, 680.
The selective cleavage of glycopyranosiduronamide linkages in methylated polysaccharides. G. O. Aspinall and K.-G. Rosell, 685.
Roso, W.
Valence-bond studies of 4-electron 3-centre bonding units. (I). The π-electrons of O_3, NO_2^-, and CH_2N_2. R. D. Harcourt and W. Roso, 1093.
Ross, R. A.
The heterogeneous catalytic reaction between carbon monoxide and nitrous oxide over manganous oxide and cobalto-cobaltic oxide. B. W. Krupay and R. A. Ross, 10.
The thermal desorption of surface species from sulfur dioxide adsorption on natural chrysotile asbestos and calorimetric sorption heats at 298, 323, 373 and 423 K. W. J. Murphy and R. A. Ross, 1847.
Reaction of carbon monoxide with nitrous oxide on scandium and magnesium oxides. B. W. Krupay and R. A. Ross, 2447.

The formation of propane, propylene, and acetone from 2-propanol over vanadium pentoxide and modified vanadium pentoxide catalysts. D. V. Fikis, W. J. Murphy, and R. A. Ross, 2530.

The oxygen exchange from $O_2/C^{18}O_2$ with surfaces of vanadium pentoxide and alkali metal-promoted vanadium pentoxide catalysts. D. V. Fikis, K. W. Heckley, W. J. Murphy, and R. A. Ross, 3078.

Roux, A.

Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.

Roux, G.

The heat capacities and volumes of some low molecular weight amides, ketones, esters, and esters in water over the whole solubility range. G. Roux, G. Perron, and J. E. Desnoyers, 2808.

Rowold, A.

A new route to 5-bromo-5′-bromomethylpyrromethenes. A. Rowold and S. F. MacDonald, 1907.

Rubbens, A.

X-ray, Raman, infrared, and nuclear magnetic resonance studies of the crystal structure of ammonium tetrachloroaluminate, NH_4AlCl_4. G. Mairesse, P. Barbier, J.-P. Wignacourt, A. Rubbens, and F. Wallart, 764.

Ruest, L.

Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.

Ruiz, J. J.

Mechanism of L-ascorbic acid oxidation on a mercury electrode. II. Basic medium. J. J. Ruiz, A. Aldaz, and M. Dominguez, 1533.

Rullière, C.

Triplet–triplet absorption of some aryl substituted 1,3,4-oxadiazoles. C. Rullière, J.-C. Rayez, and P. C. Roberge, 2781.

Russell, K. E.

Deactivation of singlet oxygen and triplet pentacene by transition metal complexes. H. Furue and K. E. Russell, 1595.

Russo, R.

Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.

Ruzo, L. O.

The photolysis of chlorinated *p*-terphenyls. B. Chittim, S. Safe, N. J. Bunce, L. O. Ruzo, K. Olie, and O. Hutzinger, 1253.

Sadana, K. L.

The synthesis of oligoribonucleotides. II. The use of silyl protecting groups in nucleoside and nucleotide chemistry. VII. K. K. Ogilvie, S. L. Beaucage, A. L. Schifman, N. Y. Theriault, and K. L. Sadana, 2768.

Sadoway, D. R.

The synthesis and properties of the hexachloroniobates and hexachlorotantalates of Na, K, Rb, and Cs. D. R. Sadoway and S. N. Flengas, 2013.

Thermodynamic properties of the alkali metal hexachloroniobate and hexachlorotantalate compounds by vapour pressure measurements. D. R. Sadoway and S. N. Flengas, 2538.

Safe, S.

The photolysis of chlorinated *p*-terphenyls. B. Chittim, S. Safe, N. J. Bunce, L. O. Ruzo, K. Olie, and O. Hutzinger, 1253.

Sagatys, D. S.

Vinyl ether hydrolysis. XI. The effect of α-phenyl substitution. Y. Chiang, W. K. Chwang, A. J. Kresge, L. H. Robinson, D. S. Sagatys, and C. I. Young, 456.

St-Jacques, M.

Substituent effect on the carbon-13 nuclear magnetic resonance spectra of 2-substituted tropones. Troponoid I. J. F. Bagli and M. St-Jacques, 578.

St-Pierre, J.

Rotamers arising from restricted motions and electronic interactions of acetoxymethyl groups in carbohydrates. S. Perez, J. St-Pierre, and R. H. Marchessault, 2866.

St. Pierre, S.

Synthesis and study of the conformational stability of sequential polypeptides containing δ-benzyloxycarbonyl-L-ornithine and benzyl esters of L-aspartic and L-glutamic acids. N. Ho-Duc, H. Daoust, and S. St. Pierre, 622.

Saksena, S. K.

Studies with model membranes, Part XXIV. Evaluation of thermodynamic activation parameters, effective fixed charge density, and test of the theory of bi-ionic potential based on the thermodynamics of irreversible processes. F. A. Siddiqi, M. N. Beg, M. I. R. Khan, A. Haq, S. K. Saksena, and B. Islam, 2205.

Sala-Pala, J.

A study of the ion $[Ta_2OF_{10}]^{2-}$. J. Sala-Pala, Y. J. Calves, J. E. Guerchais, S. Brownstein, J. C. Dewan, and A. J. Edwards, 1545.

Sanchez, I. H.

On the construction of the C/D ring systems of chasmanine and napelline by diene addition. K. S. Atwal, R. Marini-Bettolo, I. H. Sanchez, T. Y. R. Tsai, and K. Wiesner, 1102.

Sandorfy, C.

Anesthesia and hydrogen bonding. A semi-quantitative infrared study at room temperature. G. Trudeau, K. C. Cole, R. Massuda, and C. Sandorfy, 1681.

Sanford, W. E.
Reorientation of thiophene molecules in a benzene lattice. R. E. Sanford, R. K. Boyd, and J. A. Ripmeester, 714.
Sangster, J. M.
Vapour pressures of aqueous solutions of (Ag, Tl, Cd)NO_3 at 98.5°C. I. Brunauer–Emmett–Teller isotherms. J. M. Sangster, M.-C. Abraham, and M. Abraham, 348.
Vapour pressures of aqueous solutions of (Ag, Tl, Cd)NO_3 at 98.5°C. II. Henry's law and excess free energy. M.-C. Abraham, M. Abraham, and J. M. Sangster, 635.
Vapour pressures of $CaCl_2$–NaCl–H_2O and $MgCl_2$–NaCl–H_2O at 25°C. Prediction of the water activity of supersaturated NaCl solutions. D. T. An, T. T. Teng, and J. M. Sangster, 1853.
Sastri, C. K.
The microwave spectrum and structure of cyclopropyl carbinol. II. Four deuterated forms. W. V. F. Brooks and C. K. Sastri, 530.
Saunders, J. K.
Solidaline. A modified protoberberine alkaloid from *Corydalis solida*. R. H. F. Manske, R. Rodrigo, H. L. Holland, D. W. Hughes, D. B. MacLean, and J. K. Saunders, 383.
Conformational analysis of ketoximes by the application of carbon-13 nuclear magnetic resonance spectroscopy. P. Geneste, R. Durand, J.-M. Kamenka, H. Beierbeck, R. Martino, and J. K. Saunders, 1940.
Scarlata, G.
Nitration and bromination of 1,1-diphenyl-2-(2-thienyl) ethylene. F. A. Bottino, G. C. Pappalardo, G. Scarlata, D. Sciotto, and M. Torre, 2755.
Schaal, R.
Re-examination of the Kirkwood–Westheimer theory of electrostatic effects. III. Dissociation constants of *cis*-3- and *trans*-4-substituted cyclohexanecarboxylic acids in water – dimethyl sulfoxide mixtures. J. Kirchnerova, P. G. Farrell, J. T. Edward, J.-C. Halle, and R. Schaal, 1130.
Schaefer, T.
Limits to barriers to internal rotation in benzal fluoride, chloride, and bromide in solution by the *J* method. T. Schaefer, W. Danchura, and W. Niemczura, 36.
Long-range ^1H,^{19}F spin–spin coupling constants in benzenesulfonyl fluoride and some of its derivatives. Insensitivity of ^{19}F shifts to *ortho* substituents. T. Schaefer and W. J. E. Parr, 1717.
The internal barriers to rotation about the carbon–carbon bond in 3,5-dichlorobenzyl alcohol and selenol by the *J* method. T. Schaefer, W. Danchura, W. Niemczura, and W. J. E. Parr, 1721.
On the existence of *cis* and *trans* conformational isomers in 2-methylphenol and 4-chloro-2-methylphenol. T. Schaefer and K. Chum, 1788.
The preferred conformations in solution and rotational barriers of the phenyl moiety in 3,5-dichlorobenzyl derivatives of ammonia, dimethylamine, and dimethylarsine. T. Schaefer, W. Danchura, and W. Niemczura, 2229.
Proton magnetic resonance spectra of 3-fluorotoluene and 2-chloro-5-fluorotoluene. The sign and coupling mechanism of $^5J_m^{F,CH3}$. T. Schaefer, W. Danchura, and W. Niemczura, 2233.
Concerning the extension of the *J* method for internal barriers to six-bond couplings to ^{19}F in the 4-fluorophenyl fragment. T. Schaefer, W. Danchura, W. Niemczura, and J. Peeling, 2442.
Schifman, A. L.
The synthesis of oligoribonucleotides. II. The use of silyl protecting groups in nucleoside and nucleotide chemistry. VII. K. K. Ogilvie, S. L. Beaucage, A. L. Schifman, N. Y. Theriault, and K. L. Sadana, 2768.
Schmid, G. H.
Reactivity of cyclopropylalkenes with *p*-chlorobenzenesulfenyl chloride. T. R. Cerksus, V. M. Csizmadia, G. H. Schmid, and T. T. Tidwell, 205.
Schmit, J.-P.
Molecular activation analysis for methylmercury. J.-P. Schmit and D. R. Wiles, 1956.
Schnarr, G. W.
Oxidation of methyl glycopyranosides by *Acetobacter suboxydans*. G. W. Schnarr and W. A. Szarek, 1752.
Schrijver, L. M. H. C.
Synthesis and ^1H and ^{13}C nuclear magnetic resonance spectra of some 4-alkylidene 1-pyrazolines and alkylidenecyclopropanes. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, J. C. Godard, and T. Nakashima, 992.
The stereochemistry of thermolysis of 4-alkylidene-1-pyrazolines. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, and J. C. Godard, 998.
Sciotto, D.
Nitration and bromination of 1,1-diphenyl-2-(2-thienyl) ethylene. F. A. Bottino, G. C. Pappalardo, G. Scarlata, D. Sciotto, and M. Torre, 2755.
Scott, C. E.
Sterically hindered aromatic compounds. VIII. Comparative photochemistry of 2,4,6-tri-*tert*-butyl- and 2,5-di-*tert*-butylnitrosobenzenes. L. R. C. Barclay, D. L. Carson, J. A. Gray, M. Grossman, P. G. Khazanie, J. R. Milton, and C. E. Scott, 2665.
Scott, W. A.
Perepoxide intermediates in the conversion of some β-halohydroperoxides to allylic hydroperoxides by base. K. R. Kopecky, W. A. Scott, P. A. Lockwood, and C. Mumford, 1114.
Sebedio, J.-L.
Oxidative ozonolysis of a polyunsaturated fatty acid in BF_3–MeOH medium. J.-L. Sebedio and R. G. Ackman, 2480.
Secco, E. A.
Phase transformation studies on pure and K-doped Na_2SO_4. R. M. Murray and E. A. Secco, 2616.

Seddon, W. A.
The effect of temperature on the optical spectra and the yields of solvated electrons and ion-pairs in amines. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 839.
Pulse radiolysis: evidence for the reaction HO_2 with NO_2 in aqueous solution. H. C. Sutton, W. A. Seddon, and F. C. Sopchyshyn, 1961.
Sennhauser, E. S.
Ion mobilities in gaseous ammonia. E. S. Sennhauser and D. A. Armstrong, 2337.
Serpone, N.
Evidence for five-coordination in titanium(IV) complexes. A nuclear magnetic resonance investigation. A. Somogyvari and N. Serpone, 316.
Serrier, J.
Observation de transitions de phase dans les dérivés dihalogénés du benzène par spectroscopie infrarouge lointain et diffusion Raman. B. Wyncke, F. Brehat, A. Hadni, J. Serrier et M. Baverez, 1638.
Seyan, S. S.
ipso Nitration. XVIII. Nitration of 2-chloro-1,3,5-trimethylbenzene: nitration *ipso* to chlorine. A. Fischer and S. S. Seyan, 1348.
Shaffer, L. M.
Aldol-type condensation of C(α)-dianions of azines. S. E. Davis, N. L. Shealy, K. D. Shealy, L. M. Shaffer, and C. F. Beam, 1236.
Sharma, B. R.
Excess volumes of chloroform and bromoform mixtures with some *n*-alcohols at 303.15 K. P. P. Singh. B. R. Sharma, and K. S. Sidhu, 2127.
Shaver, A.
Arene–chromium complexes: Photochemical substitution of phosphine and phosphite ligands by olefin. G. P. Donnini and A. Shaver, 1477.
Preparation of some cyclopentadienyl platinum(IV) complexes. A. Shaver, 2281.
Shealy, K. D.
Aldol-type condensation of C(α)-dianions of azines. S. E. Davis, N. L. Shealy, K. D. Shealy, L. M. Shaffer, and C. F. Beam, 1236.
The reactions of lithioacetonitrile and lithiomethoxyacetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Shealy, N. L.
Aldol-type condensation of C(α)-dianions of azines. S. E. Davis, N. L. Shealy, K. D. Shealy, L. M. Shaffer, and C. F. Beam, 1236.
Sheats, G. F.
Rates and activation energies of nitronium ion formation and reaction in the nitration of toluene in ~78% sulphuric acid. G. F. Sheats and A. N. Strachan, 1280.
Shell, B.
Constituents of commercial methoxychlor-III. The mechanism of tetraanisylethylene formation. *unsym*-Tetraarylethylenes ($Ar_2C{=}CAr_2'$): synthesis from DT class pesticides, and conversion to phenanthrenes and dibenzo[*g*,*p*]chrysenes. R. H. Mitchell, L. Mazuch, B. Shell, and P. R. West, 1246.
Sherma, N. K.
Photochemical extrusion of sulfur dioxide from sultines. T. Durst, J. C. Huang, N. K. Sherma, and D. J. H. Smith, 512.
Shimizu, S.
Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.
Shoesmith, D. W.
The nature of green alkaline iron sulfide solutions and the preparation of sodium iron(III) sulfide, $NaFeS_2$. P. Taylor and D. W. Shoesmith, 2797.
Shugar, D.
Structure and properties of a *trans–anti* photodimer of 5-methylorotate. C. P. Huber, G. I. Birnbaum, M. L. Post, E. Kulikowska, L. Gajewska, and D. Shuger, 824.
Shugarman, S. S.
Polar substituents in barrelene photochemistry: mechanistic aspects of the photochemistry of 2-cyanobenzobarrelene. C. O. Bender, D. W. Brooks, W. Cheng, D. Dolman, S. F. O'Shea, and S. S. Shugarman, 3027.
Shukla, J. P.
Activation energy for methoxy group relaxation. M. A. Mazid, J. P. Shukla, and S. Walker, 1800.
Shurvell, H. F.
Raman and nuclear quadrupole resonance studies of the phase transition in pentachlorophenol. H. F. Shurvell, J. Korppi-Tommola, and R. J. C. Brown, 359.
Factor analysis as a complement to band resolution. V. Complexing of pentachlorophenol and acetone in carbon tetrachloride solution. J. Korppi-Tommola and H. F. Shurvell, 2959.
Siddiqi, F. A.
Studies with model membranes, Part XXIV. Evaluation of thermodynamic activation parameters, effective fixed charge density, and test of the theory of bi-ionic potential based on the thermodynamics of irreversible processes. F. A. Siddiqi, M. N. Beg, M. I. R. Khan, A. Haq, S. K. Saksena, and B. Islam, 2205.

Sides, K. L.
The reactions of lithioacetonitrile and lithiomethoxy-acetonitrile with certain ketones. C. F. Beam, K. D. Shealy, S. A. Risinger, J. Brown, K. L. Sides, C. R. Hanberry, K. P. Pavlakovich, and S. E. Davis, 2572.
Sidhu, K. S.
Excess volumes of chloroform and bromoform mixtures with some *n*-alcohols at 303.15 K. P. P. Singh, B. R. Sharma, and K. S. Sidhu, 2127.
Sieiro, C.
The $\{Li(NH_3)_n\}^+$ and $\{Na(NH_3)_n\}^+$ systems. A CNDO/2 study of the Li^+ and Na^+ ion solvation. C. Sieiro, P. Cañas, and P. Martinez, 2977.
Sieler, R. A.
Synthesis of 3-carboxylated 2,5-dihydrothiophenes. J. M. McIntosh and R. A. Sieler, 226.
Singbeil, D. L.
Synthesis and coordinating properties of the anionic tridentate ligand, methyl tris(1-pyrazolyl)gallate, $[MeGa(N_2C_3H_3)_3]^-$. X-ray crystal structure of $[MeGa(N_2C_3H_3)_3]Mo(CO)_2(\eta^3\text{-}C_3H_5)$. K. R. Breakell, S. J. Rettig, D. L. Singbeil, A. Storr, and J. Trotter, 2099.
Singh, J. M.
Extraction of cadmium salicylate with some nitrogen-containing organic bases. J. M. Singh and S. N. Tandon, 2922.
Singh, K. P.
Fluidities and conductances of glass-forming melts of cadmium nitrate tetrahydrate and transition metal chlorides. N. Islam, S. Kumar, and K. P. Singh, 1231.
Singh, P. P.
Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.
Excess volumes of chloroform and bromoform mixtures with some *n*-alcohols at 303.15 K. P. P. Singh, B. R. Sharma, and K. S. Sidhu, 2127.
Singleton, D. L.
Temperature dependence of rate constants for the reactions of oxygen atoms, $O(^3P)$, with HBr and HI. D. L. Singleton and R. J. Cvetanović, 2934.
Sisley, M. J.
Kinetics and mechanism of substitution reactions of (*N*,*N*-dimethylformamide)pentaamine–cobalt(III) and –rhodium(III) ions in DMF as solvent. S. T. D. Lo, M. J. Sisley, and T. W. Swaddle, 2609.
Slim, D. R.
The crystal structures of $S_7NSN(CH_3)_2$ and $(C_6H_{11})_2NSN(C_6H_{11})_2$. R. B. Bruce, R. J. Gillespie, and D. R. Slim, 2927.
Slotin, L. A.
Water-soluble lysine-containing polypeptides. V. Circular dichroism, electron microscopic, and thermal denaturation studies of the interaction of poly(L-lysyl-L-alanine) and poly(L-lysyl-D-alanine) with calf thymus DNA. S. L. Kielland, L. A. Slotin, and R. E. Williams, 2650.
Water-soluble lysine-containing polypeptides. VI. A study of annealed complexes between calf thymus DNA and the following copolymers: poly-(L-lysyl-X), where X = Gly, L-Ala, L-Val, L-Leu, L-Phe. S. L. Kielland, L. A. Slotin, and R. E. Williams, 2657.
Smith, A.
The effect of the variation of potential on progressive three-dimensional nucleation and growth. S. Fletcher and A. Smith, 606.
Galvanostatic transients and crystallization overvoltage. S. Fletcher and A. Smith, 908.
Smith, D. G.
Biosynthesis of prodiginies. ^{13}C resonance assignments and enrichment patterns in nonyl-, cyclononyl-, methylcyclodecyl-, and butylcycloheptylprodiginine produced by actinomycete cultures supplemented with ^{13}C-labeled acetate and ^{15}N-labeled nitrate. N. N. Gerber, A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, and L. C. Vining, 1155.
Diastereoisomeric 4a,10a-dihydrofusarubins: True metabolites of *Fusarium solani*. I. Kurobane, L. C. Vining, A. G. McInnes, and D. G. Smith, 1593.
Caerulomycin D, a novel glycosidic derivative of 3,4-dihydroxy-2,2′-dipyridyl 6-aldoxime from *Streptomyces caeruleus*. A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, L. C. Vining, and G. P. Arsenault, 1836.
Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.
Smith, D. J. H.
Photochemical extrusion of sulfur dioxide from sultines. T. Durst, J. C. Huang, N. K. Sharma, and D. J. H. Smith, 512.
Smith, G. E.
Intermediates in the γ-radiolysis of divalent sulfur compounds in dilute glass matrices. F. C. Adam, G. E. Smith, and A. J. Elliot, 1856.
Smith, R. T.
An electron spin resonance study of organomercury adducts of phenanthroquinone. K. S. Chen, R. T. Smith, and J. K. S. Wan, 2503.

Smyth, T. A.
Detection of intermediates and isolation of hydroquinone monoacetate in the Dakin oxidation of *p*-hydroxyacetophenone. M. B. Hocking, M. Ko, and T. A. Smyth, 2646.
Snieckus, V.
Indole *N*-alkylation of tryptamines via dianion and phthalimido intermediates. New potential indolealkyamine haptens. S. O. de Silva and V. Snieckus, 1621.
Snow, J. W.
The chiroptical properties of the strychinine alkaloids: strychnine, β-colubrine, brucine, and their dihydro derivatives. J. W. Snow and T. M. Hooker, Jr., 1222.
Sochanski, J.
Kinetics of *Z–E* isomerization of spiroindolinopyrans. I. Gruda, R. M. Leblanc, and J. Sochanski, 1296.
Somawardhana, C.
The bromination of 3-arylpropynes: evidence for phenyl participation at a vinyl cation. J. A. Pincock and C. Somawardhana, 1164.
Somogyvari, A.
Evidence for five-coordination in titanium(IV) complexes. A nuclear magnetic resonance investigation. A. Somogyvari and N. Serpone, 316.
Sopchyshyn, F. C.
The effect of temperature on the optical spectra and the yields of solvated electrons and ion-pairs in amines. W. A. Seddon, J. W. Fletcher, and F. C. Sopchyshyn, 839.
Pulse radiolysis: evidence for the reaction HO_2 with NO_2 in aqueous solution. H. C. Sutton, W. A. Seddon, and F. C. Sopchyshyn, 1961.
Sorensen, T. S.
The conformational preferences and the rotational barriers of some simple cyclopropylcarbinyl cations. N. Okazawa and T. S. Sorensen, 2355.
The line-shape analysis of nuclear magnetic resonance peaks broadened by the presence of a 'hidden' exchange partner. N. Okazawa and T. S. Sorensen, 2737.
Soth, S.
Recherches en série hétérocyclique. XXIX. Sur les voies d'accès à des thiéno, sélénolo, furo et pyrrolopyrroles. S. Soth, M. Farnier et C. Paulmier, 1429.
Soucy, P.
Synthesis of triquinacene and some of its derivatives. P. Deslongchamps, U. O. Cheriyan, Y. Lambert, J.-C. Mercier, L. Ruest, R. Russo, and P. Soucy, 1687.
Spitzer, J. J.
Apparent molar heat capacities and volumes of aqueous electrolytes at 25°C: Na_2SO_4, K_2SO_4, $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_4, Na_2MoO_4, and Na_2WO_4. I. V. Olofsson, J. J. Spitzer, and L. G. Hepler, 1871.
Spitzer, U. A.
Aqueous trifluoroacetic acid as a medium for organic reactions. II. The oxidation of hydrocarbons by manganese(VII). R. Stewart and U. A. Spitzer, 1273.
Sridhar, R.
Appearance potentials of ion fragments of iron pentacarbonyl. B. R. Conard and R. Sridhar, 2607.
Srinivasan, C.
Substituent and steric effects in the oxidation of alkyl aryl sulfides by peroxydisulfate. C. Srinivasan, P. Kuthalingam, and N. Arumugam, 3043.
Steer, R. P.
Mercury photosensitized decomposition of thietane. D. R. Dice and R. P. Steer, 114.
Steevensz, R. S.
Reduction of some organic compounds by electrochemically generated titanium(III). O. Christofis, J. J. Habeeb, R. S. Steevensz, and D. G. Tuck, 2269.
Stein, A. R.
Simultaneous determination of relative and absolute rate constants in racemization studies; applications to kinetic isotope effects. M. Tencer and A. R. Stein, 2994.
Steiner, H.
Horseradish peroxidase. XXIX. Reactions in water and deuterium oxide: cyanide binding, compound I formation, and reactions of compounds I and II with ferrocyanide. H. B. Dunford, W. D. Hewson, and H. Steiner, 2844.
Stepaniak, R. F.
The crystal and molecular structure of *trans*-chloro(3-hydroxypropyl-*N*,*N*-dimethylaminocarbene)bis(dimethylphenylphosphine)platinum(II) hexafluorophosphate. R. F. Stepaniak and N. C. Payne, 1602.
Stevens, M. F. G.
Anthraniloylanthranilamide (*o*-amino-*N*-(*o*-carbamoylphenyl) benzamide): Preparation and use as a synthetic precursor for quinazolino[1,2,3]benzotriazinones. F. D. Eddy, K. Vaughan, and M. F. G. Stevens, 1616.
Stewart, R.
Erratum: The pyridinium–dihydropyridine system. I. Synthesis of a series of substituted pyridinium ions and their 1,4-dihydro reduction products and a determination of their stabilities in aqueous buffers. D. J. Norris and R. Stewart, 1042.
Aqueous trifluoroacetic acid as a medium for organic reactions. II. The oxidation of hydrocarbons by manganese(VII). R. Stewart and U. A. Spitzer, 1273.

Stilbs, P.
A study of ^{14}N relaxation and nitrogen–proton spin coupling in nucleoside, indole and ε-caprolactam systems through Fourier transform measurements of NH proton spin–lattice relaxation in the rotating frame. M. E. Moseley and P. Stilbs, 1302.
Still, I. W. J.
Carbon-13 nuclear magnetic resonance spectra of *N*-, *O*-, and *S*-methylated uracil and thiouracil derivatives. I. W. J. Still, N. Plavac, D. M. McKinnon, and M. S. Chauhan, 725.
Phosphorus pentasulfide as a mild, selective reagent for the reduction of sulfoxides to sulfides. I. W. J. Still, S. K. Hasan, and K. Turnbull, 1423.
Stobie, R. W.
A study of the adsorption of formic acid and related molecule onto evaporated copper films, both clean and oxide-covered, by infrared ellipsometric spectroscopy. R. W. Stobie and M. J. Dignam, 1088.
Stoessl, A.
Biosynthetic studies of stress metabolites from potatoes: incorporation of sodium acetate-$^{13}C_2$ into 10 sesquiterpenes. A. Stoessl, J. B. Stothers, and E. W. B. Ward, 645.
Storr, A.
Synthesis, characterization, and X-ray structural studies of octahedral transition metal complexes incorporating the novel anionic tridentate ligand, dimethyl(ethanolamino)(1-pyrazolyl)gallate, $[Me_2Ga(OCH_2CH_2NH_2)(N_2C_3H_3)]^-$. K. S. Chong, S. J. Rettig, A. Storr, and J. Trotter, 1212.
Synthesis and coordinating properties of the anionic tridentate ligand, methyl tris(1-pyrazolyl)gallate, $[MeGa(N_2C_3H_3)_3]^-$. X-ray crystal structure of $[MeGa(N_2C_3H_3)_3]Mo(CO)_2(\eta^3\text{-}C_3H_5)$. K. R. Breakell, S. J. Rettig, D. L. Singbeil, A. Storr, and J. Trotter, 2099.
Stothers, J. B.
Biosynthetic studies of stress metabolites from potatoes: incorporation of sodium acetate-$^{13}C_2$ into 10 sesquiterpenes. A. Stoessl, J. B. Stothers, and E. W. B. Ward, 645.
Nuclear magnetic resonance studies. XXXII. Rearrangement, isomerization, and deuterium exchange via β-enolization in bicyclooctenones. A ^2H nuclear magnetic resonance study. A. K. Cheng and J. B. Stothers, 1342.
A revised structure for aubergenone, a sesquiterpenoid related to eudesmane: synthesis of 4-*epi*-aubergenone. R. B. Kelly, S. J. Alward, K. S. Murty, and J. B. Stothers, 2508.
Strachan, A. N.
Rates and activation energies of nitronium ion formation and reaction in the nitration of toluene in ~78% sulphuric acid. G. F. Sheats and A. N. Strachan, 1280.
Strukul, G.
Chemistry and catalytic properties of oxidized rhodium chlorocarbonyl complexes, $Rh_4Cl_4(CO)_4(O_2)_2P_2$; P = tertiary phosphine ligands. W. R. Cullen, B. R. James, and G. Strukul, 1965.
Subramanian, K. S.
A new extraction–spectrophotometric method for the determination of phosphate. K. S. Subramanian and A. Corsini, 1729.
Subrahmanyam, S. V.
Temperature dependence of adiabatic compressibilities of and sound velocities in *p*-dioxane–water mixtures. N. M. Murthy and S. V. Subrahmanyam, 2412.
Sugiura, T.
Ion–molecule reactions in the binary mixture of acetaldehyde and trioxane. II. Mechanism for the reaction of acetaldehyde molecular ion with trioxane. M. Kumakura, K. Arakawa, and T. Sugiura, 533.
Sum, P.-E.
Utilization of trimethylsilypropyne as an acetonyl unit in the synthesis of cyclopentenones. Applications to the synthesis of jasmone and dihydrojasmone. P.-E. Sum and L. Weiler, 2301.
Stereospecific synthesis of (−)-α-multistriatin from D-glucose. P.-E. Sum and L. Weiler, 2700.
Sunder, S.
Infrared and laser Raman studies of deuterated model membranes: Phase transition in 1,2-perdeuterodipalmitoyl-*sn*-glycero-3-phosphocholine. S. Sunder, D. Cameron, H. H. Mantsch, and H. J. Bernstein, 2121.
Supathna, P.
Lignin and related compounds. VI. A study of variables affecting the hydrogenolysis of spruce wood lignin using a rhodium-on-charcoal catalyst. J. M. Pepper and P. Supathna, 899.
Sutherland, R. G.
Ligand exchange reactions between ferrocene and 9,10-dimethylanthracene. R. G. Sutherland, W. J. Pannekoek, and C. C. Lee, 1782.
Sutton, D.
The crystal and molecular structure of (4-diethylaminophenyl)diazenyltriphenylphosphonium tetrafluoroborate. F. W. B. Einstein, D. Sutton, and P. L. Vogel, 891.
Sutton, H. C.
Pulse radiolysis: evidence for the reaction HO_2 with NO_2 in aqueous solution. H. C. Sutton, W. A. Seddon, and F. C. Sopchyshyn, 1961.
Swaddle, T. W.
Hydrothermal reaction kinetics. The decomposition of nickel(II) hydroxide. T. W. Swaddle and T. C. T. Wong, 363.
Hydrothermal preparation of magnetite from iron chelates. M. Booy and T. W. Swaddle, 402.

Kinetics and mechanism of substitution reactions of (*N*,*N*-dimethylformamide)pentaamine–cobalt(III) and –rhodium(III) ions in DMF as solvent. S. T. D. Lo, M. J. Sisley, and T. W. Swaddle, 2609.

Swindells, D. C. N.

The X-ray crystal structure of rapamycin, $C_{51}H_{79}NO_{13}$. D. C. N. Swindells, P. S. White, and J. A. Findlay, 2491.

Symons, E. A.

The chemistry of *N*,*N'*-dimethylformamidine. I. Formation from potassium methylamide, and its thermal stability. J. D. Halliday, E. A. Symons, and J. D. Bonnett, 1455.

The chemistry of *N*,*N'*-dimethylformamidine. II. Hydrolysis. Kinetically controlled formation of *cis*-*N*-methylformamide. J. D. Halliday and E. A. Symons, 1463.

The chemistry of *N*,*N'*-dimethylformamidine. III. Tautomerism and hindered rotation. J. D. Halliday, E. A. Symons, and P. E. Bindner, 1470.

The dissociation constant for potassium methylamide ion pairs in methylamine. E. A. Symons and J. D. Bonnett, 1518.

Szabo, A. G.

Time resolved fluorescence of aqueous tryptophan. D. M. Rayner and A. G. Szabo, 743.

Excited state acid–base equilibrium of tyrosine. D. M. Rayner, D. T. Krajcarski, and A. G. Szabo, 1238.

Szabo, S.

Catalyst modification by metal deposition: the deposition of silver on platinum at underpotential and overpotential. R. G. Barradas, S. Fletcher, and S. Szabo, 2029.

Szarek, W. A.

Syntheses related to the octodiose in apramycin. Part II. H. C. Jarrell and W. A. Szarek, 144.

Synthetic routes to nucleoside analogs of *N*-substituted 1,3-thiazolidines. M. Iwakawa, B. M. Pinto, and W. A. Szarek, 326.

Addition of pseudohalogens to unsaturated carbohydrates. VI. Synthesis of 4'-thiocordycepin. R. G. S. Ritchie, D. M. Vyas, and W. A. Szarek, 794.

Oxidation of methyl glycopyranosides by *Acetobacter suboxydans*. G. W. Schnarr and W. A. Szarek, 1752.

Tai, W. T.

Stereochemically controlled syntheses of some bicyclo[*n*.3.0]alkane-1-carboxylic acids. E. W. Warnhoff, W. T. Tai, and Y. C. Toong, 93.

Taillefer, R.

Synthesis of 5- and 6-methylene-2-norbornanones. N. H. Werstiuk and R. Taillefer, 1134.

Towards a complete account of the exchange chemistry of a diastereotopic proton pair. I. Base-catalyzed enolization–exchange of 2-norbornanones; on the rate controlling factors. N. H. Werstiuk, R. Taillefer, and S. Banerjee, 1140.

Base-catalyzed enolization of 2,5-norbornanediones. Evidence for homoenolic assistance. N. H. Werstiuk, R. Taillefer, and S. Banerjee, 1148.

Tait, J. C.

Metal complexes as antioxidants. V. Inhibition of hydrocarbon autoxidation by cupric complexes of dialkyldithiophosphoric and dialkyldithiocarbamic acids. J. H. B. Chenier, J. A. Howard, and J. C. Tait, 157.

Metal complexes as antioxidants. VI. An electron spin resonance study of the transient cupric complexes formed in the reaction of cupric dialkyldithiocarbamates with alkylperoxy radicals and alkyl hydroperoxides. J. A. Howard and J. C. Tait, 164.

Electron paramagnetic resonance spectra of the *tert*-butylperoxy and *tert*-butoxy adducts to phenyl *tert*-butyl nitrone and 2-methyl-2-nitrosopropane. Oxygen-17 hyperfine coupling constants. J. A. Howard and J. C. Tait, 176.

Organometallic peroxy radicals. 4. Electron spin resonance spectra of the radicals produced by reaction of organophosphorus(IV) and organoarsenic(IV) radicals with ^{17}O-enriched oxygen. J. A. Howard and J. C. Tait, 2163.

Takamoto, T.

Aminoglycoside antibiotics: Chemical conversion of neomycin B, paromomycin and lividomycin B into bioactive pseudosaccharides. S. Hanessian, T. Takamoto, R. Massé, and G. Patil, 1482.

Aminoglycoside antibiotics: synthesis of pseudotrisaccharides derived from neamine and paromamine. S. Hanessian, T. Ogawa, and T. Takamoto, 1500.

Tam, W. H. J.

The chemistry of some 6-methyl-4-hydroxy-2-pyridones. J. A. Findlay, W. H. J. Tam, and J. Krepinsky, 613.

The X-ray crystal structure of (±)-flavipucine. P. S. White, J. A. Findlay, and W. H. J. Tam, 1904.

Tanaka, K.

Rate and equilibrium constant measurements for gas-phase proton-transfer reactions involving H_2O, H_2S, HCN, and H_2CO. K. Tanaka, G. I. Mackay, and D. K. Bohme, 193.

Tandon, S. N.

Extraction of cadium salicylate with some nitrogen-containing organic bases. J. M. Singh and S. N. Tandon, 2922.

Tang, Y.-N.

Kinetics and mechanism for the formation of oxygenated products from the photolysis of hexafluoroacetone–methane system. E-C. Wu, R. R. Clark, and Y.-N. Tang, 1989.

Tantot, G.

Etude structurale du fluorure de chloryle en phase solide. G. Tantot, P. Joubert et R. Bougon, 1634.

Tarafder, M. T. H.

Chelates of nickel(II) and copper(II) with tridentate Schiff base formed by the condensation of *S*-benzyldithiocarbazate with benzoin. M. T. H. Tarafder and M. A. Ali, 2000.

Tavernier, D.
Synthèse et identification spectroscopique d'un hydroxylate-3 d'acyl-2 pyridothiazolium. D. Tavernier, J. C. Jamoulle et C. L. Lapière, 2109.
Taylor, D. R.
Metabolites of bird's nest fungi. Part 8. Some minor metabolites of *Cyathus helenae* and some correlations among the cyathins. W. A. Ayer, L. M. Browne, J. R. Mercer, D. R. Taylor, and D. E. Ward, 717.
Taylor, G. J.
^{13}C nuclear magnetic resonance spectra of some C-19-hydroxy, C-5,6 epoxy, C-24 ethyl, and C-19-norsteroids. H. L. Holland, P. R. P. Diakow, and G. J. Taylor, 3124.
Taylor, P.
The nature of green alkaline iron sulfide solutions and the preparation of sodium iron(III) sulfide, $NaFeS_2$. P. Taylor and D. W. Shoesmith, 2797.
Taylor, W. G.
Synthesis of two in vivo metabolites of *N*-(*n*-propyl) phentermine. R. T. Coutts, A. Benderly, A. L. C. Mak, and W. G. Taylor, 3054.
Teather, G. G.
Pulse radiolysis of deuterated aqueous LiCl glasses. Dependence of the yields and rates of reaction of visible and infrared absorbing trapped electrons in LiCl concentration. H. A. Gillis, G. G. Teather, and G. V. Buxton, 1889.
Tee, O. S.
Mechanism of bromination of a quaternary pyrimidinium cation. Change of rate determining step with acidity. O. S. Tee, D. C. Thackray, and C. G. Berks, 2970.
Templeton, J. F.
Cyclopropanation of steroidal A-ring 2-enol derivatives. J. F. Templeton, V. G. Paslat, and C. W. Wie, 2058.
Tencer, M.
Simultaneous determination of relative and absolute rate constants in racemization studies; applications to kinetic isotope effects. M. Tencer and A. R. Stein, 2994.
Teng, T. T.
Vapour pressures of $CaCl_2$–NaCl–H_2O and $MgCl_2$–NaCl–H_2O at 25°C. Prediction of the water activity of supersaturated NaCl solutions. D. T. An, T. T. Teng, and J. M. Sangster, 1853.
Teo, K. C.
Nitration of 4-*tert*-butyl-*o*-xylene in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and K. C. Teo, 258.
Ipso nitration. XX. Nitration of 5-*tert*-butyl-1,2,3-trimethylbenzene in acetic anhydride. Formation and rearomatization of adducts. A. Fischer and K. C. Teo, 1758.
Teo, K.-E.
Pyrrole chemistry. XVIII. The thio-Claisen rearrangement. K.-E. Teo, G. H. Barnett, H. J. Anderson, and C. E. Loader, 221.
Ternan, M.
Electron spin resonance studies of the surface chemistry of molybdenum–alumina catalysts. K. C. Khulbe, R. S. Mann, and M. Ternan, 1769.
Terzis, A.
Crystal structure of medium ring compounds. Part II. The crystal and molecular structure of *cis-anti-cis*-4,5:9,10-biscyclohexano-1,3,6,8-tetraoxecane. A. Terzis, J. B. Faught, and T. B. Grindley, 1705.
Tewari, P. H.
Hydrolysis of Co(II) at elevated temperatures. G. Giasson and P. H. Tewari, 435.
Thackray, D. C.
Mechanism of bromination of a quaternary pyrimidinium cation. Change of rate determining step with acidity. O. S. Tee, D. C. Thackray, and C. G. Berks, 2970.
Thavard, D.
Synthèse et propriétés chimiques du phényl-5-octahydro-1,2,3,4,6,7,8,9- dibenzophosphole. F. Mathey et D. Thavard, 1952.
Theriault, N. Y.
The synthesis of oligoribonucleotides. II. The use of silyl protecting groups in nucleoside and nucleotide chemistry. VII. K. K. Ogilvie, S. L. Beaucage, A. L. Schifman, N. Y. Theriault, and K. L. Sadana, 2768.
Thiellier, H. P. M.
Total synthesis of indole and dihydroindole alkaloids. XVI. Derivatives of vinblastine and vincristine: change of functionality in the vindoline unit. J. P. Kutney, J. Balsevich, T. Honda, P.-H. Liao, H. P. M. Thiellier, and B. R. Worth, 2560.
Thom, E.
Selective reduction of a carboxyl group with diborane. Synthesis of specifically carbon-14 labelled D,L-2-amino-4-(2-aminoethoxy)-butanoic acid. Y. Y. Liu, E. Thom, and A. A. Liebman, 2853.
Thomas-David, G.
Application de la spectrométrie ir et Raman à l'étude des complexes en solution aqueuse – Be^{2+} – $H_2C_2O_4$. M. Jaber, F. Bertin et G. Thomas-David, 777.
Thompson, L. K.
Nickel(II) and copper(II) complexes of the 'tripod' ligand tris(2-benzimidazylmethyl)amine. L. K. Thompson, B. S. Ramaswamy, and R. D. Dawe, 1311.

Thompson, R. C.
Synthesis and structure of 4-methylpyridine complexes of cobalt(II) and nickel(II) hexafluorophosphate and hexafluoroarsenate. R. M. Morrison and R. C. Thompson, 985.
Tidwell, T. T.
Reactivity of cyclopropylalkenes with *p*-chlorobenzenesulfenyl chloride. T. R. Cerksus, V. M. Csizmadia, G. H. Schmid, and T. T. Tidwell, 205.
Tjoa, S. S.
Derivatives of porphobilinogen and isoporphobilinogen. G. Ufer, S. S. Tjoa, and S. F. MacDonald, 2437.
Tokunaga, H.
Synthesis and ^1H and ^{13}C nuclear magnetic resonance spectra of some 4-alkylidene-1-pyrazolines and alkylidenecyclopropanes. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, J. C. Godard, and T. Nakashima, 992.
The stereochemistry of thermolysis of 4-alkylidene-1-pyrazolines. R. J. Crawford, H. Tokunaga, L. M. H. C. Schrijver, and J. C. Godard, 998.
Tong, S. B.
Absolute rate constants for hydrocarbon autoxidation. 25. Rate constants for hydrogen atom abstraction from alkanes by the *tert*-butylperoxy radical. J. H. B. Chenier, S. B. Tong, and J. A. Howard, 3047.
Toong, Y. C.
Stereochemically controlled syntheses of some bicyclo[*n*.3.0]alkane-1-carboxylic acids. E. W. Warnhoff, W. T. Tai, and Y. C. Toong, 93.
Torre, M.
Nitration and bromination of 1,1-diphenyl-2-(2-thienyl) ethylene. F. A. Bottino, G. C. Pappalardo, G. Scarlata, D. Sciotto, and M. Torre, 2755.
Treiner, C.
A vapor pressure method for the simultaneous determination of standard thermodynamic functions of both solutes in a ternary dilute solution. C. Treiner, P. Tzias, and M. Chemla, 844.
Standard thermodynamic transfer functions from water to water acetone for a *n*-nonylcarbon chain attached to different ionic groups. R. Bury and C. Treiner, 2940.
Tremillon, B.
Etude polarographique de l'antimoine (III) et (V) dans le fluorure d'hydrogene anhydre et dans ses melanges avec l'eau. J. Devynck, B. Tremillon, H. Menard et G. Comarmond, 703.
Trotter, J.
Crystal and molecular structure of bis(perchlorato)(γ-*C*-*meso*-5,5,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)copper(II). E.-I. Ochiai, S. J. Rettig, and J. Trotter, 267.
Synthesis, characterization, and X-ray structural studies of octahedral transition metal complexes incorporating the novel anionic tridentate ligand, dimethyl(ethanolamino)(1-pyrazolyl)gallate, $[Me_2Ga(OCH_2CH_2NH_2)(N_2C_6H_3)]^-$. K. S. Chong, S. J. Rettig, A. Storr, and J. Trotter, 1212.
Crystal and molecular structure of diphenylboron *N*-methylacethydroxamate (4,5-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boratacyclopent-4-ene). S. J. Rettig, J. Trotter, W. Kliegel, and D. Nanninga, 1676.
Synthesis and coordinating properties of the anionic tridentate ligand, methyl tris(1-pyrazolyl)gallate, $[MeGa(N_2C_3H_3)_3]^-$. X-ray crystal structure of $[MeGa(N_2C_3H_3)_3]Mo(CO)_2(\eta^3\text{-}C_3H_5)$. K. R. Breakell, S. J. Rettig, D. L. Singbeil, A. Storr, and J. Trotter, 2099.
Crystal and molecular structures of 2,2,4,4,6,8,8-heptamethyl-6-methylamino-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin and 2,2,4,4,6,8,8-heptamethyl-6-methylamino-7-benzoyl-1,3,5-triaza-2,4,6,8(P^v)-tetraphosphorin. H. P. Calhoun, R. T. Oakley, N. L. Paddock, S. J. Rettig, and J. Trotter, 2833.
Trsic, M.
Les fonctions de Hartree–Fock–Slater comme base pour des calculs de perturbation à un electron pour molecules. III. Le calcul de la première hyperpolarisabilité. M. Trsic et W. G. Laidlaw, 1582.
Trudeau, G.
Anesthesia and hydrogen bonding. A semi-quantitative infrared study at room temperature. G. Trudeau, K. C. Cole, R. Massuda, and C. Sandorfy, 1681.
Trudell, B. C.
X-ray photoelectron spectra of C_6F_5X compounds (X = CH_3, CF_3, CN, CHO, OH, OCH_3, NH_2, NO_2). B. C. Trudell and S. J. W. Price, 538.
Tsai, T. Y. R.
On the construction of the C/D ring systems of chasmanine and napelline by diene addition. K. S. Atwal, R. Marini-Bettolo, I. H. Sanchez, T. Y. R. Tsai, and K. Wiesner, 1102.
A new stereospecific total synthesis of chasmanine and 13-desoxydelphonine. K. Wiesner, T. Y. R. Tsai, and K. P. Nambiar, 1451.
Tuck, D. G.
Reduction of some organic compounds by electrochemically generated titanium(III). O. Christofis, J. J. Habeeb, R. S. Steevensz, and D. G. Tuck, 2269.
Turkos, R. E. C.
Chemical behavior of charge-transfer complexes. VII. Solvolysis of alkyl arenesulfonate donors in the presence of aromatic acceptors. A. K. Colter and R. E. C. Turkos, 585.
Turnbull, K.
Phosphorus pentasulfide as a mild, selective reagent for the reduction of sulfoxides to sulfides. I. W. J. Still, S. K. Hasan, and K. Turnbull, 1423.

Turner, G.
Studies of the rhenium–oxygen bond. II. The crystal and molecular structure of μ-oxobis(*cis*-dichloro-*cis*-di(pyridine)-*trans*-oxorhenium(V)), $ORe(C_5H_5N)_2Cl_2ORe(C_5H_5N)_2Cl_2O$. C. J. L. Lock and G. Turner, 179.
Turner, P. J.
Calorimetric study of an electrochemical reduction. P. J. Turner, and H. O. Pritchard, 1415.
Tyrer, D.
Mixed oxidation state compounds of antimony: a ^{121}Sb Mössbauer study of some antimony–fluorine systems. J. G. Ballard, T. Birchall, R. J. Gillespie, E. Maharajh, D. Tyrer, and J. E. Vekris, 2417.
Tzias, P.
A vapor pressure method for the simultaneous determination of standard thermodynamic functions of both solutes in a ternary dilute solution. C. Treiner, P. Tzias, and M. Chemla, 844.
Ufer, G.
Derivatives of porphobilinogen and isoporphobilinogen. G. Ufer, S. S. Tjoa, and S. F. MacDonald, 2437.
Unrau, A. M.
Photoreactions of iminophosphoranes. A. S. Yim, M. H. Akhtar, A. M. Unrau, and A. C. Oehlschlager, 289.
Vancea, L.
Synthesis and nuclear magnetic resonance study of the compounds (2-X-1,3-dithiane) (X = H, Me, $SiMe_3$, $GeMe_3$, $SnMe_3$, $PbMe_3$) and their tetracarbonyliron complexes. D. J. Cane, W. A. G. Graham, and L. Vancea, 1538.
Vandersar, T. J. D.
Stereochemistry and mechanisms of the reactions of acylsilanes with alkoxides. A. G. Brook, T. J. D. Vandersar, and W. Limburg, 2758.
van Schie, D. M. J.
Metabolites of bird's nest fungi. Part 9. Diterpenoid metabolites of *Cyathus africanus* Brodie. W. A. Ayer, T. Yoshida, and D. M. J. van Schie, 2113.
Vaughan, K.
Anthraniloylanthranilamide (*o*-amino-*N*-(*o*-carbamoylphenyl)benzamide): Preparation and use as a synthetic precursor for quinazolino[1,2,3]benzotriazinones. F. D. Eddy, K. Vaughan, and M. F. G. Stevens, 1616.
Vekris, J. E.
Mixed oxidation state compounds of antimony: a ^{121}Sb Mössbauer study of some antimony–fluorine systems. J. G. Ballard, T. Birchall, R. J. Gillespie, E. Maharajh, D. Tyrer, and J. E. Vekris, 2417.
Velkof, S.
Aminocyclitols. 2,5-Dideoxystreptamine and derivatives. G. Kavadias, S. Velkof, and B. Belleau, 404.
The Darzens glycidic ester condensation of indian-1-ones. A reinvestigation of the reaction. G. Kavadias and S. Velkof, 730.
Vermes, J.-P.
The chromous chloride promoted addition of *N*-haloamides to olefins. V. The addition of *N*-chloroamides to enol ethers: synthesis of acyloxy and acyl derivatives of α-amino acetals and ketals (aldehydes and ketones) and of 2-amino sugars. H. Driguez, J.-P. Vermes, and J. Lessard, 119.
Erratum: The chromous chloride promoted addition of *N*-haloamides to olefins. V. The addition of *N*-chloroamides to enol ethers: synthesis of acyloxy and acyl derivatives of α-amino acetals and ketals (aldehydes and ketones) and of 2-amino sugars. H. Driguez, J.-P. Vermes, and J. Lessard, 1305.
Verrinder, D. J.
Mechanism of S_Ni reactions. The effect of the base strength of the anionic fragments. D. J. Verrinder, M. J. Hourigan, and J. M. Prokipcak, 2582.
Verville, G.
Influence des composés organiques sur la vitesse d'apparition du complexe de transfert de charge 1Sn(II)–4Sn(IV) dans les bains acides d'étamage brillant. G. Verville, 2624.
Villermaux, J.
Mesure de la constante de vitesse de réaction des atomes d'hydrogène sur l'éthane et le propane en réacteurs tubulaire et parfaitement agité ouverts. J. Lede et J. Villermaux, 392.
Vincent, E.-J.
Etudes d'hétérocycles pentagonaux polyhétéroatomiques par résonance magnétique nucléaire du ^{13}C. Thiazoles et thiazolo[2,3-*e*]tétrazoles. R. Faure, J.-P. Galy, E.-J. Vincent et J. Elguero, 46.
Vining, L. C.
Biosynthesis of prodiginies. ^{13}C resonance assignments and enrichment patterns in nonyl-, cyclononyl-, methylcyclodecyl-, and butylcycloheptylprodiginine produced by actinomycete cultures supplemented with ^{13}C-labeled acetate and ^{15}N-labeled nitrate. N. N. Gerber, A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, and L. C. Vining, 1155.
Diastereoisomeric 4a,10a-dihydrofusarubins: True metabolites of *Fusarium solani*. I. Kurobane, L. C. Vining, A. G. McInnes, and D. G. Smith, 1593.
Caerulomycin D, a novel glycosidic derivative of 3,4-dihydroxy-2,2′-dipyridyl 6-aldoxime from *Streptomyces caeruleus*. A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, L. C. Vining, and G. P. Arsenault, 1836.
Vogel, P. L.
The crystal and molecular structure of (4-diethylaminophenyl)diazenyltriphenylphosphonium tetrafluoroborate. F. W. B. Einstein, D. Sutton, and P. L. Vogel, 891.
Voigt, E.-M.
Resonance Raman in platinum phthalocyanine. T.-h. Huang, K. E. Rieckhoff, and E.-M. Voigt, 976.

Vyas, D. M.
Addition of pseudohalogens to unsaturated carbohydrates. VI. Synthesis of 4′-thiocordycepin. R. G. S. Ritchie, D. M. Vyas, and W. A. Szarek, 794.
Wade, D. L.
Field desorption mass spectrometry of carboxylic acids: characteristic spectra and analysis of mixtures and impure samples. G. W. Wood, E. J. Oldenburg, P.-Y. Lau, and D. L. Wade, 1372.
Wakselman, C.
Distillation extractive. II. Etude de l'interaction entre carbures insaturés et solvants dipolaires. C. Wakselman et M. Bouquet, 2259.
Walker, I. M.
Novel aspects of the optical spectra of dichlorotetrakis(thiourea)iron(II). P. J. McCarthy and I. M. Walker, 1284.
Walker, S.
Activation energy for methoxy group relaxation. M. A. Mazid, J. P. Shukla, and S. Walker, 1800.
Wallace, D. J.
Synthesis of the spirosesquiterpene (−)-acorenone and related cyclopentanoid monoterpenes. G. L. Lange, E. E. Neidert, W. J. Orrom, and D. J. Wallace, 1628.
Wallace, R.
A simpler method to evaluate the isotopic shifts in fundamental stretching frequencies of polyatomic molecules. J. Bron and R. Wallace, 379.
An internal coordinate model for molecular vibrations: the energy levels of H_2O and H_2S and related isotopic molecules. J. Bron and R. Wallace, 2167.
Wallart, F.
X-ray, Raman, infrared, and nuclear magnetic resonance studies of the crystal structure of ammonium tetrachloroaluminate, NH_4AlCl_4. G. Mairesse, P. Barbier, J.-P. Wignacourt, A. Rubbens, and F. Wallart, 764.
Walter, J. A.
Biosynthesis of prodiginies. ^{13}C resonance assignments and enrichment patterns in nonyl-, cyclononyl-, methylcyclodecyl-, and butylcycloheptylprodiginine produced by actinomycete cultures supplemented with ^{13}C-labeled acetate and ^{15}N-labeled nitrate. N. N. Gerber, A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, and L. C. Vining, 1155.
Caerulomycin D, a novel glycosidic derivative of 3,4-dihydroxy-2,2′-dipyridyl 6-aldoxime from *Streptomyces caeruleus*. A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, L. C. Vining, and G. P. Arsenault, 1836.
Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.
Wan, J. K. S.
An electron spin resonance and CIDEP study of the photoreduction of *tert*-butyl-*p*-benzoquinones. T. Foster, A. J. Elliot, B. B. Adeleke, and J. K. S. Wan, 869.
An ESR and CIDEP study of the photoreduction of furil. A. J. Elliot and J. K. S. Wan, 2499.
An electron spin resonance study of organomercury adducts of phenanthroquinone. K. S. Chen, R. T. Smith, and J. K. S. Wan, 2503.
Wang, M.-C.
The total synthesis of 4-deoxy-D,L-daunosamine. H.-K. Hung, H.-Y. Lam, W. Niemczura, M.-C. Wang, and C.-M. Wong, 638.
Ward, D. E.
Metabolites of bird's nest fungi. Part 8. Some minor metabolites of *Cyathus helenae* and some correlations among the cyathins. W. A. Ayer, L. M. Browne, J. R. Mercer, D. R. Taylor, and D. E. Ward, 717.
Metabolites of bird's nest fungi. Part 10. Carbon-13 nuclear magnetic resonance studies on the cyathins. W. A. Ayer, T. T. Nakashima, and D. E. Ward, 2197.
Ward, E. W. B.
Biosynthetic studies of stress metabolites from potatoes: incorporation of sodium acetate-$^{13}C_2$ into 10 sesquiterpenes. A. Stoessl, J. B. Stothers, and E. W. B. Ward, 645.
Warkentin, J.
Thermolysis of Δ^3-1,3,4-oxadiazolin-2-ones and 2-phenylimino-Δ^3-1,3,4-oxadiazolines derived from α,β-epoxyketones. An alternative method for the conversion of α,β-epoxyketones to alkynones and alkynals. G. A. MacAlpine and J. Warkentin, 308.
Oxidative cyclization of carbonyl derivatives. 5-Imino-Δ^1-1,2,4-triazolines from alkylideneimino guanidines. L. M. Cabelkova-Taguchi and J. Warkentin, 2194.
Warnhoff, E. W.
Stereochemically controlled syntheses of some bicyclo[*n*.3.0]alkane-1-carboxylic acids. E. W. Warnhoff, W. T. Tai, and Y. C. Toong, 93.
Wasylishen, R. E.
^{13}C and ^2H spin–lattice relaxation in neopentane-d_{12}. B. A. Pettitt, R. E. Wasylishen, R. Y. Dong, and T. P. Pitner, 2576.
Weatherhead, R. H.
Studies in decarboxylation. XI. The gas phase pyrolysis of some arylacetic acids. D. B. Bigley and R. H. Weatherhead, 628.
Weatherston, J.
Bifunctionalized resins. Applications to the synthesis of insect sex attractants. T. M. Fyles, C. C. Leznoff, and J. Weatherston, 1031.

Weber, R. W.
General method for the synthesis of [*n*.3.3]propellanes, $n \geq 3$. R. W. Weber and J. M. Cook, 189.
Weber, U.
Protonated cyclopropanes. X. Studies on the deamination of *n*-butylamine-1-^{14}C and the decomposition of 3-(*n*-butyl-1-^{14}C)-1-phenyltriazene. C. C. Lee, R. Reichle, and U. Weber, 658.
Weckerle, W.
Crystal and molecular structure of two *C*-phenyl pentitol derivatives. D. C. Rohrer, J.-C. Fischer, D. Horton, and W. Weckerle, 2915.
Weiler, L.
Utilization of trimethylsilylpropyne as an acetonyl unit in the synthesis of cyclopentenenos. Applications to the synthesis of jasmone and dihydrojasmone. P.-E. Sum and L. Weiler, 2301.
Stereospecific synthesis of (−)-α-multistriatin from D-glucose. P.-E. Sum and L. Weiler, 2700.
Weinberg, M. L. D.
Synthesis of *trans*- and *cis*-α-damascone. H.-J. Liu, H.-K. Hung, G. L. Mhehe, and M. L. D. Weinberg, 1368.
Weir, G. L.
Studies related to antitumor antibiotics. Part XIII. Reactivity of 2- and 3-indolylcarbinyl compounds as models for mitosane action. J. W. Lown and G. L. Weir, 249.
Welch, G.
Effect of aromatic substituents on the rates of hydrolysis of ethyl thiolbenzoate and ethyl thionbenzoate in aqueous sulfuric acid. J. T. Edward, S. C. Wong, and G. Welch, 931.
The hydrolysis of thioacetic, thiobenzoic, and three substituted thiobenzoic acids in perchloric and sulfuric acids. J. T. Edward, G. Welch, and S. C. Wong, 935.
Werstiuk, N. H.
Synthesis of 5- and 6-methylene-2-norbornanones. N. H. Werstiuk and R. Taillefer, 1134.
Towards a complete account of the exchange chemistry of a diastereotopic proton pair. I. Base-catalyzed enolization–exchange of 2-norbornanones; on the rate controlling factors. N. H. Werstiuk, R. Taillefer, and S. Banerjee, 1140.
Base-catalyzed enolization of 2,5-norbornanediones. Evidence for homoenolic assistance. N. H. Westiuk, R. Taillefer, and S. Banerjee, 1148.
SCF molecular orbitals and the photoelectron spectrum of 5,5-dimethyl-Δ^3-1,3,4-oxadiazolin-2-one. A. J. Paine and N. H. Werstiuk, 1319.
Base-catalyzed hydrogen isotope exchange of thiocamphor: α-thioenolization rate constants. N. H. Werstiuk and P. Andrews, 2605.
West, P. R.
Constituents of commercial methoxychlor-III. The mechanism of tetraanisylethylene formation. *unsym*-Tetraarylethylenes ($Ar_2C{=}CAr_2'$): synthesis from DT class pesticides, and conversion to phenanthrenes and dibenzo[*g*,*p*] chrysenes. R. H. Mitchell, L. Mazuch, B. Shell, and P. R. West, 1246.
Westaway, K. C.
Solvent effects on the structure of S_N2 transition states. K. C. Westaway, 2691.
Westland, A. D.
Enthalpies of formation of crystalline selenium(IV) chloride and bromide. A. D. Westland and R. Makhija, 1586.
Weulersse, J.-M.
Structural study of the cesium oxypentafluorouranate (VI) $CsUOF_5$. P. Joubert, J. M. Weulersse, R. Bougon, and B. Gaudreau, 2546.
White, P. S.
The X-ray crystal structure of (±)-flavipucine. P. S. White, J. A. Findlay, and W. H. J. Tam, 1904.
The X-ray crystal structure of rapamycin, $C_{51}H_{79}NO_{13}$. D. C. N. Swindells, P. S. White, and J. A. Findlay, 2491.
Whitla, W. A.
Crystal structure of aquohydronium hexachloroantimonate(V). H. M. Matheson and W. A. Whitla, 957.
Wie, C. W.
Cyclopropanation of steroidal A-ring 2-enol derivatives. J. F. Templeton, V. G. Paslat, and C. W. Wie, 2058.
Więckowski, A.
Gas phase photolysis of 1-pentene and 1-pentene-d_{10} at 7.1 and 7.6 eV. Kinetic considerations. A. Więckowski and G. J. Collins, 1435.
Excited radicals in the gas phase photolysis of butene isomers at different photon energies: energy distribution in reaction products. G. J. Collin and A. Więckowski, 2630.
Wiesner, K.
On the construction of the C/D ring systems of chasmanine and napelline by diene addition. K. S. Atwal, R. Marini-Bettolo, I. H. Sanchez, T. Y. R. Tsai, and K. Wiesner, 1102.
A new stereospecific total synthesis of chasmanine and 13-desoxydelphonine. K. Wiesner, T. Y. R. Tsai, and K. P. Nambiar, 1451.
Wigfield, D. C.
Mechanism of borohydride reductions. Evidence for lack of disproportionation in the reduction of ketones. D. C. Wigfield and F. W. Gowland, 786.
The chemistry of 2-methyltetrahydropyran-4-one: An L-Selectride reaction that gives predominantly the equatorial alcohol. D. C. Wigfield and S. Feiner, 789.
Some empirical observations concerning the liquid scintillation counting of coloured solutions. D. C. Wigfield and C. M. E. Cousineau, 2173.

Wignacourt, J.-P.
X-ray, Raman, infrared, and nuclear magnetic resonance studies of the crystal structure of ammonium tetrachloroaluminate, NH_4AlCl_4. G. Mairesse, P. Barbier, J.-P. Wignacourt, A. Rubbens, and F. Wallart, 764.
Wilczyński, W.
Preparation of substituted 2,3-diphenylindoles and 2,3-diphenylindolenyl-3-hydroperoxides via reduction of α-(-*o*-nitrophenyl)deoxybenzoins. M. Jawdosiuk, I. Kmiotek-Skarżyńska, and W. Wilczyński, 218.
Wiles, D. R.
Molecular activation analysis for methylmercury. J.-P. Schmit and D. R. Wiles, 1956.
Williams, R. E.
Water-soluble lysine-containing polypeptides. V. Circular dichroism, electron microscopic, and thermal denaturation studies of the interaction of poly(L-lysyl-L-alanine) and poly(L-lysyl-D-alanine) with calf thymus DNA. S. L. Kielland, L. A. Slotin, and R. E. Williams, 2650.
Water-soluble lysine-containing polypeptides. VI. A study of annealed complexes between calf thymus DNA and the following copolymers: poly-(L-lysyl-X), where X = Gly, L-Ala, L-Val, L-Leu, L-Phe. S. L. Kielland, L. A. Slotin, and R. E. Williams, 2657.
Willis, C.
The radiation chemistry of nitrogen: primary neutral dissociative excitation yield and the isotopic exchange mechanism. A. W. Boyd, O. A. Miller, and C. Willis, 147.
The near-ultraviolet absorption spectrum of diimide: a re-examination. R. A. Back, C. Willis, and D. A. Ramsay, 1575.
Carbon-13 enrichment in the room temperature multiphoton decomposition of CF_3Br. M. Gauthier, P. A. Hackett, M. Drouin, R. Pilon, and C. Willis, 2227.
Willis, C. J.
Fluorinated alkoxides. Part XII. Studies on potentially tridentate fluorinated diols; zwitterionic and five-coordinate complexes of Ni^{2+} and Cu^{2+}. S. J. Loeb, J. W. L. Martin, and C. J. Willis, 2369.
Fluorinated alkoxides, Part XIII. The reduction of β-imino-alkoxy complexes to give stable, polydentate, amino-alcohols; their coordination to Co^{2+}, Ni^{2+}, and Cu^{2+}. J. W. L. Martin and C. J. Willis, 2966.
Wong, C. F.
Nuphar thiaspirane sulfoxides. ^{13}C nuclear magnetic resonance determined configuration and utilization in the interconversion of thiaspirane stereochemical types. R. T. LaLonde and C. F. Wong, 56.
Wong, C.-M.
The total synthesis of 4-deoxy-D,L-daunosamine. H.-K. Hung, H.-Y. Lam, W. Niemczura, M.-C. Wang, and C.-M. Wong, 638.
Wong, S. C.
Effect of aromatic substituents on the rates of hydrolysis of ethyl thiolbenzoate and ethyl thionbenzoate in aqueous sulfuric acid. J. T. Edward, S. C. Wong, and G. Welch, 931.
The hydrolysis of thioacetic, thiobenzoic, and three substituted thiobenzoic acids in perchloric and sulfuric acids. J. T. Edward, G. Welch, and S. C. Wong, 935.
Wong, T. C. T.
Hydrothermal reaction kinetics. The decomposition of nickel(II) hydroxide. T. W. Swaddle and T. C. T. Wong, 363.
Woo, K. W.
Flow nuclear magnetic resonance study of the addition, dehydration and cyclization steps for reaction between hydrazine and ethyl acetoacetate. M. Cocivera, K. W. Woo, and P. Livant, 473.
Wood, G. W.
Field desorption mass spectrometry of carboxylic acids: characteristic spectra and analysis of mixtures and impure samples. G. W. Wood, E. J. Oldenburg, P.-Y. Lau, and D. L. Wade, 1372.
Field desorption mass spectrometry of carboxylate salts: characteristic spectra and effects of added complexing agents. G. W. Wood, E. J. Oldenburg, and P.-Y. Lau, 2750.
Woolley, E. M.
Apparent molal heat capacities and volumes of aqueous electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3, NH_4NO_3, NH_4Cl, and NH_4ClO_4. A. Roux, G. M. Musbally, G. Perron, J. E. Desnoyers, P. P. Singh, E. M. Woolley, and L. G. Hepler, 24.
Wootan, Jr. W. L.
An investigation of discrepancies in the reported properties of tetraphenyl-*p*-dioxin. B. J. Yager and W. L. Wootan Jr., 1043.
Worsfold, D. J.
Reaction of 1,1-diphenylpropene with stannic chloride and hydrogen chloride. S. Bywater and D. J. Worsfold, 2093.
Worth, B. R.
Total synthesis of indole and dihydroindole alkaloids. XII. Selective functionalization of various bisindoles. Efficient syntheses of leurosine and related bisindole alkaloid derivatives. J. P. Kutney, J. Balsevich, G. H. Bokelman, T. Hibino, T. Honda, I. Itoh, A. H. Ratcliffe, and B. R. Worth, 62.
Total synthesis of indole and dihydroindole alkaloids. XVI. Derivatives of vinblastine and vincristine: change of functionality in the vindoline unit. J. P. Kutney, J. Balsevich, T. Honda, P.-H. Liao, H. P. M. Thiellier, and B. R. Worth, 2560.
Wright, G. A.
An explanation of reported participation of hydrated electrons as intermediates in electrochemical reduction reactions. J. R. Duncan and G. A. Wright, 17.

Wright, J. L. C.
Biosynthesis of prodiginies. ^{13}C resonance assignments and enrichment patterns in nonyl-, cyclononyl-, methylcyclodecyl-, and butylcycloheptylprodiginine produced by actinomycete cultures supplemented with ^{13}C-labeled acetate and ^{15}N-labeled nitrate. N. N. Gerber, A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, and L. C. Vining, 1155.
Caerulomycin D, a novel glycosidic derivative of 3,4-dihydroxy-2,2′-dipyridyl 6-aldoxime from *Streptomyces caeruleus*. A. G. McInnes, D. G. Smith, J. A. Walter, J. L. C. Wright, L. C. Vining, and G. P. Arsenault, 1836.
Identification of C-24 alkyl epimers of marine sterols by ^{13}C nuclear magnetic resonance spectroscopy. J. L. C. Wright, A. G. McInnes, S. Shimizu, D. G. Smith, J. A. Walter, D. Idler, and W. Khalil, 1898.
Wu, E.-C.
Kinetics and mechanism for the formation of oxygenated products from the photolysis of hexafluoroacetone–methane system. E-C. Wu, R. R. Clark, and Y.-N. Tang, 1989.
Wyncke, M.
Observation de transitions de phase dans les dérivés dihalogénés du benzène par spectroscopie infrarouge lointain et diffusion Raman. B. Wyncke, F. Brehat, A. Hadni, J. Serrier et M. Baverez, 1638.
Yager, B. J.
An investigation of discrepancies in the reported properties of tetraphenyl-*p*-dioxin. B. J. Yager and W. L. Wootan Jr., 1043.
Yamagishi, A.
Effects of potassium ion on the electron-transfer reaction between $Fe(CN)_6^{4-}$ and TCNQ or chloranil. S. Matsuda and A. Yamagishi, 2216.
Yates, P.
The oxidation of haplophytine. P. Yates, F. N. MacLachlan, and I. D. Rae, 1052.
Yau, A. W.
A reformulation of the theory of unimolecular reactions. A. W. Yau and H. O. Pritchard, 1389.
Yim, A. S.
Comparison of orbital symmetry allowed and forbidden ring opening of aziridines. A. C. Oehlschlager, A. S. Yim, and M. H. Akhtar, 273.
Photoreactions of iminophosphoranes. A. S. Yim, M. H. Akhtar, A. M. Unrau, and A. C. Oehlschlager, 289.
Yoshida, T.
Metabolites of bird's nest fungi. Part 9. Diterpenoid metabolites of *Cyathus africanus* Brodie. W. A. Ayer, T. Yoshida, and D. M. J. van Schie, 2113.
Young, C. I.
Vinyl ether hydrolysis. XI. The effect of α-phenyl substitution. Y. Chiang, W. K. Chwang, A. J. Kresge, L. H. Robinson, D. S. Sagatys, and C. I. Young, 456.
Vinyl ether hydrolysis. XII. Use of *cis–trans* isomerism to probe the reaction mechanism. Y. Chiang, A. J. Kresge, and C. I. Young, 461.
Yunker, M. B.
Synthesis of a 4,5-unsaturated-3-keto sugar (methyl 2-*O*-benzoyl-4-deoxy-6-*O*-triphenylmethyl-α-D-*glycero*-hex-4-enopyranosid-3-ulose). M. B. Yunker and B. Fraser-Reid, 2221.
Zamboni, R.
β-Lactams. II. The synthesis of *cis*-*N*-(2′-carboxyphenyl)-3-*N*-phenylacetamido-4-methoxymethyl-2-azetidinone. G. Just and R. Zamboni, 2720.
β-Lactams. III. The synthesis of 7-β-phenylacetamido-3′-carboxybenzo[3,4]-*O*-2-isocephem. G. Just and R. Zamboni, 2725.
Zeman, L.
La formation des liaisons éthériques lors de la production du polytéréphthalate d'éthylène glycol. V. Hornof and L. Zeman, 2703.